



**ROCKFORD BOARD OF EDUCATION
INVITATION TO BID ON SUPPLIES, MATERIALS, EQUIPMENT OR SERVICES FOR
SCHOOL DISTRICT NO. 205
ROCKFORD, ILLINOIS**

IFB No. **16-17 CHEMICAL PROCUREMENT**

DATE: **NOVEMBER 10, 2015**

OFFERS WILL BE RECEIVED UNTIL: **MONDAY, NOVEMBER 23, 2015, 12:30 P.M. CST**

RE: Invitation for Bid (IFB) No. 16-17 Pool Chemical Procurement. The purpose of this IFB is to obtain sealed bids from qualified vendors or individuals to provide specified quantities of pool and boiler chemicals in accordance with the terms and conditions outlined in this document.

Bid Opening: Monday, November 23, 2015, 12:30 p.m. CST, **Rockford Board of Education, 6th floor Conference Room, 501 Seventh St., Rockford, IL 61104.** The date and time as stated is also the time of the public opening. All vendors are welcome to attend the bid opening.

ROCKFORD BOARD OF EDUCATION

By: Tamara Pugh

Purchasing Process Manager

**ROCKFORD BOARD OF EDUCATION
REQUEST FOR BID ON SUPPLIES, MATERIALS, EQUIPMENT OR
SERVICES FOR SCHOOL DISTRICT NO. 205
ROCKFORD, ILLINOIS**

IFB No. 16-17 Chemical Procurement

Date: November 10, 2015

OFFERS WILL BE RECEIVED UNTIL: 12:30 PM (CST) on Monday, November 23, 2015

FOR SUPPLIES, MATERIALS, EQUIPMENT OR SERVICES SPECIFIED HEREIN. THE DATE AND THE TIME AS STATED IS ALSO THE TIME OF THE PUBLIC BID OPENING. IF YOU DESIRE TO SUBMIT A BID, PLEASE DO SO ON THE FORMS PROVIDED AND RETURN TO THIS OFFICE.

Addressed to: BOARD OF EDUCATION
School District No. 205
501 Seventh Street, 6th Fl.
Rockford, Illinois 61104

GENERAL CONDITIONS AND INSTRUCTIONS FOR ALL BIDS

The Board of Education (hereinafter occasionally referred to as Board or District as the context may require) reserves the right to reject any or all prices or bids submitted. One copy of this bid is enclosed for your convenience.

a.) Please return a copy of the required forms AND an electronic PDF version of the bid response (including all required forms) on a CD or flash drive in a SEALED envelope with the bid number, subject and your firm's name and address clearly indicated on the envelope. NOTE: FAXED and LATE bids are not acceptable and will be rejected as non-responsive.

b.) Bids to be addressed as follows: **Rockford Public School District Purchasing Department
501 Seventh St., 6th Floor
Rockford, IL 61104
Attn: Tamara Pugh, Purchasing Process Manager**

The Board of Education reserves the right to return any merchandise for full price credit or replacement at the District's discretion that does not comply with the conditions and specifications. The Board of Education reserves the right to increase or decrease quantities shown on bid.

The Board of Education reserves the right to cancel purchase orders if the delivery or completion is not performed in accordance with the bidding document and the date stated on the purchase order.

The Board of Education reserves the right to have any product analyzed at a laboratory to ascertain compliance with specifications. Expense of such testing shall be by the Board of Education unless such tests prove noncompliance with specifications at which time the expense shall be the responsibility of the Contractor.

Bids will be awarded to the lowest responsible Bidder complying with these conditions and specifications. All rights are reserved by the Board of Education to determine the selection that in its judgment meets the needs or purposes intended. Such decisions shall be final and not subject to recourse.

The Bidder's signature on the following page of this Form will be construed as acceptance of and willingness to comply with all provisions of the Acts of the General Assembly of the State of Illinois relating to wages of laborers, preference to citizens of the United States and residence within the State of Illinois, and discrimination and intimidation of employees. This bid and the resulting Contract are specifically subject to the Equal Employment Opportunity requirements of the Illinois Human Rights Act, Federal statutes and the policies and procedures of the District. Bidder agrees to comply in all respects with Federal, State, and local laws, ordinances and regulations pertaining to this bid and to the performance of the Contract in the event the Bidder is awarded the bid. Provisions of applicable statutes enacted by governmental bodies having jurisdiction are hereby incorporated by reference and became a part of this proposal and specifications.

Various statutes of the state of Illinois prohibit interest of School Board members in contracts and others prohibit interest of employees in contracts of the District as do District policies. Bidder by submitting a bid agrees to refrain from entering into any contract with the District where a Board member or employee of the District has a prohibited interest.

Complete, sign and return the following forms: General Conditions and Instruction for All Bids, Bid Offer Form, Bid-Rigging Certification, Minority and Women-Owned Business Concern Representation, Certificate Regarding Debarment, Suspension, Ineligibility and Exclusion, Certificate Regarding Lobbying, OFAC Compliance, Vendor Conflict of Interest Disclosure Form, and any other required submittals.

No bids may be withdrawn after the official opening. All bids submitted must be valid for a minimum period of sixty (60) days after the date set for the bid opening. Please check the Terms and Conditions for any variation of this requirement.

All prices are F.O.B., Rockford, Illinois, which is further defined as meaning the price submitted on the bid sheet is the total price to this school district, including all freight and delivery charges. Under no circumstances may prepaid charges be added to the invoice.

A substitute item will be considered only if it is an item of regular manufacture as evidenced by literature, catalogs, etc. and not a pro-type or first article test item. Items lacking an established commercial market or evidence of substantial sales must be placed in the hands of the Executive Director of Budgeting and Purchasing PRIOR to the date and time of the bid opening.

The successful Bidder must submit a separate invoice for each purchase order. The information on that invoice shall cover ONLY that one purchase order.

On the attached list, please type on the bid sheet(s) the information that is requested. If there is insufficient room for your information on this Bid Sheet(s), please present data on a separate sheet (one item to a sheet).

Any interested party, including all Bidders, may examine the bid summary after bids have been opened and awarded by the Board of Education. Bid summary will be available at the Board of Education Administration Building, Purchasing Department, 8:00 A.M., to 4:30 P.M., Monday through Friday. Bid recaps may also be reviewed by visiting www.DemandStar.Com.

Vendor's signature on this Bid Form must be an actual signature. A stamped, facsimile, or typed signature may disqualify the bid. Unless notified otherwise, should no offer be received, the firm may be subject to being removed from the Bidder's list.

The above General Conditions and Instructions are applicable to all bids. Additional Terms and Conditions and Specifications are supplied for each bid.

Please address all questions relative to any bid in writing to the Executive Director of Budgeting and Purchasing, Board of Education, 501 Seventh Street, Rockford, Illinois 61104 or stacie.scott@rps205.com. All request for information must be submitted at least three business days (Monday – Friday) prior to the bid due date and time. Responses to questions will be reviewed by the Purchasing Department and if a response or clarification to the IFB is issued it will be issued via an amendment to the bid and published on the District website and, if applicable, Demand Star. Any request for information submitted after the deadline will not receive a response. **Under no circumstances may any bidder or its representative(s) contact any employee or representative of the Rockford Public Schools regarding this bid prior to the closing date, other than to the Purchasing staff provided above. Any violation of this condition may result in a Vendor being considered non-compliant and ineligible for award.**

THIS SECTION BELOW MUST BE COMPLETED IN FULL AND SIGNED.
FAILURE TO COMPLY MAY RESULT IN DISQUALIFICATION OF BID.

The undersigned hereby certifies that he/she has read and understands the contents of this solicitation and agrees to furnish at the prices shown any or all of the items and/or services, subject to all Instructions, Terms and Conditions, Specifications and attachments hereto. Failure to have read all the provisions of this solicitation shall not be cause to alter any resulting contract or request additional compensation.

GENERAL CONDITIONS AND INSTRUCTIONS FOR ALL BIDS FORM:

Address

Name of Firm

City & State

Zip

Signature of Authorized Representative

Area Code

Telephone Number

(Federal Employer Identification) Or Social Security
Number (See Specification for Determination)

LATE BIDS CANNOT BE ACCEPTED!

SEALED BID PROPOSAL

BID NO.: 16-17
OPENING DATE: Monday, November 23, 2015
OPENING TIME: 12:30 PM (CST)
DESCRIPTION: Chemical Procurement
ATTN: PURCHASING DEPT.

DATED MATERIAL-DELIVER IMMEDIATELY

PLEASE CUT OUT AND AFFIX THIS BID LABEL TO THE
OUTERMOST ENVELOPE OF YOUR PROPOSAL TO HELP
ENSURE PROPER DELIVERY!

LATE OFFERS CANNOT BE ACCEPTED!

STATEMENT OF NO INTEREST - BID

NOTE: If you are unable to submit a bid for this work, please complete and return this form immediately.

The Purchasing Department of the Rockford School District wishes to keep its vendors list file current. If for any reason you cannot supply the commodity/service noted on the attached solicitation, this form must be completed and returned to remain on the particular vendor list for future projects of this type.

We, the undersigned, have declined to submit a proposal on:

Bid No. & Name: **Bid 16-17 Chemical Procurement**

We are unable to submit a proposal for this work due to the following:

- | | |
|--|--|
| <input type="checkbox"/> Too busy at this time | <input type="checkbox"/> Unable to meet specifications |
| <input type="checkbox"/> Bond requirement | <input type="checkbox"/> Not engaged in this type work |
| <input type="checkbox"/> Insurance requirement | <input type="checkbox"/> Site location too distant |
| <input type="checkbox"/> Length of time required to obtain payment | |
| <input type="checkbox"/> Project is <input type="checkbox"/> too large <input type="checkbox"/> too small | |
| <input type="checkbox"/> Remove us from your 's list for this commodity/service | |
| <input type="checkbox"/> Other (specify below) | |
| <input type="checkbox"/> Do you wish to be considered in the future for similar projects? <input type="checkbox"/> Yes <input type="checkbox"/> No | |

REMARKS:

Signature: _____ Name & Title: _____

Firm: _____ Phone: _____

Fax: _____ E-mail: _____

Address: _____
(Street Address) (City) (State) (Zip-Code)

Date: _____

Return to: Executive Director of Budgeting and Purchas
Rockford Public School District
501 7th St.
Rockford, IL 61104

ROCKFORD PUBLIC SCHOOLS
REQUIRED BID FORMS CHECK LIST
Bid/RFP/RFQ No.: 16-17 Chemical Procurement

Listed below are the REQUIRED forms all bidders are REQUIRED to submit with sealed bids on or before the bid due date and time. Failure to submit ALL required forms may result in bidder being deemed non-responsive.

Required Forms	Yes	Comments
Bid Offer Form	<input type="checkbox"/>	
Bid Rigging Certification	<input type="checkbox"/>	
Minority and Women Owned Business Concern Representation	<input type="checkbox"/>	
Certificate Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion	<input type="checkbox"/>	
Certificate Regarding Lobbying	<input type="checkbox"/>	
OFAC Compliance	<input type="checkbox"/>	
Vendor Conflict of Interest Disclosure Form	<input type="checkbox"/>	
Form W-9 Department of the Treasury Internal Revenue Service	<input type="checkbox"/>	
Certificate of Liability Insurance	<input type="checkbox"/>	Document must be submitted prior to starting work, if awarded the contract. Failure to submit forms below may result in project start delay.

BID-RIGGING CERTIFICATION

I, _____, a duly authorized agent of
(Agent)

_____, do hereby certify that neither
(Contractor)

_____ nor any individual presently
(Contractor)

affiliated with _____ has been barred from bidding on a
(Contractor)

public contract as a result of a violation of either Section 33E-3 (bid-rigging) or Section 33E-4 (bid rotating) of the Illinois Criminal Code, contained in Chapter 750, Article 5 of the Illinois Compiled Statutes.

Authorized Agent

Contractor

ROCKFORD PUBLIC SCHOOLS

MINORITY, WOMEN and DISABLED-OWNED BUSINESS CONCERN REPRESENTATION

Minority-Owned Business: a minority-owned business concern means a business concern that: (1) is at least 51 percent unconditionally owned by one or more individuals who are considered to be a member of a minority group, or a publicly owned business having at least 51 percent of its stock unconditionally owned by one or more members of a minority group; and (2) has its management and daily business controlled and operated by one or more such individuals. Individuals who certify that they are members of minority groups (African Americans, Hispanic Americans, Native Americans, Asian-Pacific Americans, Asian-Indian Americans, and other minorities) are to be considered minority-owned enterprises.

Women-Owned Business: a business that is at least 51 percent owned by a woman or women who also control and operate it.

Disabled Owned Business: a business that is at least 51 percent owned by a person or persons with severe physical or mental disabilities which substantially limits one or more of the person's major life activities and which person or persons control and operate such business.

"Control" in this referenced context means exercising the power to make policy decisions. "Operate" means being actively involved in the day- to-day management of the business.

The District shall rely on written representations of concerns regarding their status as minority/women/disabled-owned businesses. Offeror agrees to submit information regarding the minority ownership of its subcontractors on request of District.

COMPLETE THE SECTION BELOW AND RETURN THIS FORM WITH BID. FAILURE TO DO SO MAY RENDER THE OFFEROR'S BID UNACCEPTABLE.

A. Representation. The offeror represents that it is (), is not () a minority-owned business concern.

B. Representation. The offeror represents that it is (), is not () a women-owned business concern.

C. Representation. The offeror represents that it is (), is not () a disabled-owned business concern.

Please Check Appropriate Box/Boxes

☐ African American (AFRAM)

☐ Caucasian (CAUC)

☐ Native American (NAAM)

☐ Hispanic American (HISP)

☐ Asian-Pacific (ASIAP)
American

☐ Asian-Indian (ASIAI)
American

☐ Other _____

☐ Woman Owned (W)

☐ Disabled Owned (D)

Please identify

The offeror has ☐/ has not ☐ used the following procedures in searching for and obtaining suppliers and subcontractors:

- Place qualified Minority-Owned Businesses on solicitation lists
- Ensure that Minority-Owned Businesses are solicited whenever they are potential sources
- Consider contracting with consortia of Minority-Owned Businesses when an intended contract is too large for any one such firm to handle on its own or, if economically feasible, divide larger requirements into smaller transactions for which such organizations might compete
- Make information on contracting opportunities available and establish delivery schedules that encourage participation by Minority-Owned Businesses
- Use the services and assistance of the SBA and Department of Commerce Minority Business Development Agency, as appropriate.

Company Name _____ Address _____

City _____ State _____ Zip _____

Phone # _____ Fax # _____ FEIN # _____

Signature of Company Official _____ Title _____

Date _____

ILLINOIS STATE BOARD OF EDUCATION

100 North First Street
Springfield, IL 62777-0001

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY, AND VOLUNTARY
EXCLUSION LOWER TIER COVERED TRANSACTIONS**

This certification is required by the regulations implementing Executive Orders 12549 and 12689, Debarment and Suspension, 2 CFR 417 Subpart C Responsibilities of Participants Regarding Transactions. The regulations were published in the May 25, 2010 Federal Register (pages 29183-29189). Copies of the regulations may be obtained by contacting the Illinois State Board of Education.

BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS BELOW.

CERTIFICATION

The prospective lower tier participant certifies, by submission of this Certification, that:

- (1) Neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency;
- (2) It will provide immediate written notice to whom this Certification is submitted if at any time the prospective lower tier participant learns its certification was erroneous when submitted or has become erroneous by reason of changed circumstances;
- (3) It shall not knowingly enter any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated;
- (4) It will include the clause titled Certification Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion—Lower Tier Covered Transactions, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions;
- (5) The certifications herein are a material representation of fact upon which reliance was placed when this transaction was entered into; and
- (6) Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this Certification.

Organization Name

PR/Award Number or Project Name

Name of Authorized Representative

Title

Original Signature of Authorized Representative

Date

Instructions for Certification

1. By signing and submitting this Certification, the prospective lower tier participant is providing the certifications set out herein.
2. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal government, the department or agency with which this transaction originated may pursue all available remedies, including suspension and/or debarment.
3. Except for transactions authorized under paragraph 3 above, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal government, the department or agency with which this transaction originated may pursue all available remedies, including suspension and/or debarment.
4. The terms covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used herein, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549 and Executive Order 12689. You may contact the person to which this Certification is submitted for assistance in obtaining a copy of those regulations.
5. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the "GSA Excluded Parties List System" at <http://epls.arnet.gov/>.
6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required herein. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

ILLINOIS STATE BOARD OF EDUCATION

100 North First Street
Springfield, IL 62777-0001

CERTIFICATE REGARDING LOBBYING

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit ISBE 85-37, "Disclosure of Lobbying Activities," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Organization Name

PR/Award Number or Project Name

Name of Authorized Representative

Title

Original Signature of Authorized Representative

Date

OFAC Compliance

BID No.:_____

The undersigned hereby certifies and represents that products and/or services provided under any contract with the Rockford Public Schools resulting from this bid shall be in compliance with economic or trade sanctions or restrictions implemented by the United States government such as those administered by the Office of Foreign Assets Control (“OFAC”) of the U.S. Department of the Treasury and shall not utilize or engage, for performance of any activities related to the products and/or services, any persons or entities that, (i) appear on OFAC's Specially Designated Nationals and Blocked Persons List (“SDN List”), as that list may be updated from time to time or any other similar list maintained by OFAC; (ii) are owned or controlled by any person or entities appearing on OFAC's SDN List, as that list may be updated from time to time or any other similar list maintained by OFAC; or (iii) are located in any country subject to U.S. economic or trade sanctions, such as those administered by OFAC.

Organization Name

Name of Authorized Representative

Title

Original Signature of Authorized Representative

Date

VENDOR CONFLICT OF INTEREST DISCLOSURE FORM

DISCLOSURE STATEMENT:

All businesses ("Vendors" or "Vendor" or "Vendor's") that wish to conduct business with the Rockford Public Schools "RPS" must complete this form. Please note that all contracts with RPS are subject to RPS Code of Ethics which prohibits RPS employees and Board of Education members from having certain relationships with persons or entities conducting (or proposing to conduct) business with RPS and which limits the acceptance of gifts from Vendors. The entire Board Member Conflict of Interest Board Policy 2.100 and Board Policy 5.120 may be viewed at <http://www2.rps205.com/District/BOE/Pages/GP-200.aspx>. The Code and its definitions are incorporated by reference into this Disclosure Form. If a Vendor has a disclosable relationship, the Vendor should assume the relationship may pose a conflict of interest until notified to the contrary in writing by a RPS administrative staff member authorized to confirm that a determination has been made that a conflict does not exist. A principle of the Code of Ethics is to ensure that relationships do not influence any official decision or judgment of RPS employees or Board of Education members. Accordingly, disclosure also should be made for any person connected with Vendor (e.g., officer, director, partner, shareholder, employee,) that is likely to: (i) materially contribute to Vendor's preparation, drafting, or presentation of a proposal or bid for services and/or supplies, (ii) materially contribute to Vendor's negotiation of a contract with RPS, or (iii) perform material services under a contract with RPS. Below, these persons are referred to as "Disclosable Persons."

CERTIFICATION:

I hereby certify that, except as disclosed below, to Vendor's knowledge, there is no conflict of interest involving the Vendor named below that would violate the RPS Code of Ethics, including that: (a) after inquiry, neither Vendor nor any Disclosable Person is involved or engaged in any private business venture or enterprise, directly or indirectly, with any RPS employee or Board of Education member or his or her family member; (b) no RPS employee or Board member or his or her family member owns or has a material personal financial interest (directly or indirectly) in Vendor or is engaged in a material personal business transaction with Vendor; and (c) no RPS employee or board of Education member or his or her family is employed by Vendor.

I further certify that neither the Vendor nor anyone acting on its behalf has requested that any RPS employee or RPS Board of Education member exert any influence to secure the award of this bid to the Vendor. Furthermore, no RPS Board of Education member, employee or agent has offered to influence to secure the award of this bid to the Vendor

VENDOR INFORMATION:

Vendor Name: _____

Vendor Address: _____

Vendor Phone Number _____

Vendor Email: _____

Vendor FEIN: _____

ROCKFORD PUBLIC SCHOOLS

VENDOR CONFLICT OF INTEREST DISCLOSURE FORM

DISCLOSURE STATEMENT:

I BELIEVE THE VENDOR NAMED ABOVE DOES have a potential conflict(s) of interest with a current RPS employee(s), or RPS Board of Education member(s).

☐

YES, the above statement is true.

☐

NO, the above statement is **NOT** true.

If you checked “**YES**” above, please provide the following information:

List all the Name(s) of RPS employee(s), RPS Board of Education member(s), or RPS employees’ or RPS Board of Education’s family member(s) with whom there may be a conflict of interest:

1. _____

2. _____

3. _____

Provide a brief description of the nature of the potential conflict(s) of interest:

SIGNATURE:

By my signature below, I certify that I am the Authorized Representative of the VENDOR named above and that all of the information provided above by signor is true and complete to the best of the signor’s knowledge:

Print the Name of the Vendor’s Authorized Representative

Print the Position Title of the Vendor’s Authorized Representative

Signature of the Vendor’s Authorized Representative

Date

ROCKFORD BOARD OF EDUCATION
SCHOOL DISTRICT #205
501 7TH Street
Rockford, Illinois 61104
Phone: Area Code 815-966-3098
Fax: Area Code 815-966-3088

W - 9

SUBSTITUTE IRS FORM W-9 – IMPORTANT TAX INFORMATION

IRS regulations require our School District to have on file appropriate taxpayer identification data concerning you or your firm. This information consists of either a Federal Employer Identification Number (F.E.I.N.) or Social Security Number (S.S.N.) and will have their payments reported to the IRS on form #1099–Misc.

Below is the legal name and address for you or your firm as shown on our official records. Please make any necessary corrections. Space is also provided to enter the appropriate tax identification number and to indicate (by checking a box) the correct legal status. Failure to complete and return this form could result in a \$50,000 IRS penalty. In addition, we would be required to withhold 20% of payments due and remit this amount to the IRS until we receive the correct tax data.

For your convenience we request you fax this form back to sender (or to Purchasing at 815-966-3088). Please do this today so we can both fulfill our reporting obligations and ensure prompt payments.

Reminder: If LEGAL STATUS is “Sole Proprietorship”, the Taxpayer Identification Number must be either the Social Security Number of the owner or assigned FEIN.

LEGAL STATUS: (Check One)

☐ Corporation

☐ Limited

☐ Partner(ship) _____ (one owner)

☐ Religious, Charitable, Educational or
Governmental Agency (**circle one**)

☐ Sole Proprietorship (legal owner's name):

☐ Individual

☐ Other – Please identify: _____

TAXPAYER (federal) ID# -- FEIN or Soc Sec

(use the line corresponding to your legal status line)

FEIN: _____ - _____

FEIN: _____ - _____

FEIN: _____ - _____

FEIN: _____ - _____

FEIN: _____ - _____ or
SSN: _____ - _____

Owner's Social Security Number

SSN: _____ - _____

FEIN: _____ - _____

UNDER PENALTIES OF PERJURY, I CERTIFY THE INFORMATION PROVIDED ON THIS FORM IS TRUE, CORRECT, AND COMPLETE.

Signature: _____ Title: _____ Date: _____

Phone: (_____) _____ Fax: (_____) _____

Website & Email address: _____

If minority/women owned business, list here: _____

Vendor: Enter Name and Address Below

Vendor #: _____

School: _____

GENERAL TERMS AND CONDITIONS

“District” means Rockford School District No. 205, Winnebago and Boone Counties, Illinois.

“IFB” means an Invitation for Bid issued by the District at any time or times, identified by a unique bid number.

“Bidder” means a person or entity submitting a bid to the District in response to an IFB; including successful Bidders.

1. BID OPENING. Sealed bids will be received at the District Purchasing Department until the date and time specified at which time they shall be opened in public. No other bids will be considered after this date and time unless it is evidenced and determined that the bid was in the District’s possession prior to the scheduled bid opening time and date. Late bids shall be rejected and shall remain unopened. The District does not prescribe the method by which bids are to be transmitted; therefore, it cannot be held responsible for any delay, regardless of the reason, in transmission of the bids. All bids delivered in person shall be deposited with the District Purchasing Department, 6th Floor, 501 Seventh Street, Rockford, IL, 61104.

2. BID PREPARATION. Bids must be submitted on this form and all information and certifications called for must be furnished. Bids submitted in any other manner, or which fail to furnish all information or certificates required, may be summarily rejected. Bids may be modified or withdrawn prior to the time specified for the opening of the bids. Bids shall be filled out legibly in ink or typewritten with all erasures, strikeovers and corrections initialed in ink by the person signing the bid. The bid shall include the legal name of the bidder, the complete mailing address, and be signed in ink by a person or persons legally authorized to bind the bidder to a contract. Name of person signing should be typed or printed below the signature.

3. BID ENVELOPES. Envelopes containing bids must be sealed and addressed to the District Purchasing Department. The name and address of the Bidder and the bid number must be shown on the envelope.

4. ERRORS IN BIDS. Bidders are cautioned to verify their bids before submission. Negligence on the part of the Bidder in preparing the bid confers no right for withdrawal or modification of the bid after it has been opened. In case of error in the extension of prices in the bid, the unit prices will govern.

5. RESERVED RIGHTS. The District reserves the right at any time and for any reason to cancel an IFB, accept or reject any or all bids or any portion thereof, or to accept an alternate offer. The District reserves the right to waive any minor informality defect in any IFB. Unless otherwise specified, the District will award a bid or reject bids within 60 days. The District may seek clarification from any Bidder at any time and failure to respond promptly is cause for rejection.

6. INCURRED COSTS. The District will not be liable for any costs incurred by Bidders in responding to an IFB.

7. AWARD. The District will evaluate bids and will award a contract to the lowest responsive and responsible bidder whose bid, conforming to the solicitation and specifications will be most advantageous to the District. Determination of the lowest responsible bidder conforming to the solicitation shall not be restricted to the price quotation alone, but will include such other factors (where applicable) as (a) adherence to all conditions and requirements of the technical specifications; (b) price; (c) qualifications of the bidder, including past performance, financial responsibility, general reputation, experience, service capabilities, and facilities; (d) delivery or completion date; (e) product appearance, workmanship, finish, taste, feel, overall quality, and results of product testing; (f) maintenance costs and warranty provisions; (g) repurchase or residual value; and (h) other such related items. The District is interested in obtaining the best overall value and reserves the right to make a selection based on its judgment of the bid that is best suited for the purpose intended. The District may (1) reject any or all bids, (2) accept other than the lowest bidder, and (3) waive informalities or minor irregularities in bids received. The District may accept any item or group of items of an offer, unless the bidder qualifies the bid by specific limitations. The District reserves the right to determine the lowest responsible bidder on the basis of an individual item, groups of items, or in any way determined to be in the best interests of the District. A written award or acceptance of a bid mailed or otherwise furnished to the successful Bidder within the time for acceptance specified in the bid shall result in a binding contract without further action by either party.

GENERAL TERMS AND CONDITIONS

8. PRICING. The price quoted for each item is the full purchase price, **including delivery to destination**, and includes all transportation and handling charges, premiums on bonds, material or service costs, patent royalties and all other overhead charges of every kind and nature. Unless otherwise specified, prices shall remain firm for the contract period.

If at any time after a contract is awarded to the successful Bidder(s) makes a general price reduction in the comparable price of any material covered by the contract to customers generally, an equivalent price reduction based on similar quantities and/or considerations shall apply to the contract for the duration of the contract period (or until the price is further reduced). Such price reduction shall be effective at the same time and in the same manner as the reduction in the price to customers generally. For the purpose of this provision, a "general price reduction" shall mean any horizontal reduction in the price of an article or service offered (1) to successful Bidder's customers generally, or (2) in the successful Bidder's price schedule for the class of customers, i.e., wholesalers, jobbers, retailers, etc., which was used as the basis for bidding on this contract. An occasional sale at a lower price, or sale of distressed merchandise at a lower price, would not be considered a "general price reduction" under this provision. The successful Bidder shall invoice the District at such reduced prices indicating on the invoice that the reduction is pursuant to the "price reduction" provision of this contract. The successful Bidder, in addition, shall within ten (10) days of any general price reduction, notify the Executive Director of Budget and Purchasing of such reduction by letter. Failure to do so may result in termination of the contract.

9. DISCOUNTS. Prices quoted must be net after deducting all trade and quantity discounts.

10. SPECIFICATIONS. Reference to brand names and numbers is descriptive, but not restrictive, unless otherwise specified. Bids on equivalent items will be considered, provided the bidder clearly states exactly what is proposed to be furnished, including complete specifications. Unless the Bidder specified otherwise, it is understood the Bidder is offering a referenced brand item as specified or is bidding as specified when no brand is referenced, and does not propose to furnish an "equal." The District reserves the right to determine whether a substitute offer is equivalent to and meets the standard of quality and salient characteristics indicated by the brand name and number.

11. SAMPLES. Samples of items, when called for, must be furnished free of expense. Individual samples must be labeled with the Bidder's name, bid number, item reference, manufacturer's brand name and number. If samples are requested, they must be sent under separate cover and not included with bid. The District will not be responsible for any bid enclosed with sample boxes.

12. INTERPRETATION OR CORRECTION OF BIDDING DOCUMENTS. Bidders shall promptly notify the Rockford Public School District of any ambiguity, inconsistency or error which they may discover upon examination of the IFB documents. Interpretations, corrections and changes will be made by amendment. Each Bidder shall ascertain prior to submitting a bid that all amendments have been received and acknowledged in the offer.

13. INDEMNIFICATION. The Bidder shall indemnify and hold harmless the District, its agents, officials, and employees from and against all injuries, losses, claims, suits, costs and expenses which may accrue against the District as a consequence of granting the contract.

14. DEFAULT. If delivery of acceptable items or rendering of services is not completed by the time promised, the District reserves the right, without liability, in addition to its other rights and remedies, to terminate the contract by notice effective when received by Bidder, as to stated items not yet shipped or services not yet rendered and to purchase substitute items or services elsewhere and charge the Seller with any or all losses incurred. The District shall be entitled to recover its attorney fees and expenses in any successful action by the District to enforce this contract.

15. INSPECTION. Materials or equipment purchased are subject to inspection and approval at the District's destination. The District reserves the right to reject and refuse acceptance of items which are not in accordance with the IFB, instructions, specifications, drawings or data or Bidder's warranty (express or implied). Rejected materials or equipment shall be removed by, or at the expense of, the Bidder promptly after rejection and if not removed within 10-calendar days after notice, such shall be returned via collect shipping.

GENERAL TERMS AND CONDITIONS

16. WARRANTY. Bidder warrants that all goods and services furnished hereunder will conform in all respects to the terms of this proposal, including any drawings, specification or standards incorporated herein, and that they will be free from latent and patent defects in materials, workmanship and title, and will be free from such defects in design to the best of the Bidder's knowledge. In addition, Bidder warrants that said goods and services are suitable for, and will perform in accordance with, the purposes for which they are purchased, fabricated, manufactured and designed or for such other purposes as are expressly specified in this solicitation. The District may return any nonconforming or defective items to the Bidder or require correction or replacement of the item at the time the defect is discovered, all at the Bidder's risk and expense. Acceptance shall not relieve the Bidder of its responsibility.

17. REGULATORY COMPLIANCE. Bidder represents and warrants that the goods or services furnished hereunder (including all labels, packages and container for said goods) comply with all applicable standards, rules and regulations in effect under the requirements of all Federal, State and local laws, rules and regulations as applicable, including without limitation, the Occupational Safety and Health Act as amended, with respect to design, construction, manufacture or use for their intended purpose of said goods or services. Bidder shall furnish "Material Safety Data Sheets" in compliance with the Illinois Toxic Substances Disclosure to Employees Act, if applicable.

18. ROYALTIES AND PATENTS. Bidder shall pay all royalties and license fees. Bidder shall defend all suits or claims for infringement of any patent, copyright or trademark rights and shall hold the District harmless from loss on account thereof.

19. COMPLIANCE WITH LAWS AND REGULATIONS. Bidder represents and warrants that throughout the term of any contract arising from award of a bid and any extension thereof, Bidder and all products shall be and shall remain in compliance with all applicable federal, state, and local laws and regulations.

20. TERMINATION. (a) The District may terminate this contract in whole or in part, without liability, if deliveries are not made at the time and in the quantities specified, if the Bidder fails to perform any of the provisions of this contract, or so fails to make progress as to endanger performance of this contract in accordance with its terms, and in either of these circumstances does not cure such failure within such period of time as the District may direct, if it is determined the successful Bidder knowingly falsified information provided to the District, if it is determined the successful Bidder offered substantial gifts or gratuities to a District official, employee, or agent whether in their official capacity or not, or in the event of a breach or failure of the Contractor to comply with any of the other terms or conditions herein. The District shall notify the contractor in writing of the specific nature of the breach and shall request that it be cured. If the Contractor does not cure the breach within thirty (30) days of such notice, the District may immediately terminate this contract. To terminate, the District shall give notice to the Contractor in writing, and to the extent specified therein, Contractor shall immediately terminate deliveries under the contract. Termination of the contract shall not preclude the District from pursuing any and all remedies available to it at law or at equity.

(b) Any termination by the District, whether for default or otherwise, shall be without prejudice to any claims for damages or other rights of the District against Contractor.

(c) The District shall have the right to audit all elements of any termination claim and Contractor shall make available to the District on request all books, records, and papers relating thereto.

(d) The Contractor shall be paid only for the performance of work up to the date of termination if the District exercises its right to terminate.

21. TERMINATION WITHOUT CAUSE. Unless otherwise specified in the Invitation for Bid, a contract formed by award of a bid may be unilaterally terminated by the District, for any or no reason, upon sixty (60) days written advance notice to the Bidder. Bidder may submit claims for actual work performed up to and including the day of notice of termination with appropriate documentation supporting such claim for materials, labor, or acquired inventory for equitable adjustment and any such material shall become the property of the District upon settlement.

22. ASSIGNMENT. The Bidder may not assign, subcontract, delegate or otherwise transfer this contract or any of its rights or obligations hereunder, nor may it contract with third parties to perform any of its obligations hereunder except as contemplated in this contract, without the District's prior written consent.

GENERAL TERMS AND CONDITIONS

23. FORCE MAJEURE. The obligations of the Bidder to perform under this contract will be excused during each period of delay caused by acts of God or by shortages of power or materials or government orders which are beyond the reasonable control of the Bidder obligated to perform ("Force Majeure Event"). In the event that the Bidder ceases to perform its obligations under any contract formed by award of bid due to the occurrence of a Force Majeure Event, the Bidder shall: (1) immediately notify the District in writing of such Force Majeure Event and its expected duration; (2) take all reasonable steps to recommence performance of its obligations under this contract as soon as possible. In the event that any Force Majeure Event delays Bidder's performance for more than thirty (30) days following notice pursuant to this contract, the District may terminate this contract immediately upon written notice to the Contractor.

24. BID CERTIFICATION. The Bidder's signature on a bid certifies: (a) The bid is genuine and not made in the interest of, or on the behalf of, any undisclosed persons, firms or corporation and is not submitted in conformity with any agreement or rules of any group association, or organization. (b) Bidder has not directly or indirectly induced or solicited any other Bidder to enter a false or sham bid. (c) Bidder has not solicited or induced any person, firm or group to refrain from bidding. (d) Bidder has not sought by collusion or otherwise to obtain for self interest any advantage over any other Bidder or the Owner. The Bidder's signature on the Bid Form certifies that they have read and understand the contents of this solicitation and agree to furnish at the prices shown any or all of the items and/or services, subject to all instructions, conditions, specifications and attachments hereto. Failure to have read all the provisions of the IFB shall not be cause to alter any resulting contract, request additional compensation, or relieve Bidder from obligation to perform under this contract.

25. MODIFICATIONS. This contract can be modified only by written bi-lateral modification signed by the parties or duly authorized agents.

26. ADDENDA. If it becomes necessary to revise any part of this bid, a written addendum will be provided to all bidders. If the District issues written addenda, such addenda shall become part of the contract documents. A Bidder who fails to receive the District's addenda, and who has previously submitted an offer, shall not be relieved from any obligation in the bid submitted.

27. BINDING EFFECT. The terms, conditions, provisions, and undertakings of any contract formed by award of a bid shall be binding upon and inure to the benefit of each of the parties thereto and their respective successors and assigns.

28. EQUAL OPPORTUNITY EMPLOYER. The Rockford Public School District is an Equal Opportunity Employer and encourages bids or proposals from any company or individual regardless of race, gender, national origin, religion or age.

SUPPLEMENTAL TERMS AND CONDITIONS

1. **INTENT.** It is the intent of these specifications that the Rockford School District No. 205 (herein the "District") will procure all specified products of first class workmanship to ensure complete and acceptable product performance in all aspects, within the budget limitations, and in accordance with offering procedures as outlined by Federal Statutes and Regulations, the Statutes and Regulations of the State of Illinois, and policies of the Board of Education of Rockford School District No. 205, Winnebago and Boone Counties, Illinois. It is further the intent of these specifications to secure adequate competition from qualified suppliers however standards of quality will not be sacrificed based solely on price.
2. **EVALUATION CRITERIA.** Although price is a consideration in the award of bids, this award will not be based on price alone. This solicitation for bids will be evaluated utilizing the following criteria, but not in any prescribed order.
 - a. Price
 - b. Adherence to these specifications
 - c. Ordering and delivery
 - d. Quality of services
 - e. Contractor past performance
 - f. Service
 - g. Review of references
 - h. Rebate program (provide detailed information)
 - i. Financial Stability of Firm (provide a copy of your firm's most recent annual report)

The District reserves the right to reject any or all bids or to accept the bid or any part of bid, including substitutions, which embraces such combination of proposals as may promote its interest.

3. **TAX IDENTIFICATION NUMBER.** The School District is required to have on file appropriate tax identification information concerning you or your firm. This information should be a Federal Employer's Identification Number, but in the instance of some independent contractors, this number may be a Taxpayer's Identification (Social Security) Number.

IN ORDER FOR A BID TO BE CONSIDERED BY THE SCHOOL DISTRICT, THE ABOVE REFERENCED TAX IDENTIFICATION NUMBER MUST BE PROVIDED ON THE FACE SHEET IN THE SIGNATURE SECTION. IT IS ALSO REQUESTED THAT YOU IDENTIFY THE LEGAL ORGANIZATIONAL STATUS OF YOUR FIRM IN THE SIGNATURE SECTION. PLEASE IDENTIFY WHETHER YOUR FIRM IS A CORPORATION, PARTNERSHIP, PROPRIETORSHIP, ETC. SHOULD YOU HAVE ANY QUESTIONS CONCERNING THIS TAX IDENTIFICATION NUMBER, PLEASE CONTACT THE PURCHASING DEPARTMENT.

4. **CONTRACTOR RESPONSIBILITY TO COLLECT AND REMIT ILLINOIS USE TAX .** The Contractor acknowledge and understand that any bid for goods and services resulting in a contract award to a bidder requires that as a contractor the person or entity and all affiliates of the person or entity will collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act (35 ILCS 105/1 et seq.) regardless of whether the person/entity or affiliate is a "retailer maintaining a place of business within this State" as defined by the Use Tax Act (35 ILCS 105/2)
5. **TERMINOLOGY.** "Owner", "Board", or "District" shall mean Rockford School District #205, Winnebago County, Illinois, acting through its authorized representative. "Bidder" shall mean the individual, firm, or corporation submitting a bid or proposal to the District in response to a public solicitation. "Contractor" shall mean the entity awarded a bid by the District.
6. **INTERPRETATION OF ERRORS.** Should questions arise that require interpretation, such questions shall be referred to the District whose decision shall be conclusive and binding for all parties involved. No advantages shall be taken by any party of manifest clerical errors or omissions in the specifications. All contractors are requested to notify the District immediately of any errors or omissions that may be discovered.

SUPPLEMENTAL TERMS AND CONDITIONS

- 7. RETURN OF BID INFORMATION.** The District has established that only one copy of a bid will be sent to a vendor. It is imperative that, if bidding, an original signature exists on the bid sheets returned. If additional copies of original bid sheets made on a copy machine or are requested, they must also contain original signatures where applicable. When multiple copies are submitted one copy shall be labeled as “Original” on the face page.
- 8. USE OF PREMISES.** The Bidder shall have access to the relevant District grounds for the purpose of familiarization with the conditions, delivery points for products, and/or sites for performance of service(s), if applicable, in order to fulfill the requirements of the Contract; all subject to compliance with District policies for visitors on school grounds.
- 9. OWNERSHIP OF MATERIALS AND EQUIPMENT.** It is clearly understood that all materials and/or equipment supplied by or for the Bidder shall remain the Bidder's property until such time as accepted by the District.
- 10. EQUIVALENCY AND SUBSTITUTES.** The District shall be the sole and final judge whether any substitute is of equivalent or better quality. This decision is final and will not be subject to recourse. Deviations from the specifications must be supported by documented evidence. These specifications are to be used as identifying those minimum salient characteristics in determining the quality or materials, performance of product(s), and workmanship required, however, the District may purchase equipment and materials that in the District's judgment will best serve the interests of the school district even if at a higher cost based on features that are considered desirable and exceeding those minimum requirements or that represent a breakthrough technology for that industry; provided that the District will comply with governing laws as to selection of the lowest responsible bidder.
- 11. STORAGE OF EQUIPMENT.** The Contractor shall be responsible for the storage and safeguarding of the equipment provided under this Contract. The Contractor shall have the necessary quantities available at the required time, but shall not make delivery to the premises until agreed upon or requested.
- 12. SCOPE OF WORK.** This bid requires that the successful Contractor provide all necessary personnel, materials, and equipment; and furnish and deliver said products in accordance with all conditions and specifications.
- 13. PROPERTY DAMAGE AND INJURY.** The Contractor shall take all necessary precautions to prevent damage to the premises or properties of others. In case of any damage, resulting from operations under this Contract, Contractor shall make proper restitution. The Contractor shall exercise due caution for the protection of persons, and shall protect the District from expense and hold the District harmless from liability by reason of injury, including death, to any person or persons, or from any damage to the property of others occurring as a result of Contractor's performance under a Contract. The Contractor's signature on the Bid Offer Form; certifies to the District that the Contractor has the required insurance coverage for any vehicle that may be utilized in the delivery of products or materials on the District's property.
- 14. INSURANCE REQUIREMENTS.** All bidders shall have a certificate of Insurance and provide policy endorsements evidencing specific coverage of the types of insurance in the amounts specified below and deliver to the Purchasing department upon award of a bid such qualifying certificate or certificates of insurance. Coverage shall be placed with a responsible company licensed to do business in the State of Illinois, and with a minimum insurance rating of A:VII as found in the current edition of A M Best's Key Rating Guide. Each policy shall bear an endorsement precluding the cancellation or reduction of said policies without providing to the District thirty (30) days prior notice thereof in writing. All required insurance shall be maintained by the contractor in full force and effect during the life of the contract, and until such time as all work has been approved and accepted by the District. The Contractor is responsible for all insurance deductibles and Self-Insured Retentions.

At all times during the term of the contract, the Contractor and its independent contractors shall maintain, at their sole expense, insurance coverage for the Contractor, its employees, officers and independent contractors, as follows:

SUPPLEMENTAL TERMS AND CONDITIONS

TYPE	MINIMUM ACCEPTABLE LIMITS OF LIABILITY
Workers Compensation	Statutory
Employers Liability	
A. Each Accident	\$1,000,000
B. Each Employee-disease	\$1,000,000
C. Policy Aggregate-disease	\$1,000,000
Commercial General Liability **	
A. Per Occurrence	\$1,000,000
B. General Aggregate	
1. General Aggregate- Per project	\$3,000,000
2. General Aggregate - Products/ Completed Operations	\$3,000,000
Fire Legal Liability (any one fire)	\$100,000
**Umbrella Excess Liability	\$3,000,000-\$5,000,000*
** Business Auto Liability ****	\$1,000,000

* Minimum\$3,000,000.00; maximum\$5,000,000.00 as prescribed in the Bid documents.

** An Additional Insured Endorsement as well as endorsements for Waiver of Subrogation and Insurance is Primary and Non-Contributory to additional insured insurance coverage in addition to a Certificate of Insurance

**** Garage Liability (combines standard GL & Auto Liability) Garage Keepers Liability

If any policy or coverage is written as "claims made" then coverage must be maintained for 4 years after project completion.

Notwithstanding the existence of required insurance, Contractor agrees it is responsible for injury and damage to persons and property including such damages as may exceed the limits set forth above, resulting from its own negligence and the negligence of its owners, employees, agents and representatives and further for the negligence of others under Contractor's direction and control when arising from or in any way related to the bid and resulting contract and Contractor's performance of its contract obligations.

The District and its officers and employees shall be named as additionally insured on all certificates of insurance. Insurance certificates shall also reference project name and BID NUMBER. Certificates should be faxed (and hard copy mailed) to: Rockford Public Schools, Purchasing Department, 501 Seventh Street, Rockford, Illinois 61104.

15. METHOD OF AWARD. The District reserves the right to award related items on a group basis if deemed in its best interest, even if not stated as such on the specifications. The District further reserves the right to make an aggregate award if in its best interest.

16. GENERAL AWARD. The award on this bid will not be made at the time specified for the receiving and opening of bids. The bid will be awarded at a later date by the Board of Education.

SUPPLEMENTAL TERMS AND CONDITIONS

- 17. SCHEDULE OF AWARD.** In order that Contractors may more accurately complete a bid, it is anticipated that the Board of Education will consider the award on this IFB within 60 days of the date of bid opening; the successful Bidder(s), if any, will be notified immediately thereafter.
- 18. WITHDRAWING OF BIDS.** No bid may be withdrawn by a Bidder after the time and date of the official public opening. All bid prices submitted must be valid for a period of sixty (60) days after the date set for the bid opening. This period of time is reserved to permit the Owner to evaluate bids, conduct tests, make the award and issue either a contract or purchase order(s).
- 19. VALIDITY OF PRICES.** All bid prices must remain valid and firm on awarded bids until product(s) is/are delivered or project completed, and until accepted by the District and invoiced by the Contractor.
- 20. PERIOD FOR ACCEPTANCE OF BIDS.** In compliance with the solicitation, the bidder agrees, if this bid is accepted within sixty (60) calendar days from the date specified in the solicitation for the receipt of bids, to furnish any or all items upon which prices are bid at the price set opposite each item, delivered at the designated point(s), within the time specified in the solicitation.
- 21. DELIVERIES AND PURCHASE ORDERS.** Deliveries will be made in accordance with instructions listed on purchase orders. The portion of the purchase order defining instructions regarding the destination of the equipment and the mailing of the invoice should be noted. A separate invoice is required for each purchase order. Purchase orders resulting from an awarded bid and issued by the District are authorized with the signature of the Executive Director of Budget and Purchasing. Issued purchase orders may not be cancelled or altered in any manner by Contractor absent prior written consent of the District.
- 22. LOCATION OF DELIVERY.** Delivery is to be made at one (1) location(s) within School District #205. All deliveries must be made between the hours of 8:30 AM and 3:00 PM Monday thru Friday. No deliveries will be accepted on those days observed as a holiday by the Central Administration Offices.
- 23. DELIVERY SITE.** The delivery is to be made to the Rockford Board of Education, Distribution Center, 1907 Kishwaukee St. Street, Rockford, Illinois 61104-2092.
- 24. COMPLETION DATES.** Contractors are to complete projects as required. Unless stated differently in the solicitation, the product(s) and/or service(s) are to be delivered or completed within the dates required. Should a Contractor be unable to comply with the required completion date, the Contractor is to notify the District immediately.
- 25. INSPECTION AND ACCEPTANCE.** At the time the Contractor has completed work in accordance with the specifications, the Contractor shall, with the District, make a final inspection. After the final inspection, if the District and the Contractor are in agreement, the Contractor shall submit invoices for payment in accordance with the payment section of these specifications.
- 26. SIGNATURES.** It is required that the Bidder's signature appears on the following forms:
 - a. **Second page of General Conditions and Instructions for All Bids Form**
 - b. **Statement of No Interest (if applicable)**
 - c. **Bid-Rigging Certification**
 - d. **Minority and Women Owned Business Form**
 - e. **Certification Regarding Debarment Form**
 - f. **Certificate Regarding Lobbying Form**
 - g. **OFAC Compliance Form**
 - h. **Vendor Conflict of Interest Disclosure Form**
 - i. **Bid Offer Form**
 - j. **Form W-9 Department of the Treasury Internal Revenue Service**

SUPPLEMENTAL TERMS AND CONDITIONS

- 27. PAYMENT.** Payment on invoices will be made in compliance with the Local Government Prompt Payment Act, 50 ILCS 505/1, et. seq. and District Policy within forty-five (45) days after acceptance by the District and proper invoicing by the Contractor. **THE FEDERAL EMPLOYER IDENTIFICATION NUMBER OR SOCIAL SECURITY NUMBER MUST APPEAR ON EACH INVOICE REQUESTING PAYMENT.** (See clause entitled, "Tax Identification Number", for further clarification.) Invoices are to be submitted to the Accounts Payable Department at 501 Seventh St, Rockford, IL 61104.
- 28. WORK CHANGES.** Changes in the Contract or Purchase Order must be agreed upon in writing between the District and the Contractor before execution of any changes involved may be implemented or payment may be withheld pending a determination that such change is required and ratified by the District.
- 29. SAFETY CODES.** It is required that all equipment be in full compliance with any and all Federal and State Statutes, including, without limitation, OSHA Safety Standards, Environmental Protection Agency and Life Safety Codes, Health Codes, the School Code, and any applicable regulations and ordinances of the City of Rockford and County of Winnebago, Illinois.
- 30. QUANTITIES.** After bids have been evaluated, the District reserves the right to increase or decrease quantities as stated on the bid for budgetary reasons. The District further reserves the right to accept or reject any or all alternate offers, or to alter the original solicitation document in order to comply with budgetary requirements.
- 31. BID PROPOSAL.** Bidders must return the following when submitting a sealed bid:
- a. Second page of General Conditions and Instructions for All Bids Form
 - b. Statement of No Interest (if applicable)
 - c. Bid-Rigging Certification
 - d. Minority and Women Owned Business Form
 - e. Certification Regarding Debarment Form
 - f. Certificate Regarding Lobbying Form
 - g. OFAC Compliance Form
 - h. Bid Offer Form
 - i. Vendor Conflict of Interest Disclosure Form
 - j. Form W-9 Department of the Treasury Internal Revenue Service
 - k. Any necessary literature or information
- 32. REJECTED GOODS.** Rejected goods will be returned to the contractor's address at Contractor's risk and expense. Expenses incident to the examination and testing of materials or supplies which have been rejected will be charged to the contractor's account. Contractor will accept and refund full purchase price for all goods that are damaged (non-viable at time of receipt), of inferior quality, or having latent defects not detected prior to acceptance by the District but upon actual use of the product(s).
- 33. CONTRACT.** A response to this Invitation for Bid (IFB) is an offer to contract with the District based upon the terms, conditions, and specifications contained in the District's IFB and any District issued and published amendments thereto. Bids become contracts upon award to the successful Bidder by the Board of Education and no further documents need be executed; provided, certain IFBs may require the creation and execution of a separate formal contract in which case no contract is formed until a formal contract is created and until executed by the District. All of the terms and conditions of the contract are contained in the IFB, unless any of the terms and conditions are modified by an IFB Amendment, a Contract Amendment, or by mutually agreed terms and conditions in the contract documents.
- 34. TERM OF CONTRACT.** Resultant contract period shall be effective on the date of award through June 30, 2018 plus two (2) one-year option periods beginning on the subsequent July 1st of each option year; provided that the District exercises the option by written notice signed by the Executive Director of Budget and Purchasing. Notwithstanding, the District's obligation under this contract is contingent upon the availability of budgeted funds from which payment for contract purposes can be made. No legal liability on the part of the District for any payment may arise until funds are made available for this contract.

SUPPLEMENTAL TERMS AND CONDITIONS

- 35. OPTION YEAR PRICING.** The prices submitted on the solicitation should be submitted for the base contract year and all option years as specified. The prices for the base year of the contract and all option years are to be submitted as both firm-fixed prices and a percentage as commission rate. The owner shall have the option of determining which of these pricing options to accept for the duration of the contract.
- 36. OPTION TO EXTEND THE TERM OF THE CONTRACT**
- (a) The District may unilaterally extend the term of this contract for an option year, annually by written notice to the Contractor at least thirty (30) days prior to contract expiration.
 - (b) If the District exercises this option, the extended contract shall be considered to include this option provision. The option is deemed exercised when mailed or otherwise furnished to the contractor.
 - (c) Upon the exercise of any option period(s), the District may add additional facilities or locations to this contract. Supplies/services will be provided for these facilities or locations for the time periods as specified. All contract terms and conditions will apply to these facilities or locations added.
 - (d) The District may exercise the options contained in the "Option to Extend the Term of the Contract" clause of this contract by providing the written notice as required by the clause. Upon the exercise of an option year period, supplies and services will be provided for the time periods as specified in the solicitation.
 - (e) The total duration of this contract, including the exercise of any options under this clause, shall not exceed three (3) years.
- 37. EVALUATION OF OPTIONS**
- (a) The District will evaluate bids by determining the lowest base period price. Since option year pricing is based on limits established in the "Pricing" clause, option year pricing is automatically considered when evaluating the base year price. All options are therefore considered to be evaluated. Evaluation of options will not obligate the district to exercise the option(s).
 - (b) The District may reject a bid if exceptions are taken to the price provisions of the "Pricing" clause, unless the exception results in a lower maximum option year price. Such offers will be evaluated without regard to the lower option year(s) maximum. However, if the Bidder offering a lower maximum is awarded a contract, the award will reflect the lower maximum.
- 38. TEMPORARY CONTRACT EXTENSION.** The District reserves the right to temporarily extend this contract for an additional ninety (90) calendar days from its original or any exercised option year expiration date without exercising a full option year for any reason and any and all pricing then in effect shall continue through the temporary extension period.
- 39. ALTERNATE BIDS.** Alternate bids are not acceptable and will be rejected by the District. Alternate bids are defined as bids that do not comply with the bid terms, conditions, and specifications. Bidder may submit more than one bid providing that all such bids comply with the bid terms, conditions, and specifications.
- 40. PREVAILING RATE OF WAGE.** It is required on this bid that the Contractor complies with all statutes, both Federal and State, governing payment of wages to employees. The Contractor certifies that by submitting their bid that they will pay the prevailing rate of wage in this area for the particular type of labor, in accordance with State of Illinois Codes and the Illinois Department of Labor. If applicable, the Contractor further certifies that all Subcontractors will comply with these same acts. If requested, bidders will submit to the District required information concerning the basic rate of wages per hour that he is either currently or will be paying for the particular type of trade required.

Should any Contractor need information concerning the prevailing rate of wage, said information is available at the Office of the Board of Education, 501 Seventh Street, Rockford, Illinois 61104.

Effective January 1, 1990, an amendment to the State of Illinois Prevailing Wage Act requires that if, during the course of work under this contract the Department of Labor revises the prevailing rate hourly wages to be paid under this contract for any trade or occupation, Owner will notify Contractor and each Subcontractor of the change in the prevailing rate of hourly wages. Contractor shall have the sole responsibility and duty to ensure that the revised prevailing rate of hourly wages is paid by Contractor and all Subcontractors to each worker to whom a revised rate is applicable. Revisions of the prevailing wage as set forth above shall not result in an increase in the contract sum.

SUPPLEMENTAL TERMS AND CONDITIONS

- 41. PROHIBITED CONTRACTOR EMPLOYEES ON SCHOOL PREMISES.** Contractor employees, agents and principals and its consultants and consultants employees and agents shall not perform work within District buildings for more than 30 school days within any school year (July 1 to June 30) unless a criminal history records check has been conducted by Contractor, the individual(s) is found to have not violated any of the drug or criminal offenses listed in the criminal history records check provisions in the School Code 105 ILCS 5/10-21.9(f) (the Act), and the Contractor so certifies the same to be true on the Certified Cleared Employee List.

Contractor employees, agents and principals and its consultants and consultant's employees and agents shall not be permitted to be present on District grounds unless a Statewide Sex Offender Database check and a Statewide Child Murderer and Violent Offender Against Youth Database check has been conducted regarding all such employees in accordance with and subject to the provisions of the Act. Contractor employees, agents and principals and its consultants and consultant's employees and agents who are found to have had convictions of the enumerated criminal or drug offenses listed in the Act or who appear in the noted databases shall not be permitted at any time to be present on school grounds.

Not less than 10 days prior to the commencement of work, Contractor shall submit to Owner a written certification on a form provided by Owner (Certified Cleared Employee List), signed by Contractor under oath that the employees listed on the certification have been the subject of a criminal history records check (for employees working more than 30 school days in District buildings), and a Statewide Sex Offender Database check and a Statewide Child Murderer and Violent Offender Against Youth Database check for all employees accessing District grounds. Contractor shall update the certification as and when necessary to keep such certification list current.

- 42. EMPLOYEE CONDUCT.** All of Contractor's employees, agents, principals, and consultants shall abide by Federal, State and Local Laws and Board of Education policy while on District premises. No employee, agent or principal of Contractor and its consultants and vendors shall fraternize with any student of the school district. Any employee whose conduct is judged unfit by District shall not be permitted to work on the project. Contractor agrees to comply with and abide by all rules, regulations and policies of the District relating to access to and conduct upon District Premises.

Contractor employees accessing school grounds are required to have in their possession identification issued by the District. All such persons must check in with the school main office to receive a visitor's identification at which time the individual must present a government issued photo identification which will be used to verify the individual's name appears on the Certified Cleared Employee List. At the conclusion of the work day, plastic or hard cover identification must be returned to the school.

The District may from time to time and at multiple times in their discretion and without notice check the identification of all persons accessing school grounds by or through the Contractor to assure such persons appear on the certification list and have in their possession a valid District issued identification. Contractor warrants that it shall immediately notify the District if a certified cleared employee is convicted of an enumerated offense or their name appears on any of the noted Databases. A violation of this section is a material breach of contract.

- 43. COMPLIANCE WITH FREEDOM OF INFORMATION ACT.** The District is required by law to comply with the provisions of the Freedom of Information Act, 5ILCS 140/1 et seq., as amended from time to time ("Act"). The Act requires the District to provide, if requested to do so by any person, copies of documents that maybe in your possession and related to this contract. As a condition of this contract, Contractor agrees to and shall provide to the District, copies of any and all such documents when directed to do by the District. All such documents shall be delivered to the District's Legal Department NO LATER THAN five (5) working days after the date of the District's direction to provide such documents. Failure of the Contractor to provide documents within said five (5) working days as provided above shall result in the assessment of any and all penalties, damages, and/or costs incurred by the District to the Contractor which shall be paid immediately by the Contractor upon demand of the same by the District.

SUPPLEMENTAL TERMS AND CONDITIONS

44. RECORDS, RETENTION, AUDIT

- a. Records. The Contractor shall have or upon award of bid establish and maintain a reasonable accounting system that enables the District to readily identify Contractor's assets, expenses, costs of goods and use of funds related to the Project (the Records). Such Records shall include, but not limited to, accounting records, written policies and procedures; subcontractor files (including proposals of successful and unsuccessful bidders, bid recaps, etc.); all paid vouchers, including those for out-of-pocket expenses, other reimbursement supported by invoices; ledgers; cancelled checks; deposit slips, bank statements; journals; original estimates; estimating work sheets; contract amendments and change order files; backcharge logs and supporting documentation; insurance documents, payroll documents; timesheets; memoranda; and correspondence.
- b. Retention. The Contractor shall, at all times during its performance of the Project and for a period of seven years after the completion of the Project, maintain Records, together with all supporting or underlying documents and materials. The Contractor shall upon written request by the District at any time or times, whether during or after completion of the Project, and at the Contractor's expense, produce the Records for inspection, copying and audit (including copies and extracts of records as required) by the District. The Records shall be made available to the District, upon three-day written notice, during normal business hours at Contractor's principal office if located in Rockford, Illinois or at such other location specified by the District including the District offices. Upon expiration of the retention period specified in this paragraph 44b, prior to destruction of the Records, Contractor shall provide not less than 30 days written notice of its intent to destroy any part or all of the Records, specifying the nature, character and extent of Records to be destroyed and the District may at its discretion and expense obtain all Records or copies of Records intended to be destroyed. The Contractor shall ensure the District's right to access and audit the Records in the possession, created or maintained by Contractor's agents, assigns, successors, and subcontractors. Contractor shall notify in writing its agents, assigns, successors and subcontractors of the requirements of records, retention and audit as set forth in this paragraph 44. Any and all contracts or agreements between Contractor and any other party related to the Project shall expressly include the records, retention and audit provisions of this paragraph 44.
- c. The District and its authorized representatives shall have the right to audit, to examine, and to make copies of or extracts from all Records (in whatever form they may be kept, whether written, electronic, or other), including, but not limited to, those kept by the Contractor, its agents, assigns, successors, and subcontractors.

Cost of any examination or audit of Records conducted by the District will be borne by the District (excluding any cost to produce Records under paragraph 44b), except where the examination or audit identifies overpricing or overcharges (of any nature) by the Contractor to the District in excess of one-half of one percent (0.5%) of the total contract billings in which event the entire cost of the examination or audit shall be Contractor's cost and Contractor shall reimburse the District for the total cost of the examination or audit. If the examination or audit reveals substantive findings of fraud, misrepresentation, or non-performance by Contractor, its employees, agents, representatives, assigns, successors or subcontractors, the Contractor shall pay all costs of the examination or audit; and if paid by the District, reimburse the District for all such costs. In the event Contractor fails to pay such costs within 30 days of demand by the District, District may offset any such costs unpaid by Contractor from any balance due Contractor by the District or at the election of the District proceed to collect such costs by any available means including litigation in which event the costs of collection including reasonable attorney's fees shall also be paid by Contractor.

QUESTIONS

Any questions regarding this bid; may be referred to Tamara Pugh, Purchasing Process Manager at tamara.pugh@rps205.com or 815-966-3092.

Chemical Procurement Specifications

GENERAL BACKGROUND

Rockford Public Schools, District #205, located in Northern Illinois is one of the state's largest school districts. The School District covers approximately 165 square miles and serves 28,000 students with 2 early childhood centers, 28 elementary schools, 6 middle schools, 4 high schools, and 6 alternative schools. The District employs over 5,000 employees who work throughout the district.

PURPOSE

Rockford Public School District will receive sealed bids from qualified firms or individuals to provide: A Bid for the specified quantities of pool and boiler chemicals in accordance with the terms and conditions outlined in this document.

ESTIMATED TIMELINE

11/10/15	Distribution of IFB
11/23/15	IFB Opening, 12:30 pm (CDST), 6 th floor conference room
12/08/15	Board of Education anticipated approval
12/09/15	Anticipated award of contract

SPECIFICATIONS

The Rockford Public School District #205 opens its pools seasonally with few exceptions; the pools typically open in mid-August and close in late May or early June. Because we do have one, sometime two pools, that are open year round, we will require chemicals for the entirety of the year. We do not require delivery service as we have hazardous material certified drivers however, the vendor will need to accept our empty chemical containers. We will return them to the vendor.

Chemicals must be ready for pickup within 4 hours for the time the order is placed although, we will typically not pick up until 24 hours after the order has been placed. The estimated quantities are only (as indicated) an estimate and will not be purchased all at once; as usage of the pools is inconsistent, all chemicals will be ordered and picked up on an as needed basis. The quantities indicated within this BID are only estimates of our annual usage and the District therefor reserves the right to increase or decrease those quantities at any time. The vendor must provide an email or fax number (preferably email) where an order form may be sent as verbal orders are not conducive to judicious record keeping.

TERMS OF ENGAGEMENT

Resultant contract period shall be from the effective date of award, through June 30, 2018 plus two (2) one-year option periods beginning on the subsequent July 1st of each option year; provided that the District exercises the option by written notice signed by the Executive Director of Budget and Purchasing. Notwithstanding, the District's obligation under this contract is contingent upon the availability of budgeted funds from which payment for contract purposes can be made. No legal liability on the part of the District for any payment may arise until funds are made available for this contract.

AWARD CRITERIA

The District may award on an item-by-item basis, on a lump sum basis or on a combination of items basis, whichever is in the best interest of the District. The successful bidder shall be the lowest responsible, responsive bidder meeting specifications, with full consideration of cost, quality, and performance.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... SODA ASH, 58% DENSE

PRODUCT NUMBER:.....02267

CHEMICAL NAME/CLASS/SYNONYMS:.....CARBONIC ACID DISODIUM SALT; CARBONIC ACID SODIUM SALT; CASWELL NO. 752; CHRYSTOL CARBONATE; CRYSTOL CARBONATE (=SODIUM CARBONATE); DISODIUM CARBONATE; NATURAL ASH; NA-X; SNOWLITE 1; SODA ASH; SODA, CRYSTALS; SODA (=SODIUM CARBONATE); ANHYDROUS SODA; ASH; BISODIUM CARBONATE; CALCINED SODA(=SODIUM CARBONATE); SODIUM CARBONATE, ANHYDROUS; SODIUM CARBONATE, ANHYDROUS ASTM D458; SODIUM CARBONATE, ANHYDROUS GE MATERIALS D4D5; SODIUM CARBONATE, ANHYDROUS POWDER; SODIUM CARBONATE, CRUDE; SODIUM CARBONATE, GRANULAR; SOLVAY SODA; SYNTHETIC ASH; WASHING SODA (=SODIUMCARBONATE)

RECOMMENDED USE:..... CHEMICAL RAW MATERIAL; GLASS PRODUCTION: RAW MATERIAL; DETERGENT: COMPONENT; ACIDITY REGULATOR; PAPER PRODUCTION: AUXILIARY SUBSTANCE

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Serious Eye Damage/Eye Irritation (2A)

GHS LABEL:



SIGNAL WORD: Warning

HAZARD STATEMENTS:

H319: Causes serious eye irritation

PRECAUTIONARY STATEMENTS:

P280: Wear protective gloves/protective clothing/eye protection/face protection

P264: Wash exposed area thoroughly after handling.

Safety Data Sheet

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P337+313: If eye irritation persists: Get medical advice/attention

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

CHEMICAL NAME

SODIUM CARBONATE

CAS NUMBER

497-19-8

Wt/Wt%

>99%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Respiratory problems: Seek immediate medical attention.

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. Seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water. If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.

INGESTION: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. If individual is drowsy or unconscious, do not give anything by mouth. Do not induce vomiting. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: N.A.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Upon combustion: CO and CO₂ are formed. Reacts on exposure to water (moisture) with (some) metals.

SPECIAL FIRE FIGHTING PROCEDURES: Use standard firefighting procedures and consider the hazards of other involved materials. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Prevent dust cloud formation, e.g. by wetting. No naked flames. Wear protective equipment.

ENVIRONMENTAL PRECAUTIONS: Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

MEASURES FOR CONTAINMENT AND CLEANING UP: Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray. Violent exothermic reaction with (some) acids: release of harmful gases/vapours (carbon dioxide). Carbon dioxide is heavier than air and will collect in ducts, drains and low lying areas. Prevent dust cloud formation. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

Safety Data Sheet

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Avoid raising dust. Keep away from naked flames/heat. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Clean contaminated clothing.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Comply with applicable regulations. Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatible materials. Keep out of direct sunlight. Keep containers tightly closed and upright when not in use. Protect against physical damage.

Non suitable packaging material: Aluminium, zinc.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

COMPONENT (CAS NUMBER): Sodium Carbonate (497-19-8)

ACGIH N.A.

OSHA N.A.

APPROPRIATE ENGINEERING CONTROLS:Provide sufficient mechanical (general and/or local exhaust) ventilation to keep exposure to airborne contaminants below the exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: . Dust production: dust mask with filter type P1.

SKIN PROTECTION: Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

ADDITIONAL MEASURES: Ensure that eyewash stations and safety showers are close to the workstation location.

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Crystalline solid/ Crystalline powder / Grains / Lumps. Colourless to white. Odourless

ODOR THRESHOLD: N.A.

pH: 11.6 ; 5.0 %

MELTING/FREEZING POINT: 851° C or 1563 °F

BOILING POINT/RANGE: N.A.

FLASH POINT:..... N.A.

EVAPORATION RATE: N.A.

FLAMMABILITY: Non combustible

LOWER EXPLOSIVE LIMIT: .. N.A.

UPPER EXPLOSIVE LIMIT: N.A.

VAPOR PRESSURE:..... N.A.

VAPOR DENSITY (AIR=1):..... N.A.

Safety Data Sheet

SPECIFIC GRAVITY OR RELATIVE DENSITY:.....2.52-253 ; 20 °C (68°F)
SOLUBILITY(IES):.....Water ; 212.5 g/l ; 20 °C
PARTITION COEFFICIENT: ... N.A.
AUTOIGNITION TEMP:..... >400 °C or >752°F
DECOMPOSITION TEMP:..... 1600 °C or 2912°F

10 – STABILITY and REACTIVITY

STABILITY:..... Hygroscopic.
POSSIBILITY OF HAZARDOUS REACTIONS:.....Reacts on exposure to water (moisture) with (some) metals. Violent exothermic reaction with (some) metals. Reacts with (strong) oxidizers.
CONDITIONS TO AVOID:..... Avoid raising dust. Keep away from naked flames/heat.
INCOMPATIBLE MATERIALS:.....(Strong) acids, metals, water/moisture, aluminium, zinc.
HAZARDOUS DECOMPOSITION PRODUCTS:.....Violent exothermic reaction with (some) acids: release of harmful gases/vapours (carbon dioxide). Upon combustion: CO and CO₂ are formed.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.
SYMPTOMS OF EXPOSURE:
SKIN CONTACT: Not irritating.
EYE CONTACT: Irritation of the eye tissue. Lacrimation.
INHALATION: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Slight irritation. EXPOSURE TO HIGH CONCENTRATIONS: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Respiratory difficulties.
INGESTION: AFTER ABSORPTION OF HIGH QUANTITIES: Nausea. Abdominal pain. Irritation of the gastric/intestinal mucosa.

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

ORAL LD50 Rat 2800 mg/kg
DERMAL LD50 Rabbit >2000 mg/kg
INHALATION LC50 (2h) Rat 2.30 mg/l

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:Not classified for carcinogenicity

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):

Acute toxicity fishes/ <i>Lepomis macrochirus</i>	LC50 96 h Static system Fresh water 300 mg/l
Acute toxicity invertebrates/ <i>Ceriodaphnia</i> sp.	EC50 48 h Semi-static Fresh water 200 - 227 mg/l
Toxicity algae and other aquatic plants/ <i>Algae</i>	EC50 5 day(s) 242 mg/l

Conclusion

Slightly harmful to fishes (LC50(96h) 100-1000 mg/l)
Practically non-toxic to algae (EC50 >100 mg/l)

Safety Data Sheet

Slightly harmful to invertebrates (EC50 (48h): 100 - 1000 mg/l)

pH shift

Not classified as dangerous for the environment according to the criteria of Directive 67/548/EEC

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

PERSISTENCE AND DEGRADABILITY:N.A.

BIOACCUMULATIVE POTENTIAL:.....N.A.

MOBILITY IN SOIL: Low potential for adsorption in soil

OTHER ADVERSE EFFECTS:

Global warming potential (GWP)

Not included in the list of substances which may contribute to the greenhouse effect (Regulation (EC) No 842/2006)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely emptied, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: N.A.

UN PROPER SHIPPING NAME:NOT A DOT REGULATED MATERIAL

TRANSPORT HAZARD CLASS:N.A.

PACKAGING GROUP : N.A.

MARINE POLLUTANT: N.A.

REPORTABLE QUANTITY:..... N.A.

SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:N.A.

TSCA STATUS: Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:5/14/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... SODIUM BI SULFATE, ANHYDROUS G.B.S.

PRODUCT NUMBER:.....02122

CHEMICAL NAME/CLASS/SYNONYMS:NITRE CAKE, GBS, SODIUM
HYDROGENSULPHATE

RECOMMENDED USE:..... CLEANING COMPOUNDS, PH ADJUSTMENT. NOT APPROVED FOR
USE IN FOOD OR ANIMAL FEED.

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Serious Eye Damage/Eye Irritation (1)

GHS LABEL:



SIGNAL WORD: Danger

HAZARD STATEMENTS:

H318: Causes serious eye damage

PRECAUTIONARY STATEMENTS:

P280: Wear protective gloves/protective clothing/eye protection/face protection

P264: Wash exposed area thoroughly after handling.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P310: Immediately call a POISON CENTER/doctor/physician

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE: SUBSTANCE.

CHEMICAL NAME
SODIUM BI SULFATE

CAS NUMBER
7681-38-1

Wt/Wt%
>90%

Safety Data Sheet

4 – FIRST-AID MEASURES

- INHALATION:**..... Remove the victim into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If irritation or discomfort occurs, seek immediate medical attention.
- EYE CONTACT:** Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. If redness or irritation persists, seek immediate medical attention.
- SKIN CONTACT:** Remove contaminated clothing. Wash exposed area with water. If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.
- INGESTION:** Rinse mouth. If individual is drowsy or unconscious, do not give anything by mouth. Do not induce vomiting. If possible, do not leave individual unattended. Seek immediate medical attention.
- NOTE TO PHYSICIANS:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5 – FIRE-FIGHTING MEASURES

- EXTINGUISHING MEDIA:** Use an extinguishing agent suitable for the surrounding fire.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:**N.A.
- SPECIAL FIRE FIGHTING PROCEDURES:**Use standard firefighting procedures and consider the hazards of other involved materials. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS:** ... Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- ENVIRONMENTAL PRECAUTIONS:**Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.
- MEASURES FOR CONTAINMENT AND CLEANING UP:** Small spill: Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Large spill: Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

7 – HANDLING and STORAGE

- PRECAUTIONS FOR SAFE HANDLING:**Do not get in eyes, on skin or on clothing. Do not breathe dust, vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Clean contaminated clothing.
- PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:** Material is hygroscopic and will readily absorb moisture. DO NOT store dry product where exposed to moist conditions. Keep container tightly closed.

Safety Data Sheet

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:None

APPROPRIATE ENGINEERING CONTROLS:If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:In dusty atmospheres (>10 mg/m³), use NIOSH-approved dust respirator.

SKIN PROTECTION:Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION:Splash proof chemical goggles in compliance with OSHA regulations are advised; or full face shield recommended to protect against splash of product. Have eye-wash stations available where eye contact can occur.

ADDITIONAL MEASURES:Ensure that eyewash stations and safety showers are close to the workstation location.

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Dry (Anhydrous) crystalline solid spherical shape beads. Off-white. Fresh to pungent odor.

ODOR THRESHOLD: N.A.

pH: <1 [Conc. (% w/w): 5%]

MELTING/FREEZING POINT: 177°C (350.6°F)

BOILING POINT/RANGE: N.A.

FLASH POINT:..... N.A.

EVAPORATION RATE: N.A.

FLAMMABILITY: N.A.

LOWER EXPLOSIVE LIMIT: .. N.A.

UPPER EXPLOSIVE LIMIT: N.A.

VAPOR PRESSURE:..... N.A.

VAPOR DENSITY (AIR=1):..... N.A.

SPECIFIC GRAVITY OR RELATIVE DENSITY:....1.28

SOLUBILITY(IES):..... Partially soluble in the following materials: cold water and hot water

PARTITION COEFFICIENT: ... N.A.

AUTOIGNITION TEMP: N.A.

DECOMPOSITION TEMP: N.A.

10 – STABILITY and REACTIVITY

STABILITY:..... This product is stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:.....Under normal conditions of storage and use, hazardous reactions will not occur.

Safety Data Sheet

CONDITIONS TO AVOID: DO NOT store dry product where exposed to moist conditions.

INCOMPATIBLE MATERIALS:Oxidizing materials, acids and alkalis. DO NOT MIX dry or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleansers or similar products.

HAZARDOUS DECOMPOSITION PRODUCTS:.....Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

SYMPTOMS OF EXPOSURE:

SKIN CONTACT: Prolonged exposure may cause skin irritation.

EYE CONTACT: Causes serious eye damage

INHALATION: Inhalation of dust may irritate nose, throat and/or lungs

INGESTION: Small amounts (tablespoonful) swallowed are not likely to cause injury; however, swallowing large amounts may irritate or burn digestive tract.

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

ORAL LD50 Rat 2800 mg/kg

DERMAL LD50 N.A.

INHALATION LC50 N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:No known significant effects or critical hazards

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE): N.A.

PERSISTENCE AND DEGRADABILITY:N.A.

BIOACCUMULATIVE POTENTIAL:.....N.A.

MOBILITY IN SOIL: N.A.

OTHER ADVERSE EFFECTS: . This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product will likely be acutely harmful to aquatic life.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely emptied, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references

Safety Data Sheet

pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: N.A.

UN PROPER SHIPPING NAME:Not classified according to the United Nations
Not classified as hazardous under DOT or US Transport Recommendations.

TRANSPORT HAZARD CLASS:N.A.

PACKAGING GROUP : N.A.

MARINE POLLUTANT: N.A.

REPORTABLE QUANTITY:..... N.A.

SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

SARA 304 RQ: N.A.

SARA 311/312: Immediate (acute) health hazard

TSCA STATUS: TSCA 8(a) CDR Exempt/Partial exemption: Not determined.

United States inventory (TSCA 8b): All components are listed or exempted.

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:5/27/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... SODIUM HYPOCHLORITE, SOLUTION

PRODUCT NUMBER:.....07905

CHEMICAL NAME/CLASS/SYNONYMS:SODIUM HYPOCHLORITE SOLUTION

RECOMMENDED USE:..... SWIMMING POOL CHLORINATOR, HARD SURFACE CLEANER,
MILDECIDE, WATER TREATMENT CHEMICAL, BIOCIDES,
BLEACH SOLUTIONS AND BLEACH FIXER SOLUTIONS

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Substance or Mixture Corrosive to Metal (1)
Acute Aquatic Toxicity (3) Chronic Aquatic Toxicity (2)
Skin Corrosion/Irritation (1)
Target Organ Toxicity (respiratory tract irritation)- Single Exposure (3)

GHS LABEL:



SIGNAL WORD: Danger

HAZARD STATEMENTS:

H290: May be corrosive to metals
H314: Causes severe skin burns and eye damage
H335: May cause respiratory irritation
H400: Very toxic to aquatic life
H411: Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

P280: Wear protective gloves/protective clothing/eye protection/face protection
P260: Do not breathe dust/fume/gas/mist/vapours/spray
P271: Use only outdoors or in a well-ventilated area
P264: Wash exposed area thoroughly after handling.
P234: Keep only in original packaging.
P273: Avoid release to the environment

Safety Data Sheet

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P310: Immediately call a POISON CENTER/doctor/physician
P363: Wash contaminated clothing before reuse
P390 : Absorb spillage to prevent material damage. Collect spillage

P403+233: Store in a well ventilated place. Keep container tightly closed
P405: Store locked up
P406: Store in a corrosion resistant container with a resistant inner liner.

P501: Dispose of contents/container to comply with local, state and federal regulations

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE: MIXTURE

CHEMICAL NAME	CAS NUMBER	Wt/Wt%
SODIUM HYPOCHLORITE	7681-52-9	5-17%
SODIUM HYDROXIDE	1310-73-2	0.3-5%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Respiratory problems: Seek immediate medical attention.

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. Seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water for at least 15 minutes. Seek medical attention. Wash contaminated clothing before reuse.

INGESTION: Rinse mouth. If individual is drowsy or unconscious, do not give anything by mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low to prevent aspiration of liquid into the lungs. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: Treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. With eye exposure, continue flushing during transport to hospital.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). Do not use water jet as an extinguisher, as this will spread the fire. Do not use dry extinguishing media that contains ammonium compounds.

UNUSUAL FIRE AND EXPLOSION HAZARDS: During fire, gases hazardous to health may be formed.

Safety Data Sheet

SPECIAL FIRE FIGHTING PROCEDURES:Use standard firefighting procedures and consider the hazards of other involved materials. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Wear protective equipment.

ENVIRONMENTAL PRECAUTIONS:Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

MEASURES FOR CONTAINMENT AND CLEANING UP: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Wear appropriate personal protective equipment. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Observe good industrial hygiene practices. Do not apply heat or direct sunlight. Temperature and product concentration affect product quality and decomposition rates.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Keep container tightly closed. Store in a cool and well-ventilated place. Store in a corrosive resistant container. Consult container manufacturer for additional guidance. Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents, and all metals except titanium.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

COMPONENT (CAS NUMBER): Sodium hydroxide (1310-73-2)

ACGIH 2 mg/m3 Ceiling

OSHA 2 mg/m3 PEL

NIOSH 2 mg/m3 Ceiling

COMPONENT (CAS NUMBER): Sodium hypochlorite (7681-52-9)

WEEL 2 mg/m3 STEL

APPROPRIATE ENGINEERING CONTROLS:Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Safety Data Sheet

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable for concentrations up to 10 times the PEL. For higher concentrations, unknown concentrations and for oxygen deficient atmospheres, use a NIOSH approved air-supplied respirator. Engineering controls are the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA 29 CFR 1910.134.

SKIN PROTECTION: Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. FRC treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific information about their products.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

ADDITIONAL MEASURES: Ensure that eyewash stations and safety showers are close to the workstation location.

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Liquid / Pungent Odor
ODOR THRESHOLD: 0.9 mg/m³
pH: 12 - 14 (25 °C/77 °F)
MELTING/FREEZING POINT: -4 °F (-20 °C) (7% solution)
BOILING POINT/RANGE: N.A.
FLASH POINT: N.A.
EVAPORATION RATE: N.A.
FLAMMABILITY: N.A.
LOWER EXPLOSIVE LIMIT: .. N.A.
UPPER EXPLOSIVE LIMIT: N.A.
VAPOR PRESSURE: 12 mm Hg (20°C/68°F)
VAPOR DENSITY (AIR=1): N.A.
SPECIFIC GRAVITY OR RELATIVE DENSITY: N.A.
SOLUBILITY(IES): Completely miscible
PARTITION COEFFICIENT: ... N.A.
AUTOIGNITION TEMP: N.A.
DECOMPOSITION TEMP: N.A.

10 – STABILITY and REACTIVITY

STABILITY: The product is stable and non-reactive under normal conditions of use, storage and transport.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization does not occur.

CONDITIONS TO AVOID: Contact with incompatible materials. Avoid ultraviolet (UV) light sources. Excessive heat. Reacts violently with strong acids. Acid contact will produce chlorine gas. Amine contact will produce chloramines.

Safety Data Sheet

INCOMPATIBLE MATERIALS:Strong oxidizing agents. Acids. Metals. Organic compounds. Ammonia.

HAZARDOUS DECOMPOSITION PRODUCTS:.....No hazardous decomposition products are known.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

SYMPTOMS OF EXPOSURE:

SKIN CONTACT: Causes skin burns.

EYE CONTACT: Causes eye burns.

INHALATION: Vapors and spray mist may irritate throat and respiratory system and cause coughing.

INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

ACUTE TOXICITY:..... Occupational exposure to the substance or mixture may cause adverse effects.

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

ORAL LD50 Rat 3 - 5 g/kg

DERMAL LD50 Rabbit > 2 g/kg

INHALATION LC50 N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Product Species Test Results

Sodium Hypochlorite Solution 5-17% (CAS Mixture)

Aquatic

Crustacea	LC50	Daphnia	1 mg/l
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	0.6 mg/l, 48 hour

* Estimates for product may be based on additional component data not shown.

PERSISTENCE AND DEGRADABILITY:No data is available on the degradability of this product.

BIOACCUMULATIVE POTENTIAL:.....No data available for this product.

MOBILITY IN SOIL: N.A.

OTHER ADVERSE EFFECTS: . No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

Safety Data Sheet

UNCLEANED PACKAGING: 'Empty' containers retain residue (liquid and/or vapor) and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely drained, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: UN1791
UN PROPER SHIPPING NAME:HYPOCHLORITE SOLUTIONS
TRANSPORT HAZARD CLASS:8
PACKAGING GROUP : III
MARINE POLLUTANT: Yes
REPORTABLE QUANTITY:..... N.A.
SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

SECTION 311/312:

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SECTION 302: Not regulated.

SECTION 313: Not regulated.

OTHER FEDERAL REGULATIONS:

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated.
Safe Drinking Water Act (SDWA): Not regulated.

TSCA STATUS: Not listed.

Safety Data Sheet

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:5/28/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... SODIUM THIOSULFATE, PENTAHDRATE 99% CRYSTAL
PRODUCT NUMBER:.....02073
CHEMICAL NAME/CLASS/SYNONYMS:SODIUM THIOSULFATE, PENTAHYDRATE
RECOMMENDED USE:..... INDUSTRIAL, MANUFACTURING OR LABORATORY USE
DISTRIBUTOR:


EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Not a dangerous substance according to GHS classification criteria. No known OSHA hazards.

GHS LABEL:



SIGNAL WORD: None

HAZARD STATEMENTS: None

PRECAUTIONARY STATEMENTS:None

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

CHEMICAL NAME	CAS NUMBER	Wt/Wt%
SODIUM THIOSULFATE, PENTAHDRATE	10102-17-7	60-100%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Respiratory problems: Seek immediate medical attention.

Safety Data Sheet

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. If irritation persists, seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water. If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.

INGESTION: Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: Treat symptomatically.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:N.A.

SPECIAL FIRE FIGHTING PROCEDURES:Use standard firefighting procedures and consider the hazards of other involved materials. Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

ENVIRONMENTAL PRECAUTIONS:Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

MEASURES FOR CONTAINMENT AND CLEANING UP: Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep away from sources of ignition - No smoking. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Clean contaminated clothing.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Comply with applicable regulations. Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatible materials. Keep containers tightly closed and upright when not in use. Protect against physical damage.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Safety Data Sheet

APPROPRIATE ENGINEERING CONTROLS:Provide sufficient mechanical (general and/or local exhaust) ventilation to keep exposure to airborne contaminants below the exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:In case of insufficient ventilation, wear suitable respiratory equipment.

SKIN PROTECTION:Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION:Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

ADDITIONAL MEASURES:Ensure that eyewash stations and safety showers are close to the workstation location.

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: White. Crystalline. Solid. / Odorless

ODOR THRESHOLD: N.A.

pH: 6.0-8.4

MELTING/FREEZING POINT: = 118 °F / 47°C

BOILING POINT/RANGE: > 212 °F/ 100°C

FLASH POINT: N.A.

EVAPORATION RATE: N.A.

FLAMMABILITY: N.A.

LOWER EXPLOSIVE LIMIT: .. N.A.

UPPER EXPLOSIVE LIMIT: N.A.

VAPOR PRESSURE: N.A.

VAPOR DENSITY (AIR=1): N.A.

SPECIFIC GRAVITY OR RELATIVE DENSITY:1.7

SOLUBILITY(IES): N.A.

PARTITION COEFFICIENT: ... N.A.

AUTOIGNITION TEMP: N.A.

DECOMPOSITION TEMP: N.A.

10 – STABILITY and REACTIVITY

STABILITY: This product is stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:Under normal conditions of storage and use, hazardous reactions will not occur.

CONDITIONS TO AVOID: N.A.

INCOMPATIBLE MATERIALS:N.A.

HAZARDOUS DECOMPOSITION PRODUCTS:No hazardous decomposition products are known.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

Safety Data Sheet

SYMPTOMS OF EXPOSURE:

SKIN CONTACT: No known significant effects or critical hazards.

EYE CONTACT: No known significant effects or critical hazards.

INHALATION: No known significant effects or critical hazards.

INGESTION: No known significant effects or critical hazards.

ACUTE TOXICITY:**LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:**

N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:N.A.

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE): 100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PERSISTENCE AND DEGRADABILITY:N.A.

BIOACCUMULATIVE POTENTIAL:.....N.A.

MOBILITY IN SOIL: N.A.

OTHER ADVERSE EFFECTS: . N.A.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:.... 'Empty' containers retain residue and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely emptied, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: N.A.

UN PROPER SHIPPING NAME:Not classified according to the United Nations
Not classified as hazardous under DOT or US Transport Recommendations.

TRANSPORT HAZARD CLASS:N.A.

PACKAGING GROUP : N.A.

MARINE POLLUTANT: NO

REPORTABLE QUANTITY:..... N.A.

SPECIAL PRECAUTIONS: N.A.

Safety Data Sheet

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:N.A.

TSCA STATUS: All components of this product are listed or are exempt from listing.

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:6/09/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:.....CELATOM® FW-6,FW-12, FW-14, FW-18, FW-20, FW-40, FW-50, FW-60, FW-70, FW-80, SP

PRODUCT NUMBER:..... -

CHEMICAL NAME/CLASS/SYNONYMS:DIATOMACEOUS EARTH, FLUX-CALCINED

RECOMMENDED USE:..... FILTER AID

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Carcinogenicity (1A)

Target Organ Toxicity - Repeated Exposure (1)

GHS LABEL:



SIGNAL WORD: Danger

HAZARD STATEMENTS:

H350: May cause cancer by inhalation

H372: Causes damage to organs (lungs) through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS:

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection

P308+313: IF exposed or concerned: Get medical advice/attention

P501: Dispose of contents/container to comply with local, state and federal regulations

Safety Data Sheet

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

CHEMICAL NAME

Diatomaceous Earth, Flux-Calcined (kieselguhr)
(contains 35-50% Crystalline Silica - Cristobalite)

CAS NUMBERS

68855-54-9 & 14464-46-1

Wt/Wt%

100%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Blow nose to evacuate dust. Seek immediate medical attention.

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. Irritation persists, seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water. If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.

INGESTION: Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Drink generous amounts of water to reduce bulk and drying effects. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: N.A.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: The material is not combustible. Use an extinguishing agent suitable for the surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:The material is not combustible.

SPECIAL FIRE FIGHTING PROCEDURES:Use standard firefighting procedures and consider the hazards of other involved materials. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... If dust is present, use respirator fitted with particulate filter. Protect eyes with goggles. Do not breathe dust.

ENVIRONMENTAL PRECAUTIONS:Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

MEASURES FOR CONTAINMENT AND CLEANING UP: Wear protective equipment. Vacuum clean spillage or wet sweep. Avoid creating airborne dust. Place in a container for disposal. Wash clothing and equipment after handling.

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Minimize dust generation. Avoid contact with eyes. Do not breathe dust. Repair or dispose of broken bags. Observe all label precautions and warnings.

Safety Data Sheet

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Comply with applicable regulations. Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatible materials. Do not store near hydrofluoric acid or concentrated caustic solutions. Keep containers tightly closed and upright when not in use. Protect against physical damage.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

Component	OSHA PEL	ACGIH TLV
Diatomaceous Earth, Flux-Calcined (kieselguhr)	5 mg/m ³ respirable dust 15 mg/m ³ total dust	None Established
Crystalline Silica (Cristobalite)	$\frac{1}{2} * \frac{30 \text{ mg / m}^3}{\% \text{ SiO}_2 + 2}$ Total dust $\frac{1}{2} * \frac{10 \text{ mg / m}^3}{\% \text{ SiO}_2 + 2}$ Respirable dust	0.025 mg/ m ³ Respirable dust

APPROPRIATE ENGINEERING CONTROLS:Provide sufficient mechanical (general and/or local exhaust) ventilation to keep exposure to airborne contaminants below the exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL) use a quarter or half-mask respirator with a N95 dust filter or a single use dust mask rated N95. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two hundred (200) times the PEL use a power air-purifying (positive pressure) respirator with a replaceable N95 filter. If dust concentration is greater than two hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with full face piece, hood or helmet.

SKIN PROTECTION:Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION:Wear chemical safety goggles while handling this product. Wear additional eye protection such as a face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material.

ADDITIONAL MEASURES: Ensure that eyewash stations and safety showers are close to the workstation location.

Safety Data Sheet

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Light pink to white powder / Odorless

ODOR THRESHOLD: N.A.

pH: 10

MELTING/FREEZING POINT: > 1300°C or > 2372°F

BOILING POINT/RANGE: N.A.

FLASH POINT: N.A.

EVAPORATION RATE: N.A.

FLAMMABILITY: N.A.

LOWER EXPLOSIVE LIMIT: .. N.A.

UPPER EXPLOSIVE LIMIT: N.A.

VAPOR PRESSURE: N.A.

VAPOR DENSITY (AIR=1): N.A.

SPECIFIC GRAVITY OR RELATIVE DENSITY:2.3

SOLUBILITY(IES): <1%

PARTITION COEFFICIENT: ... N.A.

AUTOIGNITION TEMP: N.A.

DECOMPOSITION TEMP: > 1300°C or > 2372°F

10 – STABILITY and REACTIVITY

STABILITY: This product is stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:Material is not reactive under normal conditions of handling unless mixed with incompatible substances below.

CONDITIONS TO AVOID: N.A.

INCOMPATIBLE MATERIALS:Hydrofluoric acid and concentrated caustic solutions may react violently with the product.

HAZARDOUS DECOMPOSITION PRODUCTS:N.A.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

SYMPTOMS OF EXPOSURE:

SKIN CONTACT: Not absorbed by the skin, but may cause dryness if prolonged exposure.

EYE CONTACT: May cause irritation (tear formation and redness) if dust gets in eyes.

INHALATION: Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.

INGESTION: Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

ORAL LD50 N.A.

DERMAL LD50 N.A.

INHALATION LC50 N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:Flux-calcined diatomaceous earth (Kieselguhr) is composed of amorphous and crystalline silica. Respirable crystalline silica

Safety Data Sheet

(cristobalite) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE): Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to aquatic or terrestrial life.

PERSISTENCE AND DEGRADABILITY:Non-biodegradable, inert.

BIOACCUMULATIVE POTENTIAL:.....Little potential for bioaccumulation

MOBILITY IN SOIL: No mobility

OTHER ADVERSE EFFECTS: . N.A.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely emptied, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: N.A.

UN PROPER SHIPPING NAME:NOT DANGEROUS GOODS

TRANSPORT HAZARD CLASS:N.A.

PACKAGING GROUP : N.A.

MARINE POLLUTANT: NO

REPORTABLE QUANTITY:..... N.A.

SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

SARA TITLE III: Not listed

Safety Data Sheet

TSCA STATUS: Diatomaceous Earth and Cristobalite appear on the EPA TSCA inventory list.

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:6/01/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... ETHYLENE GLYCOL, INDUSTRIAL

PRODUCT NUMBER:.....03350

CHEMICAL NAME/CLASS/SYNONYMS:ETHANE-1,2-DIOL

RECOMMENDED USE:..... COMPONENT OF A POLYURETHANE SYSTEM

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Acute Toxicity Oral (4)

Serious Eye Damage/Eye Irritation (2B)

Target Organ Toxicity [central nervous system (CNS) and kidneys]- Single Exposure (2)

Target Organ Toxicity [central nervous system (CNS), kidneys and liver] - Repeated Exposure (2)

GHS LABEL:



SIGNAL WORD: Warning

HAZARD STATEMENTS:

H302: Harmful if swallowed

H320: Causes eye irritation

H371: May cause damage to organs (central nervous system (CNS), kidneys)

H373: May cause damage to organs (central nervous system (CNS), kidneys, liver) through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS:

P280: Wear protective gloves/protective clothing/eye protection/face protection

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P270: Do not eat, drink or smoke when using this product

P264: Wash exposed area thoroughly after handling.

Safety Data Sheet

P312: Call a POISON CENTER/doctor/physician, if you feel unwell
P330: Rinse mouth
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: Get medical attention.

P405: Store locked up

P501: Dispose of contents/container to comply with local, state and federal regulations

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE: SUBSTANCE.

CHEMICAL NAME

ETHYLENE GLYCOL

CAS NUMBER

107-21-1

Wt/Wt%

60-100%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Respiratory problems: Seek immediate medical attention.

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. Symptoms persists: seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water. If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.

INGESTION: If individual is drowsy or unconscious, do not give anything by mouth. Do not induce vomiting. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: Treatment with ethyl alcohol is indicated if toxic ingestion is suspected or if there is metabolic acidosis following ingestion of this product. Administer ethyl alcohol sufficient to maintain blood ethyl alcohol levels of above 100 mg/dL. 4-Methylpyrazole (Fomepizole, Antizole) is also a recognized antidote for this product.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: In a fire or if heated, a pressure increase will occur and the container may burst.

SPECIAL FIRE FIGHTING PROCEDURES: Evacuate area of unprotected personnel. Use standard firefighting procedures and consider the hazards of other involved materials. Exercise caution when fighting any chemical fire.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Wear protective equipment.

ENVIRONMENTAL PRECAUTIONS: Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

Safety Data Sheet

MEASURES FOR CONTAINMENT AND CLEANING UP: Evacuate unprotected personnel from area. Wear protective equipment. Absorb liquid with sand or other noncombustible absorbent material. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. Move containers from spill area. Contaminated absorbent material may pose the same hazard as the spilled product. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Clean contaminated clothing.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Comply with applicable regulations. Store in original container, tightly closed, in cool, dry, well-ventilated area away from heat, sources of ignition and incompatible materials. Do not store above the following temperature: <40°C (<104°F). Store out of direct sunlight. Keep containers tightly closed and upright when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store locked up. Protect against physical damage.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

COMPONENT (CAS NUMBER): Ethylene glycol (107-21-1)

ACGIH 100 mg/m³ 0 hours. Form: Aerosol

OSHA N.A.

APPROPRIATE ENGINEERING CONTROLS:Provide sufficient mechanical (general and/or local exhaust) ventilation to keep exposure to airborne contaminants below the exposure limits.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable for concentrations up to 10 times the PEL. For higher concentrations, unknown concentrations and for oxygen deficient atmospheres, use a NIOSH approved air-supplied respirator. Engineering controls are the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA 29 CFR 1910.134.

Safety Data Sheet

SKIN PROTECTION: Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION: Splash proof chemical goggles in compliance with OSHA regulations are advised; or full face shield recommended to protect against splash of product. Have eye-wash stations available where eye contact can occur.

ADDITIONAL MEASURES: N.A.

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Clear, colorless liquid/Odorless

ODOR THRESHOLD: N.A.

pH: 6.5 to 7.5

MELTING/FREEZING POINT: -13°C or (8.6°F)

BOILING POINT/RANGE: 197.6°C or (387.7°F)

FLASH POINT: Closed cup: 111.1°C (232°F) [DIN 51758 EN 22719 (Pensky-Martens Closed Cup)]

EVAPORATION RATE: <1 (butyl acetate = 1)

FLAMMABILITY: N.A.

LOWER EXPLOSIVE LIMIT: .. 3.2%

UPPER EXPLOSIVE LIMIT: 15.3%

VAPOR PRESSURE: <0.013 kPa (<0.1 mm Hg) [room temperature]

VAPOR DENSITY (AIR=1): 2.2 [Air = 1]

RELATIVE DENSITY: 1.1

SOLUBILITY(IES): Miscible

PARTITION COEFFICIENT: ... -1.36

AUTOIGNITION TEMP: 398°C or (748.4°F)

DECOMPOSITION TEMP: N.A.

SPECIFIC GRAVITY: N.A. N.A.

10 – STABILITY and REACTIVITY

STABILITY: This product is stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Under normal conditions of storage and use, hazardous reactions will not occur.

CONDITIONS TO AVOID: No specific data.

INCOMPATIBLE MATERIALS: No specific data.

HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

SYMPTOMS OF EXPOSURE:

SKIN CONTACT: No known significant effects or critical hazards.

EYE CONTACT: Causes eye irritation.

INHALATION: No known significant effects or critical hazards.

INGESTION: Harmful if swallowed. May be irritating to mouth, throat and stomach.

Safety Data Sheet

ACUTE TOXICITY:**LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:**

ORAL LD50 Rat 7712 mg/kg

DERMAL LD50 Mouse >3500 mg/kg

ADDITIONAL TOXICOLOGICAL INFORMATION:**CARCINOGENIC CATEGORIES:**Not listed.

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):

Acute Fish Toxicity (ETHYLENE GLYCOL)

LC50 / 96 hours Rainbow Trout - 18,500 mg/L

Toxicity to Daphnia (ETHYLENE GLYCOL)

LC50 /48 hours Water flea - 41,000 mg/L

PERSISTENCE AND DEGRADABILITY:Readily biodegradable.**BIOACCUMULATIVE POTENTIAL:**.....Other fish - 61 days;

Bioconcentration factor (BCF) - 0.60

MOBILITY IN SOIL: Soil/water partition coefficient (KOC): 0 to 1**OTHER ADVERSE EFFECTS:** . No known significant effects or critical hazards.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue (liquid and/or vapor) and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely drained, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: UN3082**UN PROPER SHIPPING NAME:**Environmentally hazardous substance, liquid, n.o.s. (ETHYLENE GLYCOL).**TRANSPORT HAZARD CLASS:**9**PACKAGING GROUP :** III**MARINE POLLUTANT:** No**REPORTABLE QUANTITY:**..... 5050.5 lbs / 2292.9 kg [544.23 gal / 2060.1 L]**SPECIAL PRECAUTIONS:** N.A.

Safety Data Sheet

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

SECTION 311/312: Immediate (acute) health hazard. Delayed (chronic) health hazard.

SECTION 313: Listed. (Concentration 99%)

TSCA STATUS: Not listed.

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:5/19/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

Safety Data Sheet

1 – PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME:..... CAUSTIC SODA BEADS, TECHNICAL

PRODUCT NUMBER:.....02236

CHEMICAL NAME/CLASS/SYNONYMS:SODIUM HYDROXIDE, SOLID

RECOMMENDED USE:..... RAW MATERIAL

DISTRIBUTOR:

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Substance or Mixture Corrosive to Metal (1)

Acute Aquatic Toxicity (3)

Skin Corrosion/Irritation (1B)

Serious Eye Damage/Eye Irritation (1)

GHS LABEL:



SIGNAL WORD: Danger

HAZARD STATEMENTS:

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

H402: Harmful to aquatic life

PRECAUTIONARY STATEMENTS:

P234: Keep only in original packaging.

P264: Wash exposed area thoroughly after handling.

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Safety Data Sheet

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P310: Immediately call a POISON CENTER/doctor/physician
P363: Wash contaminated clothing before reuse
P390 : Absorb spillage to prevent material damage
P405: Store locked up
P406: Store in a corrosion resistant container with a resistant inner liner.
P501: Dispose of contents/container to comply with local, state and federal regulations

3 – COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

CHEMICAL NAME

SODIUM HYDROXIDE

CAS NUMBER

1310-73-2

Wt/Wt%

100%

4 – FIRST-AID MEASURES

INHALATION:..... Remove the victim into fresh air. Respiratory problems: Seek immediate medical attention.

EYE CONTACT: Rinse eyes gently with water for at least 15 minutes while holding eyelids apart. Remove contact lenses, if present and easy to do - continue rinsing. Seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water. Seek immediate medical attention. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

INGESTION: Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. If possible, do not leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS:During fire, gases hazardous to health may be formed.

SPECIAL FIRE FIGHTING PROCEDURES:Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use water spray to cool unopened containers. Use standard firefighting procedures and consider the hazards of other involved materials.

6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate

Safety Data Sheet

ventilation. Local authorities should be advised if significant spillages cannot be contained.

ENVIRONMENTAL PRECAUTIONS:Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination. Inform appropriate managerial or supervisory personnel of all environmental releases.

MEASURES FOR CONTAINMENT AND CLEANING UP: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.
Never return spills to original containers for re-use.

7 – HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING:Do not get in eyes, on skin or on clothing. Avoid prolonged exposure. Do not breathe vapors or mists. Keep away from sources of ignition - No smoking. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Clean contaminated clothing.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store away from incompatible materials

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

COMPONENT (CAS NUMBER): Sodium Hydroxide, Solid (CAS 1310-73-2)

ACGIH 2 mg/m3 Ceiling

OSHA2 mg/m3 PEL

APPROPRIATE ENGINEERING CONTROLS:Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:In case of insufficient ventilation, wear suitable respiratory equipment.

SKIN PROTECTION:Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron, face shield, boots or full body protection. A safety shower should be located in the work area.

EYE PROTECTION:Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

ADDITIONAL MEASURES:Ensure that eyewash stations and safety showers are close to the workstation location.

Safety Data Sheet

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE/ODOR: Solid
ODOR THRESHOLD: N.A.
pH: 12 0.05% wt/wt solution
MELTING/FREEZING POINT: 613.4 °F (323 °C)
BOILING POINT/RANGE: 2530.4 °F (1388 °C)
FLASH POINT: N.A.
EVAPORATION RATE: N.A.
FLAMMABILITY: N.A.
LOWER EXPLOSIVE LIMIT: .. N.A.
UPPER EXPLOSIVE LIMIT: N.A.
VAPOR PRESSURE: < 0.0000001 kPa at 25 °C or 77°F
VAPOR DENSITY (AIR=1): N.A.
SPECIFIC GRAVITY OR RELATIVE DENSITY: N.A.
SOLUBILITY(IES): 1110 g/l
PARTITION COEFFICIENT: ... N.A.
AUTOIGNITION TEMP: N.A.
DECOMPOSITION TEMP: N.A.

10 – STABILITY and REACTIVITY

STABILITY: This product is stable under normal storage conditions.
POSSIBILITY OF HAZARDOUS REACTIONS: Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals. / Hazardous polymerization does not occur.
CONDITIONS TO AVOID: Do not mix with other chemicals. Contact with incompatible materials.
INCOMPATIBLE MATERIALS: Acids. Strong oxidizing agents. Oxidizing agents. Metals.
HAZARDOUS DECOMPOSITION PRODUCTS: No hazardous decomposition products are known.

11 – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.
SYMPTOMS OF EXPOSURE:
SKIN CONTACT: Causes severe skin burns.
EYE CONTACT: Causes serious eye damage.
INHALATION: May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
INGESTION: Causes digestive tract burns.
ACUTE TOXICITY:
LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:
ORAL LD50 N.A.
DERMAL LD50 N.A.
INHALATION LC50 N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Safety Data Sheet

12 – ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):

Harmful to aquatic life.

PERSISTENCE AND DEGRADABILITY:N.A.

BIOACCUMULATIVE POTENTIAL:.....N.A.

MOBILITY IN SOIL: N.A.

OTHER ADVERSE EFFECTS: . No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely emptied, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 – TRANSPORTATION INFORMATION

UN/NA NUMBER: UN1823

UN PROPER SHIPPING NAME:CORROSIVE SOLID, N.O.S. (SODIUM HYDROXIDE)

TRANSPORT HAZARD CLASS:8

PACKAGING GROUP : II

MARINE POLLUTANT: NO

REPORTABLE QUANTITY:..... 1000 LB

SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

SARA 304 Emergency release notification: Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA):

Hazard categories

Immediate Hazard - Yes

Safety Data Sheet

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance: Not listed.

SARA 311/312 Hazardous chemical: Yes.

SARA 313 (TRI reporting): Not regulated.

TSCA STATUS:

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4): Sodium Hydroxide, Solid (CAS 1310-73-2) Listed.

OTHER FEDERAL REGULATIONS:

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR 68.130): Hazardous substance

Safe Drinking Water Act (SDWA): Not regulated.

Food and Drug Administration (FDA):

Total food additive

Direct food additive

GRAS food additive

16 – OTHER INFORMATION

PREVIOUS SDS REVISION DATE:6/01/15

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH – Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm – Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.

BID OFFER FORM

BID No. 16-17 Chemical Procurement

Offeror agrees to provide the following products for the Rockford Public School District. The prices submitted on the solicitation for the base contract year will remain firm through June 30, 2016. Bidders may request an annual price adjustment, in writing no less than 60 days prior to the renewal date. Price adjustments will be made in accordance with lesser of three percent or the percentage change in the U.S. Department of Labor Consumer Price Index (CPI-U) for All Urban Consumers, All Items.

Base Bid A

<u>Item No.</u>	<u>Qty</u>	<u>Description</u>	<u>Product Substitution</u>	<u>Unit Cost</u>	<u>Extended Cost</u>
1	20	Soda Ash, 58% Dense, 50lb bag Product Data and MSDS See			
2	350	Sodium Bisulfate, Anhydrous, Technical Grade, 5 gal bucket Product Data and MSDS See			
3	350	Sodium Hypochlorite, Solution, 30 gal drum See Product Data and MSDS			
4	20	Sodium Thiosulfate, Pentahydrate 99% Crystal, 50lb bag See Product Data and MSDS			
5	15	Cleatom (or owner approved equal), 50lb bag See Product Data and MSDS			
6	50	Ethylene Glycol, Industrial Grade, 30 gal drum See Product Data and MSDS			
7	20	Caustic Soda Beads, Technical Grade, 50lb bag See Product Data and MSDS			
				Grand Total	

Base Bid B				
1		If awarded all items will the vendor provide any type of discounts?	Grand Total	

REFERENCES:

Offeror to provide three references of similar type work that would qualify your firm for this project

Company Name/Address/Phone Number

Company Name/Address/Phone Number

Company Name/Address/Phone Number

BID SUBMITTED BY:

Company

Address

City, State & Zip Code

Phone No.

E-mail