



**ROCKFORD BOARD OF EDUCATION  
REQUEST FOR PROPOSAL ON SUPPLIES, MATERIALS, EQUIPMENT OR  
SERVICES FOR SCHOOL DISTRICT NO. 205  
ROCKFORD, ILLINOIS**

RFP No.        **21-17 Custodial Services**

DATE:         **February 25, 2021**

RE:            **ADDENDUM NO. 5**

---

To All Bidders:

Included are modifications, clarifications and/or corrections for the Project Manual and are hereby made a part of the contract documents. Please attach this addendum to the Project Manual(s) in your possession. Please note the receipt of this addendum on the bid form. Bidders shall review changes to all portions of this work as changes to one portion may affect the work of another.

**If you plan to hand deliver your RFP submission on the due date, please note you must check in on the 2nd floor prior to coming to the bid opening. Please allow time for this as late submission will not be accepted.**

Refer all questions relative to the business aspect, Instructions to Bidders, Special Conditions, and questions concerning the technical aspect of the documents to the Director of Purchasing by email at [purchasingdeptstaff@rps205.com](mailto:purchasingdeptstaff@rps205.com).

**CLARIFICATIONS**

This addendum includes requests for information (RFI) to date, corresponding answers, a list of gym floors, a sample monthly cleanliness schedule, a grease trap schedule, and student/staff counts at each building.

ROCKFORD BOARD OF EDUCATION

By: Dane Youngblood  
Director of Purchasing

## CLARIFICATIONS

1. Can you provide student/staff counts by building?
  - a. Document attached.
2. Can you provide a list and count of the gym floors to be screened and sealed/refinished by school name?
  - a. Information included in the gym floor attachment to this addendum.
3. Number of “synthetic” type gym floors and square footage?
  - a. Information included in the gym floor attachment to this addendum.
4. Number of “wood” gym floors and square footage?
  - a. Information included in the gym floor attachment to this addendum.
5. Are wooden gym floors to be recoated with oil based or water based polyurethane?
  - a. Information included in the gym floor attachment to this addendum.
6. Please confirm that an upright vacuum **and** backpack vacuum should be issued to each cleaning custodian? (pg. 32, item 29)
  - a. Yes, however because this is an RFP the District is open to your proposal and recommendations to achieve the goals outlined in the RFP. Backpack vacuums are very mobile and efficient for spot vacuuming, while the beater brush on the upright is essential for deep cleaning. History has shown that a combination of equipment works well.
7. Will RPS205 supply the vendor an office for daily use by Management Team, Administrative Assistant, interviewees, etc.?
  - a. RPS as limited office space available at OSC Operations Support Center 5052 28<sup>th</sup> Ave., for the contracted management team if needed. Office space includes office with six cubicles, one private conference room, interior garage storage and additional RPS shared spaces.
8. Will RPS205 supply the vendor a place to install a washer/dryer for laundering cleaning towels, mops, etc.?
  - a. Yes.
9. Is the vendor responsible for screen and reseal of ES gym floors?
  - a. Yes. The custodial contractor is responsible for maintaining all gym floors. ES bldgs are omitted from the bullet referencing gym floors on pg 27, item 3.b.10. Item 10., indicates secondary sites i.e. middle and high school locations must have an annual screen and reseal. Clarification: all wood gym floors, which are in good condition, are to be screened and resealed annually.
10. Please confirm that day custodian on-site should have a vendor supplied smartphone, capable of accessing the WO system and receiving emails (42 sites)? pg. 16, item I.
  - a. It is advisable for day custodians to have smart phones but mandatory for all management team. Day custodians can have building O.P.s, enter work orders on their behalf. Contractor’s management team will be required to utilize the online platform i.e. SchoolDude.
11. Are there trash gondolas at each site that belong to RPS205 and can be used by the vendor?
  - a. Yes, there are gondolas at most sites but not all.

12. 7. Please confirm that hours per employee, per shift, should be schedule 8.5 hours per day, resulting in a 42.5 hour work week? pg. 17, Item 3A.
- The District acknowledges limitations due to the CBA, however its advisable to negotiate for the maximum amount of production time in an 8 hours shift per day.
13. Will there be a formal bid opening?
- Yes, the bid opening is open to the public and will be held in our Board room.
14. What is the difference in scope on this RFP verses the current contract?
- Both the 21-17 RFP and the 17-43 Bid are available for review and comparison at [www.RPS205.com](http://www.RPS205.com).
15. Can you currently provide the zone break down for the district and how many schools are in each zone? Can you provide list of each zone/schools?
- Floor plans for each school are online at [rps205.com/community/vendors](http://rps205.com/community/vendors). 21-17 Block A, 21-17 Block B.

Block A		Block B	
Location	Total Sq Ft	Location	Total Sq Ft
1 Barbour	83496.5	1 Administration	150467.94
2 Beyer	49028.84	2 Auburn	324914.98
3 Cherry Valley	86283.19	3 Bloom	68629.74
4 Constance Lane	86282.64	4 Brookview	55693.87
5 East High	354350.56	5 Carlson	54383.99
6 Ellis	103583.86	6 Conklin	49380.53
7 Fairview E.C	58787.96	7 Eisenhower	160135.94
8 Flinn	187480.27	8 Guilford	290382.94
9 Froberg	48786.07	9 Haskell	46760.11
10 Gregory	55525.01	10 Johnson	51171.92
11 Hillman	66051.85	11 Kennedy/Wilson	176371.65
12 Jefferson	304058.16	12 Lewis Lemon	70150.91
13 Lathrop	49379.61	13 Montessori	81725.93
14 Lincoln	173130.62	14 Marshall ES	54552.98
15 Nashold	46531.02	15 Marshall MS	140345.3
16 Ops Supt Cntr	67355.36	16 McIntosh	52373.25

17	RESA	147835.62	17	Roosevelt	151161.59
18	Riverdahl	74182.07	18	Spring Creek	54817.49
19	Rolling Green	114636.6	19	Summerdale	50768.79
20	Sterling Holley	83376.31	20	Welsh	81757.57
21	Washington	115640.19	21	West	256943.42
22	Whitehead	77076.79	22	Westview	59096.82
				Wyeth StdM AHS	1908.02
				Swanson StdM GH	1906.64
<b>Total Sq.Ft. Block A</b>		<b>2,432,859.10</b>	<b>Total Sq.Ft. Block B</b>		<b>2,485,802.32</b>

1. Is Aramark currently running staff for the full 248 days? Please note CBA is 260 days.
  - a. Aramark is staffing for 251 days.
2. What current process for Quality Assurance as outlined in #9 Letter B...please provide a sample as well.
  - a. Each principal and one REA representative from each school are invited to participate in a monthly cleanliness survey. The survey results are quantified and shared with District leaders and the custodial contractor for follow up and improvement where indicated.
3. Who is responsible for emptying and refilling pools for annual clean?
  - a. Custodial contractor is responsible for emptying, filling and cleaning. RPS Plumbers provide guidance, inspections and timelines for emptying and filling requirements.
16. Please provide additional detail on why 2 additional FTE's are required at Nashold Early Learning?
  - a. Two additional day custodians are to be scheduled 5:30A.M. to 2:30P.M., to support traffic flow and student drop off in parking lot between cohorts of students. These two custodians remain on site and support cleaning efforts throughout their shift.
17. What is the square footage of your gym floors? Are they currently being subbed or handled by your current custodial contractor?
  - a. The custodial contractor is responsible for maintaining all gym floors. Aramark is maintaining 26,410 sq. ft. of LVT & VCT floorings (five sites) in house. Aramark is subcontracting the annual screen and resealing of 260,829 sq. ft. of wood gym flooring (thirty-seven sites).
18. Which schools are the field houses located at?
  - a. East High School, Auburn High School, Guilford High School.
19. Can you please define what the "back of house areas" means from page 5 of the RFP for APPA level 3?
  - a. Boiler rooms, tunnels, custodial closets etc.
20. Is the cleaning of interior grease traps currently being serviced by custodial services?
  - a. Yes, grease and clay traps are the responsibility of the custodial contractor. However, the District subcontracts the cleaning of larger grease traps located at twenty four (24) different locations. Grease and clay traps, which are assigned to the custodial contractor, are on a semi-annual schedule i.e. winter/summer.

	Schools & Gym	Sq. Ft.		Finish
<b>High Schools</b>				
1	Auburn High	11,696	wood	Oil
2	EAST	9,700	wood	Hydro
3	Guilford	11,750	wood	Oil
4	Jefferson High	29,000	wood	Oil
5	Roosevelt cec	3,000	wood	Oil
<b>Middle Schools</b>				
6	Eisenhower	11,129	wood	Oil
7	Flinn	8,652	wood	Oil
8	Kennedy Mid	15,000	wood	Oil
9	Lincoln Mid	5,850	wood	Oil
10	Marshall Mid	14,300	wood	Oil
11	RESA	5,900	wood	old finish TBD
12	West Mid Main	12,197	wood	Oil
13	West Mid 3rd Flr	3,015	wood	Hydro
<b>Early Elementary Schools</b>				
14	Fairview	2,878	wood	old finish TBD
15	Summerdale	5,671	wood	old finish TBD
<b>Elementary Schools</b>				
16	Bloom	5,220	wood	Hydro
17	Brookview	5,183	wood	Oil
18	Carlson	3,000	wood	Oil
19	Cherry Valley	3,635	wood	Water base
20	Conklin	2,327	wood	Oil
21	Constance Lane	3,635	wood	Water base
22	Froberg	4,977	wood	Water base
23	Geogry	5,150	wood	Water base
24	Haskell	5,665	wood	Hydro
25	Johnson	4,648	wood	Hydro
26	Lathrop	4,675	wood	old finish TBD
27	Marshall El	14,387	wood	Oil
28	Montessori	6,390	wood	Hydo
42	Nashold	4,235	wood	old finish TBD
30	Riverdahl	5,183	wood	Oil
31	Rolling Green	6,912	wood	old finish TBD
32	Washington	6,400	wood	Hydro
33	Welsh Café	4,256	wood	Oil
34	Welsh Gym	5,395	wood	Oil
35	Whitehead Café	4,144	wood	Hydro
36	Whitehead gym	5,114	wood	Hydro
37	Westview	4,795	wood	Oil
		<b>265,064</b>		
38	Barbour	4,295	VCT	
39	McIntosh	4,664	VCT	
40	Lewis Lemon	5,898	LVT	
41	Ellis	6,219	VCT	
42	Beyer	5,162	VCT	

43	Hillman	4,896	VCT	
<b>31,134</b>				



[check your answer to question number 1 ]

### Greetings!

Now more than ever, we want to ensure that the schools are being properly cleaned on an ongoing basis. Please take 5 minutes to complete this short survey based on the cleanliness of your school during January. Your feedback will help us determine the strengths and weaknesses of the custodial crew or perhaps lapses in the custodians' cleaning schedules. Please take the survey for [check your answer to question number 1 ].

This survey will close at 6 pm Monday, February 8th.

Thank you for your participation. Your feedback is instrumental in helping us ensure the schools are as clean as possible.

Sincerely,

Catherine Ellis  
Senior Custodial Manager

### Interior Entrances

In the past month, how often have the following occurred when you arrive each morning?

3.

	Never	Seldom	Sometimes	Frequently	Always
(a) General appearance is clean (corners and edges may only have dust from one day)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Glass is clear of hand prints	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Mats are clear of debris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Restrooms

In the past month, how often have the following occurred when you arrive each morning?

4.

	Never	Seldom	Sometimes	Frequently	Always
(a) Floors are cleaned	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Trash is removed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Dispensers are stocked	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(d) Toilets and urinals are clean	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



[check your answer to question number 1 ]

### Hallways

In the past month, how often have the following occurred when you arrive each morning?

5.		Never	Seldom	Sometimes	Frequently	Always
(a) General appearance is clean, floors are free of debris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Corners and edges only have minimal dust	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Stairs

In the past month, how often have the following occurred when you arrive each morning?

6.		Never	Seldom	Sometimes	Frequently	Always
(a) Steps are clear of debris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Landings are clear of debris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Corners and edges only have minimal dust	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

7.Does your school have an elevator? (Select one option)

- ☐ Yes  
☐ No

**NOTE :** Answer the below question only if answer to Q#7 is Yes

### Elevator

In the past month, how often have the following occurred when you arrive each morning?

8.		Never	Seldom	Sometimes	Frequently	Always
(a) Elevator walls are clean	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Floors are clean of dirt and debris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[check your answer to question number 1 ]

### Cafeteria

How strongly do you agree or disagree about the cleanliness of the cafeteria?

9.

	Strongly Disagree	Disagree	Neither Agree or Disagree	Agree	Strongly Agree
(a) Cafeteria floors are clean and free of debris on arrival in the morning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Food spills are cleaned up in a timely manner	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Cafeteria tables and seats are clean on arrival in the morning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Classrooms

How strongly do you agree or disagree about the cleanliness of the classrooms?

10.

	Strongly Disagree	Disagree	Agree	Strongly Agree
(a) Trash is emptied daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Carpets are spot vacuumed daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Floors are spot mopped daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(d) Ledges and counter tops are dusted weekly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(e) Desktops are wiped nightly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(f) Cleaning check lists are filled out nightly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Offices

How strongly do you agree or disagree about the cleanliness of the offices?

11.

	Strongly Disagree	Disagree	Neither Agree or Disagree	Agree	Strongly Agree
(a) Trash is emptied daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) Carpets are spot vacuumed daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) Floors are spot mopped daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(d) Ledges and counter tops are dusted weekly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[check your answer to question number 1 ]

#### Day Time Custodial Crew

How often do the following occur?

12.

	Never	Seldom	Sometimes	Frequently	Always
(a) The day time custodial crew answers radio calls in a timely manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) The day time custodial crew completes requested tasks in a timely manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) The day time custodial crew has a professional appearance.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(d) The day time custodial crew conduct themselves in a professional manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

#### PM Custodial Crew

How often do the following occur?

13.

	Never	Seldom	Sometimes	Frequently	Always
(a) The PM custodial crew answers radio calls in a timely manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(b) The PM custodial crew completes requested tasks in a timely manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(c) The PM custodial crew has a professional appearance.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
(d) The PM custodial crew conduct themselves in a professional manner.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

14. How satisfied or dissatisfied are you with the cleanliness of your school over the last month? (Select one option)

- ☐ Very Dissatisfied
- ☐ Dissatisfied
- ☐ Neither Satisfied or Dissatisfied
- ☐ Satisfied
- ☐ Very Satisfied

[check your answer to question number 1 ]

**15. Please share any additional thoughts about the cleanliness of your school.**

---

---

---

---

---

School	Grease Trap Location	Responsible Company	Frequency	Notes
--------	----------------------	---------------------	-----------	-------

## HIGH SCHOOLS

<b>Auburn High School</b> 5110 Auburn Street (61101) 966-3300 (FAX 966-3911) Jenny Keffer, Principal	Kitchen (Outside)	Contractor	4/YR	
	Science Classroom	Contractor	1/YR	
	Art Classroom (154)	Aramark	2/YR	
	Art Classroom (158)	Aramark	2/YR	
	Computer Room (171)	Aramark	2/YR	
	Computer Lab (709)	Aramark	2/YR	
	Concession Stand (FH)	Contractor	2/YR	
	Theater	Aramark	2/YR	

<b>East High School</b> 2929 Charles Street (61108) 229-2100 (FAX 229-2113) Jim Parker, Principal	Kitchen (Inside)	Contractor	3/YR	
	Art Classroom 8 A1	Aramark	2/YR	
	Art Classroom 9	Aramark	2/YR	
	Art Classroom 10	Aramark	2/YR	
	Science Classroom	Aramark	2/YR	
	Concession Stand (FH)	Contractor	As Needed	

<b>Guilford High School</b> 5620 Spring Creek Road (61114) 654-4870 (FAX 654-4901) Gus Carter, Principal	Kitchen (Outside)	Contractor	4/YR	
	Science Classroom	Contractor	1/YR	
	Art Classroom	Aramark	2/YR	
	Classroom 134	Aramark	2/YR	
	Art Room 119	Aramark	2/YR	
	Concession Stand (FH)	Contractor	As Needed	

<b>Jefferson High School</b> 4145 Samuelson Road (61109) 874-9536 (FAX 874-2800) Don Rundall, Principal	Kitchen (Outside)	Contractor	4/YR	
	Science Classroom (Outside)	Contractor	1/YR	
	Art Classroom 100	Aramark	2/YR	
	Art Classroom 104	Aramark	2/YR	
	Art Classroom 106	Aramark	2/YR	
	Concession Stand	Aramark	2/YR	

## MIDDLE SCHOOLS

<b>Eisenhower Middle School</b> 3525 Spring Creek Road (61107) 229-2450 (FAX 229-2456) Jeffery Carlson, Principal	Kitchen (Inside)	Contractor	3/YR	
	Science Classroom	Aramark	2/YR	
	Art Classroom	Aramark	2/YR	

<b>Flinn Middle School</b> 2525 Ohio Parkway (61108) 229-2800 (FAX 229-2894) Cory Shrank, Principal	Kitchen (Outside)	Contractor	4/YR	
	Science Classroom	Aramark	2/YR	
	Art Classroom	Aramark	2/YR	

<b>Kennedy Middle School</b> 520 N. Pierpont (61101) 654-4880 (FAX 654-4874) Treveda Redmond, Principal	Kitchen (Outside)	Contractor	4/YR	
	Science Classroom	Contractor	1/YR	
	Art Classroom	Aramark	2/YR	

<b>Lincoln Middle School</b> 1500 Charles Street (61104) 229-2400 (FAX 229-2420) Kirsten Garrigan, Principal	Kitchen (Inside)	Contractor	3/YR	
	Science Classroom	Aramark	2/YR	
	Art Classroom	Aramark	2/YR	
	Concession Stand	Aramark	2/YR	

<b>Marshall Middle School</b> 4664 N. Rockton Ave (61103) 490-5400 (FAX 490-5405) Jessica Powell, Principal	Kitchen (Inside & Outside)	Contractor	3/YR	
	Science Classroom	Aramark	2/YR	
	Art Classroom	Aramark	2/YR	

<b>RESA</b> 1800 Ogilby Road (61102) 489-5509 (FAX 966-5360) Ben Stover, Principal	Kitchen	Contractor	3/YR	
	Science Classroom	Contractor	1/YR	

<b>West Middle School</b> 1900 N. Rockton Avenue (61103) 966-3200 (FAX 966-3216) Larry Goodrich, Principal	Kitchen (Inside)	Contractor	3/YR	
	Science Classroom	Aramark	2/YR	
	Art Classroom	Aramark	2/YR	

## EDUCATION CENTERS



<b>Page Park Regional Education</b> 5949 Safford Road (61101) 720-4764 (FAX 720-4779) Patti Swanson-Bergren, Principal	Septic	Contractor	Every 2 years	
	Inside	Contractor	3/YR	40 Gal In Floor

<b>Roosevelt Community Ed Center</b> 978 Haskell Avenue (61103) Adult Ed 966-3251 (FAX 966-3105) Alternative HS 966- 3265(FAX 3178) Morgan Gallagher, Principal	Kitchen (Inside)	Aramark	3/YR	17 Gal-S. Kitchen RTO Style 14x20x18

<b>Rosecrance School Program</b> 1601 University Dr (61107) 387-2546 (FAX 997-1775)	N/A			

<b>Juvenile Detention</b> 5350 Northrock Dr (61103) 282-6878 (FAX 282-8161)	N/A			

<b>Wilson ASPIRE (Special Education)</b> 520 N. Pierpont Avenue (61101) 966-3770 (FAX 966-5297) Angela Rieke, Principal	N/A			

## ELEMENTARY SCHOOLS

<b>Barbour Language Academy</b> (K-8) 1506 Clover Avenue (61102) 966-3395 (FAX 967-8039) Greg Hodges, Principal	Kitchen (Outside)	Contractor	4/YR	1000 Gal
	Room 135	Aramark	2/YR	<1 Gal
	Room 121	Aramark	2/YR	<1 Gal

<b>Beyer School</b> 333 15th Avenue (61104) 966-3390 (FAX 966-3392) Laura Blackwell, Principal	Gym Storage Area (Inside)	Aramark	3/YR	20 gal 15 x 18 x18

<b>Bloom School</b> 2912 Brendenwood Rd. (61107) 229-2170 (FAX 229-2457) Pati Strehl, Principal	Kitchen (Outside)	Contractor	3/YR	

<b>Brookview School</b> 1750 Madron Road (61107) 229-2492 (FAX 229-2112) Melanie Wiest, Principal	Kitchen (Outside)	Contractor	3/YR	New '17

<b>Carlson School</b> 4015 Pepper Drive (61114) 654-4955 (FAX 636-3001) Kristina Miller, Principal	New Kitchen (Outside)	Contractor	3/YR	

<b>Cherry Valley School (3-5)</b> 6754 Armer Drive Cherry Valley, IL (61016) 332-4938 (FAX 332-9661) Carolyn Timm Principal	Kitchen (Outside)	Contractor	3/YR	1000 Man Hole

<b>Conklin School</b> 3003 Halsted Road (61101) (FAX 654-4864) Jerald Erdman, Principal	Cafeteria	Contractor	3/YR	125 Gal –In café floor

<b>Ellis Arts Academy (K-8)</b> (Creative & Performing Arts) 222 South Central (61102) 966-3909 (FAX 966-5266) Taren Turner, Principal	Kitchen (Outside)	Contractor	4/YR	




<b>Fairview Early Childhood</b> 512 Fairview Avenue (61108) 227-8400 (FAX 229-2445) Darcy Dunn, Principal	Kitchen (Inside)	Aramark	3/YR	17 Gal above floor

<b>Froberg School (K-2)</b> 4555 20th Street (61109) (FAX 874-6228) Kimberly Ward, Principal	Kitchen (Inside)	Aramark	3/YR	17 Gal above floor

<b>Gregory School</b> 4820 Carol Court (61108) 229-2176 (FAX 229-2897) Kristine Leider, Principal	Kitchen (Outside)	Contractor	3/YR	Manhole-S-Kitchen double doors

<b>Haskell</b> 515 Maple Street (61103) 966-3355 (FAX 967-8040) Loree Leathers, Principal	Kitchen (Inside)	Aramark	3/YR	31 Gal above floor RTO Style 18 x24x21 New '15 & '16

<b>Hillman School</b> 3701 Greendale Drive (61109) 229-2835 (FAX 229-2807) Carolyn Kloss, Principal	Kitchen (Inside)	Contractor	3/YR	In Kitchen Floor 42 x 60

<b>Johnson School</b> 3805 Rural Street (61107) 229-2485 (FAX 229-2418) Amber Miller, Principal	Kitchen	Contractor	3/YR	125 Gal in Kitchen floor

--	--	--	--	--



<b>Lathrop School</b> 2603 Clover Avenue (61102) 966-3285 (FAX 966-3713) Penny Al-Azhari, Principal	Cafeteria (Inside)	Contractor	3/YR	125 Gal In café floor

<b>Lewis Lemon School</b> 1993 Mulberry Street (61101) 967-8000 (FAX 967-8027) Christian Ulferts, Principal	Kitchen (Inside)	Contractor	3/YR	

<b>Montessori @ Marsh School</b> 2021 Hawthorne Drive (61107) 229-2430 (FAX 229-2461) Candice Collins, Principal	Kitchen (Inside)	Contractor	3/YR	

<b>McIntosh Elementary</b> 525 N. Pierpont Avenue (61101) 966-3275 (FAX 966-8922) Al Gagliano, Principal	Kitchen (Inside)	Contractor	3/YR	125 Gal in café floor

<b>Marshall Elementary</b> 4704 N. Rockton (61103) 654-4906 (FAX 654-4909) Sydney Graves, Principal	Kitchen (Outside)	Contractor	3/YR	Manhole

<b>Nashold Elementary</b> 3303 20th Street (61109) 229-2155 (FAX 229-2421) Erin Salberg Principal	Kitchen (Inside)	Aramark	3/YR	

--	--	--	--	--

<b>Riverdahl School</b> 3520 Kishwaukee Street (61109) 229-2870 (FAX 229-2891) Tommy Gibbons, Principal	Kitchen (Outside)	Contractor	3/YR	

<b>Rolling Green School</b> 3615 Westgate Parkway (61108) 229-2881 (FAX 229-2135) Holly Lyman, Principal	Kitchen (Inside)	Aramark	3/YR	17 Gal above floor 14 x 18 x 20


<b>Spring Creek School</b> 5222 Spring Creek Road (61114) 654-4960 (FAX 654-4969) Ray Owens, Principal	Cafeteria	Contractor	4/YR	125 Gal New café floor

<b>Stiles Elementary</b> 315 LaCleda Avenue (61102) 966-3790 (FAX 966-5244)	Septic	Contractor	Every 2 years	
	Kitchen (Inside)		3/YR	
	Removed prior 2012			

<b>Summerdale School</b> 3320 Glenwood Avenue (61103) 966-3280 (FAX 967-8016) Jennifer Lak-Keilman, Principal	Kitchen (Inside)	Aramark	3/YR	17 Gal above floor 12 x 20 x?



<b>Washington School</b> 1421 West Street (61102) 966-3370 (FAX 966-3347) Greg Midget, Principal	Kitchen (Outside)	Contractor	4/YR	500 Gal Manhole
	ES/MS Art Room 1	Aramark	2/YR	

<b>Welsh School</b> 2100 Huffman Blvd. (61103) 966-3260 (FAX 966-3259) Blake Hand, Principal	Kitchen (Outside)	Contractor	3/YR	Manhole

<b>West View School</b> 1720 Halsted Road (61103) 654-4945 (FAX 654-4903) Jacob Sayre, Principal	W of Kitchen (Inside)	Contractor	3/YR	In floor New '17 42 x 60 x ?

<b>Whitehead School</b> 2325 Ohio Parkway (61108) 229-2840 (FAX 229-2419) Pamela Miner, Principal	Kitchen (Outside)	Contractor	3/YR	

<b>ADMINISTRATION BLDG.</b> 501 7 <sup>th</sup> St. (61104) 966-3000 Michael Phillips, COO	Kitchen (Outside)	Contractor	As Requested	

<b>Sterling Holley</b> 2000 Christina Street (61104) 966-3706 (FAX 966-3007) Michael Slife, Director	N/A			


NOTE: **1/YR:** Summer Break  
**2/YR:** Summer Break & Winter Break  
**3/YR:** Spring Break, Summer Break, Christmas Break  
**4 /YR:** January, April, June, November

School	Projected 2021-22 Enrollment	RPS Staff	Student/Staff Total
23 - Beyer Early Childhood Center	634	57	691
35 - Fairview Early Childhood Center	670	69	739
65 - Nashold	670	58	728
80 - Summerdale Early Childhood Center	496	58	554
419 - EC at Roosevelt	80	4	84
24 - Bloom Elementary School	366	45	411
25 - Brookview Elementary School	470	51	521
26 - Carlson Elementary School	355	51	406
27 - Cherry Valley Elementary School	590	68	658
28 - Conklin Elementary School	337	46	383
32 - Ellis Elementary School	401	65	466
38 - Froberg Elementary School	404	42	446
40 - Gregory Elementary School	428	50	478
46 - Haskell Elementary School	260	44	304
50 - Hillman Elementary School	568	70	638
53 - Johnson Elementary School	367	46	413
54 - Washington Elementary School	498	66	564
56 - Constance Lane Elementary	503	79	582
58 - Lathrop Elementary School	317	42	359
59 - Lewis Lemon Elementary School	314	55	369
61 - McIntosh Elementary School	299	52	351
64 - Montessori School	613	67	680
73 - Riverdahl Elementary School	583	72	655
76 - Rolling Green Elementary School	518	81	599
81 - Spring Creek Elementary School	462	76	538
86 - Thurgood Marshall Elementary	392	40	432
88 - Welsh Elementary School	410	58	468
89 - West View Elementary School	438	52	490
91 - Whitehead Elementary School	615	79	694
2 - Lincoln Middle School	662	78	740
3 - Rockford Environmental Science Academy	1164	123	1287
4 - Thurgood Marshall School	495	45	540
6 - Kennedy Middle School	471	63	534
7 - Eisenhower Middle School	965	89	1054
8 - Flinn Middle School	879	92	971
9 - West Middle School	978	101	1079
22 - Barbour Two-Way Language Immersion	744	73	817
10 - Auburn High School	1697	179	1876
11 - East High School	1436	163	1599
13 - Guilford High School	1766	165	1931
18 - Jefferson High School	1894	177	2071
19 - Roosevelt Community Education Center	504	67	571
<b>Grand Totals</b>	<b>26,713</b>		
RPS Staff		<b>3,058</b>	
<b>Total</b>			<b>29,771</b>