

## ROCKFORD PUBLIC SCHOOLS DISTRICT 205

### RIVERDAHL ELEMENTARY SCHOOL - WINDOW REPLACEMENT

3520 Kishwaukee St, Rockford, IL 61109

004645.08  
RE-ISSUED FOR BID  
FEBRUARY 24, 2017

## CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

BOSTON NEW YORK BALTIMORE WASHINGTON DC BUFFALO TORONTO MONTREAL PITTSBURGH  
CHICAGO ST. LOUIS VANCOUVER SAN FRANCISCO LOS ANGELES PHOENIX MUMBAI ABU DHABI

---

**Consultants:**

DRAWING INDEX	
SHEET NUMBER	SHEET NAME
G0000	COVER SHEET
G0001	DRAWING INDEX
G0101	LEVEL 01 REFERENCE PLAN
D0100.DE	LEVEL 00 ARCHITECTURAL DEMOLITION PLAN - AREA D & E
D0201.D	LEVEL 01 ARCHITECTURAL DEMOLITION PLAN - AREA D
D0201.E	LEVEL 01 ARCHITECTURAL DEMOLITION PLAN - AREA E
D0201.F	LEVEL 01 ARCHITECTURAL DEMOLITION PLAN - AREA F
D0202	DEMOLITION ELEVATIONS/DETAILS
A0001	SYMBOLS & ABBREVIATIONS
A0100.DE	LEVEL 00 FLOOR PLAN - AREA D & E
A0101.D	LEVEL 01 FLOOR PLAN - AREA D
A0101.E	LEVEL 01 FLOOR PLAN - AREA E
A0101.F	LEVEL 01 FLOOR PLAN - AREA F
A0301	BUILDING ELEVATIONS
A0302	BUILDING ELEVATIONS
A0409	ENLARGED WINDOW TYPES
A0410	WINDOW REPLACEMENT DETAILS
A0701.E	LEVEL 01 REFLECTED CEILING PLAN - AREA E
A1003	DOORS & BORROWED LIGHTS
A1200	FINISH LEGEND, NOTES AND DETAILS
A1200.DE	LEVEL 00 FLOOR FINISH PLAN - AREA D&E
A1201.D	LEVEL 01 FLOOR FINISH PLAN - AREA D
A1201.E	LEVEL 01 FLOOR FINISH PLAN - AREA E
A1201.F	LEVEL 01 FLOOR FINISH PLAN - AREA F



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184-005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date

Drawing Title:

DRAWING INDEX

Project No.: 004645.08      Checked by:    Checker

G0001



**ROCKFORD PUBLIC SCHOOLS**  
**RIVERDAHL**  
**ELEMENTARY SCHOOL -**  
**WINDOW REPLACEMENT**


# CANNONDESIGN

25 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184.005683

1 LEVEL 01 REFERENCE PLAN  
1/16" = 1'-0"

1	RE-ISSUED FOR BID	02/24/2017
No.	Description	Date



Drawing Title:

## LEVEL 01 REFERENCE PLAN

Project No.: 004645.08 Checked by: Checker

# G0101

Cannon Design 2014


NOTE: WORK IDENTIFIED AS ALTERNATE  
A SHALL BE BID AS BASE BID

## GENERAL DEMOLITION NOTES


- VERIFY EXISTING FIELD CONDITIONS BEFORE AND AFTER DEMOLITION, REPORT ANY DISCREPANCIES FROM THE DRAWINGS TO THE ARCHITECT.
- ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ALL CONSTRUCTION DOCUMENTS FOR COORDINATION OF THE WORK AND DESIGN INTENT.
- NOT USED
1. CONSTRUCTION IS TO BE PHASED FOR UNINTERRUPTED USE OF THE EXISTING BUILDING. TEMPORARY BARRICADES TO BE ERECTED TO SEPARATE CONSTRUCTION AREAS FROM REMAINING BUILDING. CORRIDOR ACCESS AND EXITS SHALL BE MAINTAINED AT ALL TIMES.
2. ALL EXISTING BUILDING SYSTEMS - HEATING, COOLING, FIRE ALARM, SECURITY, ETC. SHALL REMAIN IN OPERATION AT UNAFFECTED AREA AT ALL TIMES DURING DEMOLITION. COORDINATE ALL SHUT DOWNS WITH THE OWNERS BUILDING ENGINEER.
3. DEMOLITION WORK AS SHOWN ON THE DRAWINGS IS TO INDICATE, IN A GENERAL MANNER, THE REMOVAL OF EXISTING CONSTRUCTION AND IS NOT INTENDED TO BE EXCLUSIVE. PROVIDE ALL NECESSARY WORK REQUIRED TO ACCOMMODATE OR INSTALL ALL NEW WORK. VERIFY ALL CONDITIONS AT THE BUILDING SITE PRIOR TO COMMENCEMENT OF WORK.
4. ABATEMENT WORK IS UNDER SEPARATE CONTRACT. ALL ACM WILL BE REMOVED BY DISTRICT'S ABATEMENT CONTRACTOR. WORK NOTED IN THE DRAWINGS IS FOR CONTRACTORS REFERENCE, TO UNDERSTAND WORK REQUIRED TO PREPARE EXISTING SURFACES FOR NEW WORK. CONTRACTOR SHALL VERIFY ALL ACM REMOVAL REQUIREMENTS WITH RPS 205 ABATEMENT CONTRACTOR TO INCLUDE BUT NOT LIMITED TO: FLOORING, CEILING SYSTEMS, PIPE INSULATION, DUCT INSULATION, CAULK AND WINDOW GLAZING.
5. NOT USED
6. REFER TO PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS REGARDING DEMOLITION AND ALTERATION PROCEDURES.
7. NOT USED
8. NOT USED
9. NOT USED
10. NOT USED
11. NOT USED
12. NOT USED
13. NOT USED
14. NOT USED
15. NOT USED
16. COORDINATE ALL WORK WITH OWNER.
17. NOT USED
18. NOT USED
19. NOT USED
20. CONTRACTOR TO VERIFY WITH RPS 205 FOR ANY DEMOLISHED MATERIAL AND EQUIPMENT TO BE SALVAGED.
21. CONTRACTOR TO REMOVE ALL SALVAGED MATERIALS OFF SITE DAILY. NO MATERIAL SHALL BE REMOVED OFF SITE DURING NON-WORKING TIMES. ALL DUMPSTERS SHALL BE SECURED AT THE END OF EACH DAY TO PREVENT SCRAPPING. PROHIBITIVE SIGNAGE WILL BE PROVIDED TO CONTRACTOR BY RPS 205. DISTRICT HAS THE RIGHT TO SALVAGE MATERIALS.
22. NOT USED

## DEMOLITION KEY NOTES

- 1) NOT USED
- 2) NOT USED
- 3) NOT USED
- 4) NOT USED
- 5) NOT USED
- 6A) CAREFULLY CUT AND REMOVE EXISTING PLASTER CEILING STARTING FROM 6" AWAY FROM CURVED PLASTER SOFFIT AT WINDOW. CURVED PLASTER SOFFIT AT WINDOW TO REMAIN. DASHED LINE INDICATES EXTENT.
- 6) NOT USED
- 7) NOT USED
- 8) NOT USED
- 9) NOT USED
- 10) NOT USED
- 11) NOT USED
- 12) OWNER TO REMOVE EXISTING LOOSE EQUIPMENT/FURNITURE. GC TO COORDINATE WITH DISTRICT.
- 13) REMOVE EXISTING WINDOW COVERINGS
- 14) NOT USED
- 15) NOT USED
- 16) NOT USED
- 17) EXISTING EXTERIOR ALUMINUM STOREFRONT SYSTEM ENTRY DOORS, DOOR HARDWARE AND THRESHOLDS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR
- 18) EXISTING EXTERIOR DOORS, INCL. FLASHING AND SEALS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19) EXISTING WINDOWS TO BE REMOVED BY OTHER FOR WINDOW REPLACEMENT (NOT IN CONTRACT). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19A) NOT USED
- 20) NOT USED
- 21) REMOVE PORTION OF EXISTING WOOD TRIM AS REQUIRED FOR NEW CONSTRUCTION.
- 22) EXISTING WINDOW AIR CONDITIONING UNIT TO BE REMOVED BY OWNER
- 23) NOT USED
- 24) NOT USED
- 25) NOT USED
- 26) NOT USED
- 27) NOT USED
- 28) REMOVE PAINTED MTL FASCIA ABOVE WINDOWS (SEE 2 AND 3/D0202)
- 29) REMOVE PAINTED MTL BULKHEAD BELOW WINDOW (SEE 4/D0202)
- 30) NOT USED
- 31) NOT USED
- 32) EXISTING GLASS BLOCK TO BE REMOVED BY OTHERS FOR WINDOW REPLACEMENT (N.I.C). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 33) NOT USED
- 34) NOT USED



1 LEVEL 00 ARCHITECTURAL DEMOLITION PLAN - AREA D & E  
1/8" = 1'-0"

**ROCKFORD PUBLIC SCHOOLS**

**RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT**

# CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIR  
LICENSE NUMBER 184.0056

No.	Description	Date
	A	
	B	
	C	
	D	
	E	
	F	

### Drawing T

LEVEL 00  
ARCHITECTURAL  
DEMOLITION PLAN - AREA  
D & E

Project No.: 004645.0

Checked by: Checker

**D0100.DE**

1. VERIFY EXISTING FIELD CONDITIONS BEFORE AND AFTER DEMOLITION, REPORT ANY DISCREPANCIES FROM THE DRAWINGS TO THE ARCHITECT.
2. ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ALL CONSTRUCTION DOCUMENTS FOR COORDINATION OF THE WORK AND DESIGN INTENT.
3. NOT USED
4. CONSTRUCTION IS TO BE PHASED FOR UNINTERRUPTED USE OF THE EXISTING BUILDING. TEMPORARY BARRICADES TO BE ERECTED TO SEPARATE CONSTRUCTION AREAS FROM REMAINDER OF BUILDING. CORRIDOR ACCESS AND EXITS SHALL BE MAINTAINED AT ALL TIMES.
5. ALL EXISTING BUILDING SYSTEMS: HEATING, COOLING, FIRE ALARM, SECURITY, ETC. SHALL REMAIN IN OPERATION AT UNAFFECTED AREA AT ALL TIMES DURING DEMOLITION. COORDINATE ALL SHUT DOWNS WITH THE OWNERS BUILDING ENGINEER.
6. DEMOLITION WORK AS SHOWN ON THE DRAWINGS IS TO INDICATE, IN A GENERAL MANNER, THE REMOVAL OF EXISTING CONSTRUCTION AND IS NOT INTENDED TO BE EXCLUSIVE. PROVIDE ALL DEMOLITION REQUIRED TO ACCOMMODATE OR INSTALL ALL NEW WORK. VERIFY ALL CONDITIONS AT BUILDING SITE PRIOR TO COMMENCEMENT OF WORK.
7. ABATEMENT WORK IS UNDER SEPARATE CONTRACT. ALL ACM WILL BE REMOVED BY DISTRICT'S ABATEMENT CONTRACTOR. WORK NOTED IN THE DRAWINGS IS FOR CONTRACTORS REFERENCE, TO UNDERSTAND WORK REQUIRED TO PREPARE EXISTING SURFACES FOR NEW WORK. CONTRACTOR TO COORDINATE ACM REMOVAL REQUIREMENTS WITH RPS 205 ABATEMENT CONTRACTOR TO INCLUDE BUT NOT LIMITED TO: FLOORING, CEILING SYSTEMS, PIPE INSULATION, DUCT INSULATION, CAULK AND WINDOW GLAZING.
8. NOT USED
9. REFER TO PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS REGARDING DEMOLITION AND ALTERATION PROCEDURES.
10. NOT USED
11. NOT USED
12. NOT USED
13. NOT USED
14. NOT USED
15. NOT USED
16. NOT USED
17. NOT USED
18. NOT USED
19. COORDINATE ALL WORK WITH OWNER.
20. NOT USED
21. NOT USED
22. NOT USED
23. CONTRACTOR TO VERIFY WITH RPS 205 FOR ANY DEMOLISHED MATERIAL AND EQUIPMENT TO BE SALVAGED.
24. CONTRACTOR TO REMOVE ALL SALVAGED MATERIALS OFF SITE DAILY. NO MATERIAL SHALL BE STORED OUTSIDE DURING NON-WORKING TIMES. ALL DUMPSTERS SHALL BE SECURED AT THE END OF EACH DAY TO PREVENT SCRAPPING. PROHIBITIVE SIGNAGE WILL BE PROVIDED TO CONTRACTOR BY RPS 205. DISTRICT HAS THE RIGHT TO SALVAGE MATERIALS.
25. NOT USED

- 1) NOT USED
- 2) NOT USED
- 3) NOT USED
- 4) NOT USED
- 5) NOT USED
- 5A) CAREFULLY CUT AND REMOVE EXISTING PLASTER CEILING STARTING FROM 6" AWAY FROM CURVED PLASTER SOFFIT AT WINDOW. CURVED PLASTER SOFFIT AT WINDOW TO REMAIN. DASHED LINE INDICATES EXTENT.
- 6) NOT USED
- 7) NOT USED
- 8) NOT USED
- 9) NOT USED
- 10) NOT USED
- 11) NOT USED
- 12) OWNER TO REMOVE EXISTING LOOSE EQUIPMENT/FURNITURE. GC TO COORDINATE WITH DISTRICT.
- 13) REMOVE EXISTING WINDOW COVERINGS
- 14) NOT USED
- 15) NOT USED
- 16) NOT USED
- 17) EXISTING EXTERIOR ALUMINUM STOREFRONT SYSTEM ENTRY DOORS, DOOR HARDWARE AND THRESHOLDS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR
- 18) EXISTING EXTERIOR DOORS, INCL. FLASHING AND SEALS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19) EXISTING WINDOWS TO BE REMOVED BY OTHER FOR WINDOW REPLACEMENT (NOT IN CONTRACT). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19A) NOT USED
- 20) NOT USED
- 21) REMOVE PORTION OF EXISTING WOOD TRIM AS REQUIRED FOR NEW CONSTRUCTION.
- 22) EXISTING WINDOW AIR CONDITIONING UNIT TO BE REMOVED BY OWNER
- 23) NOT USED
- 24) NOT USED
- 25) NOT USED
- 26) NOT USED
- 27) NOT USED
- 28) REMOVE PAINTED MTL FASCIA ABOVE WINDOWS (SEE 2 AND 3/D0202)
- 29) REMOVE PAINTED MTL BULKHEAD BELOW WINDOW (SEE 4/D0202)
- 30) NOT USED
- 31) NOT USED
- 32) EXISTING GLASS BLOCK TO BE REMOVED BY OTHERS FOR WINDOW REPLACEMENT (N.I.C). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 33) NOT USED
- 34) NOT USED






GENERAL DEMOLITION NOTES

1. VERIFY EXISTING FIELD CONDITIONS BEFORE AND AFTER DEMOLITION, REPORT ANY DISCREPANCIES FROM THE DRAWINGS TO THE ARCHITECT.
2. ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ALL CONSTRUCTION DOCUMENTS FOR COORDINATION OF THE WORK AND DESIGN INTENT.
3. NOT USED
4. CONSTRUCTION IS TO BE PHASED FOR UNINTERRUPTED USE OF THE EXISTING BUILDING. TEMPORARY BARRICADES TO BE ERECTED TO SEPARATE CONSTRUCTION AREAS FROM REMAINDER OF BUILDING. CORRIDOR ACCESS AND EXITS SHALL BE MAINTAINED AT ALL TIMES.
5. ALL EXISTING BUILDING SYSTEMS - HEATING, COOLING, FIRE ALARM, SECURITY, ETC. SHALL REMAIN IN OPERATION AT UNAFFECTED AREA AT ALL TIMES DURING DEMOLITION. COORDINATE ALL SHUT DOWNS WITH THE OWNERS BUILDING ENGINEER.
6. DEMOLITION WORK AS SHOWN ON THE DRAWINGS IS TO INDICATE, IN A GENERAL MANNER, THE REMOVAL OF EXISTING CONSTRUCTION AND IS NOT INTENDED TO BE EXCLUSIVE. PROVIDE ALL DEMOLITION REQUIRED TO ACCOMMODATE OR INSTALL ALL NEW WORK. VERIFY ALL CONDITIONS AT BUILDING SITE PRIOR TO COMMENCEMENT OF WORK.
7. ABATEMENT WORK IS UNDER SEPARATE CONTRACT. ALL ACM WILL BE REMOVED BY DISTRICT'S ABATEMENT CONTRACTOR. WORK NOTED IN THE DRAWINGS IS FOR CONTRACTORS REFERENCE, TO UNDERSTAND WORK REQUIRED TO PREPARE EXISTING SURFACES FOR NEW WORK. CONTRACTOR TO COORDINATE ACM REMOVAL REQUIREMENTS WITH RPS 205 ABATEMENT CONTRACTOR TO INCLUDE BUT NOT LIMITED TO: FLOORING, CEILING SYSTEMS, PIPE INSULATION, DUCT INSULATION, CAULK AND WINDOW GLAZING.
8. NOT USED
9. REFER TO PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS REGARDING DEMOLITION AND ALTERATION PROCEDURES.
10. NOT USED
11. NOT USED
12. NOT USED
13. NOT USED
14. NOT USED
15. NOT USED
16. NOT USED
17. NOT USED
18. NOT USED
19. COORDINATE ALL WORK WITH OWNER
20. NOT USED
21. NOT USED
22. NOT USED
23. CONTRACTOR TO VERIFY WITH RPS 205 FOR ANY DEMOLISHED MATERIAL AND EQUIPMENT TO BE SALVAGED.
24. CONTRACTOR TO REMOVE ALL SALVAGED MATERIALS OFF SITE DAILY. NO MATERIAL SHALL BE STORED OUTSIDE DURING NON-WORKING TIMES. ALL DUMPSTERS SHALL BE SECURED AT THE END OF EACH DAY TO PREVENT SCRAPPING. PROHIBITIVE SIGNAGE WILL BE PROVIDED TO CONTRACTOR BY RPS 205. DISTRICT HAS THE RIGHT TO SALVAGE MATERIALS.
25. NOT USED

DEMOLITION KEY NOTES

- 1 NOT USED
- 2 NOT USED
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6A CAREFULLY CUT AND REMOVE EXISTING PLASTER CEILING STARTING FROM 6" AWAY FROM CURVED PLASTER SOFFIT AT WINDOW. CURVED PLASTER SOFFIT AT WINDOW TO REMAIN. DASHED LINE INDICATES EXTENT.
- 6 NOT USED
- 7 NOT USED
- 8 NOT USED
- 9 NOT USED
- 10 NOT USED
- 11 NOT USED
- 12 OWNER TO REMOVE EXISTING LOOSE EQUIPMENT/FURNITURE. GC TO COORDINATE WITH DISTRICT.
- 13 REMOVE EXISTING WINDOW COVERINGS
- 14 NOT USED
- 15 NOT USED
- 16 NOT USED
- 17 EXISTING EXTERIOR ALUMINUM STOREFRONT SYSTEM ENTRY DOORS, DOOR HARDWARE AND THRESHOLDS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR
- EXISTING EXTERIOR DOORS, INCL. FLASHING AND SEALS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- EXISTING WINDOWS TO BE REMOVED BY OTHER FOR WINDOW REPLACEMENT (NOT IN CONTRACT). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 18A NOT USED
- 20 NOT USED
- 21 REMOVE PORTION OF EXISTING WOOD TRIM AS REQUIRED FOR NEW CONSTRUCTION.
- 22 EXISTING WINDOW AIR CONDITIONING UNIT TO BE REMOVED BY OWNER
- 23 NOT USED
- 24 NOT USED
- 25 NOT USED
- 26 NOT USED
- 27 NOT USED
- 28 REMOVE PAINTED MTL FASCIA ABOVE WINDOWS (SEE 2 AND 3/D0202)
- 29 REMOVE PAINTED MTL BULKHEAD BELOW WINDOW (SEE 4/D0202)
- 30 NOT USED
- 31 NOT USED
- 32 EXISTING GLASS BLOCK TO BE REMOVED BY OTHERS FOR WINDOW REPLACEMENT (N.I.C). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 33 NOT USED
- 34 NOT USED

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



1 LEVEL 01 FLOOR PLAN - AREA E  
1/8" = 1'-0"



ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.8600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663


1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

Drawing Title:  
**LEVEL 01  
ARCHITECTURAL  
DEMOLITION PLAN - AREA  
E**

Project No.: 004645.08 Checked by: Checker

D0201.E



1 LEVEL 01 ARCHITECTURAL DEMOLITION PLAN - AREA F  
1/8" = 1'-0"

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID

### GENERAL DEMOLITION NOTES

1. VERIFY EXISTING FIELD CONDITIONS BEFORE AND AFTER DEMOLITION. REPORT ANY DISCREPANCIES FROM THE DRAWINGS TO THE ARCHITECT.
2. ALL CONTRACTORS ARE RESPONSIBLE FOR REVIEWING ALL CONSTRUCTION DOCUMENTS FOR COORDINATION OF THE WORK AND DESIGN INTENT.
3. NOT USED
4. CONSTRUCTION IS TO BE PHASED FOR UNINTERRUPTED USE OF THE EXISTING BUILDING. TEMPORARY BARRICADES TO BE ERRECTED TO SEPARATE CONSTRUCTION AREAS FROM REMAINDER OF BUILDING. CORRIDOR ACCESS AND EXITS SHALL BE MAINTAINED AT ALL TIMES.
5. ALL EXISTING BUILDING SYSTEMS - HEATING, COOLING, FIRE ALARM, SECURITY, ETC. SHALL REMAIN IN OPERATION AT UNAFFECTED AREA AT ALL TIMES DURING DEMOLITION. COORDINATE ALL SHUT DOWNS WITH THE OWNERS BUILDING ENGINEER.
6. DEMOLITION WORK AS SHOWN ON THE DRAWINGS IS TO INDICATE, IN A GENERAL MANNER, THE REMOVAL OF EXISTING CONSTRUCTION AND IS NOT INTENDED TO BE EXCLUSIVE. PROVIDE ALL DEMOLITION REQUIRED TO ACCOMMODATE OR INSTALL ALL NEW WORK. VERIFY ALL CONDITIONS AT BUILDING SITE PRIOR TO COMMENCEMENT OF WORK.
7. ABATEMENT WORK IS UNDER SEPARATE CONTRACT. ALL ACM WILL BE REMOVED BY DISTRICT'S ABATEMENT CONTRACTOR. WORK NOTED IN THE DRAWINGS IS FOR CONTRACTORS REFERENCE. TO UNDERSTAND WORK REQUIRED TO PREPARE EXISTING SURFACES FOR NEW WORK. CONTRACTOR TO COORDINATE ACM REMOVAL REQUIREMENTS WITH RPS 205 ABATEMENT CONTRACTOR TO INCLUDE BUT NOT LIMITED TO: FLOORING, CEILING SYSTEMS, PIPE INSULATION, DUCT INSULATION, CAULK AND WINDOW GLAZING.
8. NOT USED
9. REFER TO PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS REGARDING DEMOLITION AND ALTERATION PROCEDURES.
10. NOT USED
11. NOT USED
12. NOT USED
13. NOT USED
14. NOT USED
15. NOT USED
16. NOT USED
17. NOT USED
18. NOT USED
19. COORDINATE ALL WORK WITH OWNER.
20. NOT USED
21. NOT USED
22. NOT USED
23. CONTRACTOR TO VERIFY WITH RPS 205 FOR ANY DEMOLISHED MATERIAL AND EQUIPMENT TO BE SALVAGED.
24. CONTRACTOR TO REMOVE ALL SALVAGED MATERIALS OFF SITE DAILY. NO MATERIAL SHALL BE STORED OUTSIDE DURING NON-WORKING TIMES. ALL DUMPSTERS SHALL BE SECURED AT THE END OF EACH DAY TO PREVENT SCRAPPING. PROHIBITIVE SIGNAGE WILL BE PROVIDED TO CONTRACTOR BY RPS 205. DISTRICT HAS THE RIGHT TO SALVAGE MATERIALS.
25. NOT USED

### DEMOLITION KEY NOTES

- 1 NOT USED
- 2 NOT USED
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6 CAREFULLY CUT AND REMOVE EXISTING PLASTER CEILING STARTING FROM 6" AWAY FROM CURVED PLASTER SOFFIT AT WINDOW. CURVED PLASTER SOFFIT AT WINDOW TO REMAIN. DASHED LINE INDICATES EXTENT.
- 7 NOT USED
- 8 NOT USED
- 9 NOT USED
- 10 NOT USED
- 11 NOT USED
- 12 OWNER TO REMOVE EXISTING LOOSE EQUIPMENT/FURNITURE. GC TO COORDINATE WITH DISTRICT.
- 13 REMOVE EXISTING WINDOW COVERINGS
- 14 NOT USED
- 15 NOT USED
- 16 NOT USED
- 17 EXISTING EXTERIOR ALUMINUM STOREFRONT SYSTEM ENTRY DOORS, DOOR HARDWARE AND THRESHOLDS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR
- 18 EXISTING EXTERIOR DOORS, INCL. FLASHING AND SEALS TO BE REMOVED BY OTHER FOR DOOR REPLACEMENT (NOT IN CONTRACT). DOOR INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19 EXISTING WINDOWS TO BE REMOVED BY OTHER FOR WINDOW REPLACEMENT (NOT IN CONTRACT). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 19A NOT USED
- 20 NOT USED
- 21 REMOVE PORTION OF EXISTING WOOD TRIM AS REQUIRED FOR NEW CONSTRUCTION.
- 22 EXISTING WINDOW AIR CONDITIONING UNIT TO BE REMOVED BY OWNER
- 23 NOT USED
- 24 NOT USED
- 25 NOT USED
- 26 NOT USED
- 27 NOT USED
- 28 REMOVE PAINTED MTL FASCIA ABOVE WINDOWS (SEE 2 AND 3/D0202)
- 29 REMOVE PAINTED MTL BULKHEAD BELOW WINDOW (SEE 4/D0202)
- 30 NOT USED
- 31 NOT USED
- 32 EXISTING GLASS BLOCK TO BE REMOVED BY OTHERS FOR WINDOW REPLACEMENT (N.I.C.). WINDOW INSTALLER IS RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 33 NOT USED
- 34 NOT USED



ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663

1 RE-ISSUED FOR BID 02/24/2017


No.	Description	Date
	A	
	B	
	C	
	D	
	E	
	F	

Drawing Title:

LEVEL 01  
ARCHITECTURAL  
DEMOLITION PLAN - AREA  
F

Project No.: 004645.08 Checked by: Checker

D0201.F



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184.005663


## GENERAL DEMOLITION NOTES

1. PROTECT EXISTING CONSTRUCTION TO REMAIN.
2. EXISTING WINDOWS, DOORS, FRAMES, GLAZING, PAINTED METAL FASCIA AND TRIM, TO BE REMOVED BY OTHERS. CONTRACTOR TO REMOVE TEMPORARY PLYWOOD ENCLOSURE AND RETURN TO ABATEMENT CONTRACTOR.
3. ALL WORK THIS SHEET BID UNDER ALTERNATE 2A.


## DEMOLITION KEY NOTES

- 1 EXISTING CONSTRUCTION TO REMAIN.
- 2 REMOVE EXISTING PLASTER CEILING/SOFFIT AS REQUIRED FOR NEW CONSTRUCTION
- 3 REMOVE EXISTING PAINTED METAL FASCIA.
- 4 REMOVE EXISTING PAINTED METAL BULKHEAD AND ASSOCIATED BLOCKING.
- 5 REMOVE EXISTING WINDOW ENTIRELY
- 6 REMOVE EXISTING 16 GA PAINTED METAL DOOR/WINDOW FRAMING
- 7 REMOVE EXISTING ENTRY DOORS & THRESHOLD
- 8 REMOVE EXISTING 1/4" GLASS


NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID




1 ELEVATION - FRONT ENTRY DEMOLITION  
1/4" = 1'-0"




2 ENTRY DOOR DEMOLITION  
3" = 1'-0"




3 WINDOW DEMOLITION SECTION  
3" = 1'-0"




4 WINDOW DEMOLITION SECTION  
3" = 1'-0"




12 WINDOW DEMOLITION SECTION  
3" = 1'-0"




5 PLAN DETAIL  
3" = 1'-0"




6 PLAN DETAIL  
3" = 1'-0"




8 DEMOLITION PLAN DETAIL  
3" = 1'-0"



9 DEMOLITION PLAN DETAIL  
3" = 1'-0"



10 DEMOLITION PLAN DETAIL  
3" = 1'-0"



11 DEMOLITION PLAN DETAIL  
3" = 1'-0"

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

Drawing Title:

DEMOLITION  
ELEVATIONS/DETAILS


Project No.: 004645.08 Checked by: Checker

D0202


© Cannon Design 2014



ID	INSIDE DIAMETER	TYP	TYPICAL
INST	INSTALL(ED)	T&G	TONGUE & GROOVE
INSUL	INSULATION/ INSULATED	UC	UNDERCOUNTER
INT	INTERIOR	UPH	UPHOLSTERY
JAN	JANITOR	UNO	UNLESS NOTED OTHERWISE
JT	JOINT	VAC	VACUUM
KIT	KITCHEN	VCT	VINYL COMPOSITION TILE
LAB	LABORATORY	VEST	VESTIBULE
LAM	LAMINATED(D)	VET	VINYL ENHANCED TILE
LAV	LAVATORY	VIF	VERIFY IN FIELD
LGT	LENGTH	VNL	VINYL
LH	LEFT HAND	VTR	VENT THROUGH ROOF
LN	LINOLEUM	VWC	VINYL WALL COVERING
LP	LOW POINT	WAF	WOOD ATHLETIC FLOORING
LT	LIGHT	WC	WATER CLOSET
LWT	LIGHTWEIGHT	WCV	WALL COVERING
LVT	LUXURY VINYL TILE	WD	WOOD
		WDWTR	WINDOW TREATMENT
		WP	WORK POINT
		WPC	WOOD PANEL CEILING
		WT	WEIGHT



NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



1 A0100.DE\_1  
1/8" = 1'-0"

### GENERAL FLOOR PLAN NOTES

1. REFER TO SHEET A0001 FOR LIST OF TYPICAL ABBREVIATIONS AND TYPICAL ARCHITECTURAL GRAPHIC LEGENDS AND SYMBOLS.
2. NOT USED
3. DIMENSIONS ARE FROM FACE OF WALL UNLESS NOTED OTHERWISE.
4. OPENING DIMENSIONS ARE FROM FACE OF WALL TO OUTSIDE OF FRAME.
5. PATCH TO MATCH EXISTING PER SPEC 01 3520 ALTERATION PROJECT PROCEDURES.
6. NOT USED
7. PROVIDE BLOCKING AT WALL HUNG ACCESSORIES, EQUIPMENT AND CASEWORK.
8. PATCH EXISTING CEILING, FLOOR AND WALL SURFACES, TO REMAIN, AS REQUIRED - PROVIDE SMOOTH AND LEVEL SURFACES TO RECEIVE NEW FINISHES.
9. NOT USED
10. NOT USED

### FLOOR PLAN NOTES

- 1 NOT USED
- 2 NOT USED
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6 ALUMINUM REPLACEMENT WINDOW - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 8A ALUMINUM CURTAIN WALL REPLACEMENT - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 7 NOT USED
- 8 PATCH AND PAINT WALL TO MATCH EXISTING ADJACENT AS REQUIRED
- 9 NOT USED
- 10 NEW ALUMINUM STOREFRONT WITH ENTRY DOOR IN EXISTING OPENING
- 11 NOT USED
- 12 NOT USED
- 13 NOT USED
- 14 NOT USED
- 15 NOT USED
- 16 NOT USED
- 17 NOT USED
- 18 NOT USED
- 19 KNOX BOX - RECESSED
- 20 NOT USED
- 21 NOT USED
- 22 NOT USED
- 23 NOT USED
- 24 NOT USED
- 25 NOT USED

### EQUIPMENT LEGEND

- |       |  |
|-------|--|
| 6" MB | CONTRACTOR SERIES MARKERBOARD 4'-0" HIGH   |
| 8" TB | CONTRACTOR SERIES TACKBOARD 4'-0" HIGH   |
| TS    | TACK STRIP 1" HIGH, LENGTH PER ELEVATION   |
| IWB   | INTERACTIVE WHITE BOARD, OWNER PROVIDED AND CONTRACTOR INSTALLED. SEE TECHNOLOGY DRAWINGS. |



### ROCKFORD PUBLIC SCHOOLS RIVERDAHL ELEMENTARY SCHOOL - WINDOW REPLACEMENT

## CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.8600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
A		
B		
C		
D		
E		
F		

Drawing Title:


### LEVEL 00 FLOOR PLAN - AREA D & E

Project No.: 004645.08

Checked by: Checker

# A0100.DE

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



1 LEVEL 01 FLOOR PLAN - AREA D  
1/8" = 1'-0"

### GENERAL FLOOR PLAN NOTES

1. REFER TO SHEET A0001 FOR LIST OF TYPICAL ABBREVIATIONS AND TYPICAL ARCHITECTURAL GRAPHIC LEGENDS AND SYMBOLS.
2. NOT USED
3. DIMENSIONS ARE FROM FACE OF WALL UNLESS NOTED OTHERWISE.
4. OPENING DIMENSIONS ARE FROM FACE OF WALL TO OUTSIDE OF FRAME.
5. PATCH TO MATCH EXISTING PER SPEC 01 3520 ALTERATION PROJECT PROCEDURES.
6. NOT USED
7. PROVIDE BLOCKING AT WALL HUNG ACCESSORIES, EQUIPMENT AND CASEWORK.
8. PATCH EXISTING CEILING, FLOOR AND WALL SURFACES, TO REMAIN, AS REQUIRED - PROVIDE SMOOTH AND LEVEL SURFACES TO RECEIVE NEW FINISHES.
9. NOT USED
10. NOT USED

### FLOOR PLAN NOTES

1. NOT USED
2. NOT USED
3. NOT USED
4. NOT USED
5. NOT USED
6. ALUMINUM REPLACEMENT WINDOW - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 6A. ALUMINUM CURTAIN WALL REPLACEMENT - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
7. NOT USED
8. PATCH AND PAINT WALL TO MATCH EXISTING ADJACENT AS REQUIRED
9. NOT USED
10. NEW ALUMINUM STOREFRONT WITH ENTRY DOOR IN EXISTING OPENING
11. NOT USED
12. NOT USED
13. NOT USED
14. NOT USED
15. NOT USED
16. NOT USED
17. NOT USED
18. NOT USED
19. KNOX BOX - RECESSED
20. NOT USED
21. NOT USED
22. NOT USED
23. NOT USED
24. NOT USED
25. NOT USED

### EQUIPMENT LEGEND

- |       |  |
|-------|--|
| 6' MB | CONTRACTOR SERIES MARKERBOARD 4'-0" HIGH   |
| 8' TB | CONTRACTOR SERIES TACKBOARD 4'-0" HIGH   |
| TS    | TACK STRIP 1" HIGH, LENGTH PER ELEVATION   |
| IWB   | INTERACTIVE WHITE BOARD, OWNER PROVIDED AND CONTRACTOR INSTALLED. SEE TECHNOLOGY DRAWINGS. |



### ROCKFORD PUBLIC SCHOOLS RIVERDAHL ELEMENTARY SCHOOL - WINDOW REPLACEMENT

## CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9900  
F: 312.332.9901

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184-005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date

Drawing Title:


### LEVEL 01 FLOOR PLAN - AREA D

Project No.: 004645.08 Checked by: Checker

# A0101.D



NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



GENERAL FLOOR PLAN NOTES

1. REFER TO SHEET A0001 FOR LIST OF TYPICAL ABBREVIATIONS AND TYPICAL ARCHITECTURAL GRAPHIC LEGENDS AND SYMBOLS.
2. NOT USED
3. DIMENSIONS ARE FROM FACE OF WALL UNLESS NOTED OTHERWISE.
4. OPENING DIMENSIONS ARE FROM FACE OF WALL TO OUTSIDE OF FRAME.
5. PATCH TO MATCH EXISTING PER SPEC 01 3520 ALTERATION PROJECT PROCEDURES.
6. NOT USED
7. PROVIDE BLOCKING AT WALL HUNG ACCESSORIES, EQUIPMENT AND CASEWORK.
8. PATCH EXISTING CEILING, FLOOR AND WALL SURFACES, TO REMAIN, AS REQUIRED - PROVIDE SMOOTH AND LEVEL SURFACES TO RECEIVE NEW FINISHES.
9. NOT USED
10. NOT USED

FLOOR PLAN NOTES

- 1) NOT USED
- 2) NOT USED
- 3) NOT USED
- 4) NOT USED
- 5) NOT USED
- 6) ALUMINUM REPLACEMENT WINDOW - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 6A) ALUMINUM CURTAIN WALL REPLACEMENT - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 7) NOT USED
- 8) PATCH AND PAINT WALL TO MATCH EXISTING ADJACENT AS REQUIRED
- 9) NOT USED
- 10) NEW ALUMINUM STOREFRONT WITH ENTRY DOOR IN EXISTING OPENING
- 11) NOT USED
- 12) NOT USED
- 13) NOT USED
- 14) NOT USED
- 15) NOT USED
- 16) NOT USED
- 17) NOT USED
- 18) NOT USED
- 19) KNOX BOX - RECESSED
- 20) NOT USED
- 21) NOT USED
- 22) NOT USED
- 23) NOT USED
- 24) NOT USED
- 25) NOT USED

EQUIPMENT LEGEND

- |       |  |
|-------|--|
| 6" MB | CONTRACTOR SERIES MARKERBOARD 4'-0" HIGH   |
| 8" TB | CONTRACTOR SERIES TACKBOARD 4'-0" HIGH   |
| TS    | TACK STRIP 1" HIGH, LENGTH PER ELEVATION   |
| IWB   | INTERACTIVE WHITE BOARD, OWNER PROVIDED AND CONTRACTOR INSTALLED. SEE TECHNOLOGY DRAWINGS. |



ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9900  
F: 312.332.9901

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184.005693

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

Drawing Title:


LEVEL 01 FLOOR PLAN -  
AREA E

Project No.: 004645.08 Checked by: Checker

A0101.E



1 LEVEL 01 FLOOR PLAN - AREA F  
1/8" = 1'-0"



NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID

GENERAL FLOOR PLAN NOTES

1. REFER TO SHEET A0001 FOR LIST OF TYPICAL ABBREVIATIONS AND TYPICAL ARCHITECTURAL GRAPHIC LEGENDS AND SYMBOLS.
2. NOT USED
3. DIMENSIONS ARE FROM FACE OF WALL UNLESS NOTED OTHERWISE.
4. OPENING DIMENSIONS ARE FROM FACE OF WALL TO OUTSIDE OF FRAME.
5. PATCH TO MATCH EXISTING PER SPEC 01 3520 ALTERATION PROJECT PROCEDURES.
6. NOT USED
7. PROVIDE BLOCKING AT WALL HUNG ACCESSORIES, EQUIPMENT AND CASEWORK.
8. PATCH EXISTING CEILING, FLOOR AND WALL SURFACES, TO REMAIN, AS REQUIRED - PROVIDE SMOOTH AND LEVEL SURFACES TO RECEIVE NEW FINISHES.
9. NOT USED
10. NOT USED

FLOOR PLAN NOTES

- 1 NOT USED
- 2 NOT USED
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6 ALUMINUM REPLACEMENT WINDOW - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 6A ALUMINUM CURTAIN WALL REPLACEMENT - WINDOW INSTALLER RESPONSIBLE FOR REMOVING TEMPORARY ENCLOSURE AND RETURNING IT TO ABATEMENT CONTRACTOR.
- 7 NOT USED
- 8 PATCH AND PAINT WALL TO MATCH EXISTING ADJACENT AS REQUIRED
- 9 NOT USED
- 10 NEW ALUMINUM STOREFRONT WITH ENTRY DOOR IN EXISTING OPENING
- 11 NOT USED
- 12 NOT USED
- 13 NOT USED
- 14 NOT USED
- 15 NOT USED
- 16 NOT USED
- 17 NOT USED
- 18 NOT USED
- 19 KNOX BOX - RECESSED
- 20 NOT USED
- 21 NOT USED
- 22 NOT USED
- 23 NOT USED
- 24 NOT USED
- 25 NOT USED

EQUIPMENT LEGEND

- |       |  |
|-------|--|
| 6' MB | CONTRACTOR SERIES MARKERBOARD 4'-0" HIGH   |
| 8' TB | CONTRACTOR SERIES TACKBOARD 4'-0" HIGH   |
| TS    | TACK STRIP 1" HIGH, LENGTH PER ELEVATION   |
| IWB   | INTERACTIVE WHITE BOARD, OWNER PROVIDED AND CONTRACTOR INSTALLED. SEE TECHNOLOGY DRAWINGS. |



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date

Drawing Title:

LEVEL 01 FLOOR PLAN -  
AREA F

Project No.: 004645.08 Checked by: Checker

A0101.F




ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT


CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.8600  
F: 312.332.9601


PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663




4 GYM SOUTH ELEVATION  
1/8" = 1'-0"



3 WEST ELEVATION  
1/8" = 1'-0"



2 NORTH ELEVATION  
1/8" = 1'-0"



1 EAST ELEVATION  
1/8" = 1'-0"

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

Drawing Title:  
**BUILDING ELEVATIONS**

Project No.: 004645.08 Checked by: Checker

**A0301**



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT


CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601


PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184-005663

NOTE:  
ALL WORK ON THIS SHEET TO  
BE BID UNDER ALTERNATE 2A  
UNLESS NOTED OTHERWISE


NOTE: WORK IDENTIFIED AS ALTERNATE  
2A SHALL BE BID AS BASE BID




5 ELEVATION WINDOW REPLACEMENT  
1/8" = 1'-0"




4 ELEVATION WINDOW REPLACEMENT  
1/8" = 1'-0"



2 A0302\_2  
1/8" = 1'-0"



3 ELEVATION WINDOW REPLACEMENT  
1/8" = 1'-0"



1 ELEVATION WINDOW REPLACEMENT  
1/8" = 1'-0"

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

BUILDING ELEVATIONS


Project No.: 004645.08 Checked by: Checker

A0302




EXTERIOR REPLACEMENT WINDOW LEGEND (EFCO 510i 2-7/16" DEEP B.O.D)


NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID




WINDOW REPLACEMENT TYPE A  
ALTERNATE 2A




WINDOW REPLACEMENT TYPE B  
ALTERNATE 2A




WINDOW REPLACEMENT TYPE C  
ALTERNATE 2A




WINDOW REPLACEMENT TYPE D  
ALTERNATE 2B




WINDOW REPLACEMENT TYPE E  
ALTERNATE 2B




WINDOW REPLACEMENT TYPE F  
ALTERNATE 2A




WINDOW REPLACEMENT TYPE G  
ALTERNATE 2B




WINDOW REPLACEMENT TYPE H (FRONT ENTRY)  
ALTERNATE 2A



WINDOW REPLACEMENT TYPE J  
ALTERNATE 2A



WINDOW REPLACEMENT TYPE K  
ALTERNATE 2A




WINDOW REPLACEMENT TYPE L  
ALTERNATE 2A


NOTE:  
ALL REPLACEMENT WINDOWS TO BE  
DARK BRONZE ANODIZED

GLAZING WIDTH BY TYPE, V.I.F.:


H: 8'-4"  
H1: 8'-1 1/2"  
H2: 8'-3"  
H3: 8'-5 1/2"  
H4: 8'-5"  
H5: 8'-0"




4 WINDOW REPLACEMENT BASEMENT\_HEAD  
3" = 1'-0"




2 WINDOW REPLACEMENT TYPE C\_HEAD  
3" = 1'-0"




7 PLAN DETAIL - PARTITION JAMB TYP.  
3" = 1'-0"




6 PLAN DETAIL - COLUMN MULLION TYP.  
3" = 1'-0"



5 PLAN DETAIL - MASONRY JAMB TYP.  
3" = 1'-0"



3 WINDOW REPLACEMENT BASEMENT\_SILL  
3" = 1'-0"



1 WINDOW REPLACEMENT TYPE C\_SILL  
3" = 1'-0"

GENERAL WINDOW REPLACEMENT NOTES

1. PROTECT EXISTING CONTRUCTION TO REMAIN
2. EXISTING WINDOW REMOVED BY OTHERS. CONTRACTOR TO REMOVE TEMPORARY PLYWOOD ENCLOSURE AND RETURN TO ABATEMENT CONTRACTOR.
3. PATCH/REPAIR EXISTING CONSTRUCTION DAMAGED BY WINDOW INSTALLATION TO MATCH EXISTING.
4. PROVIDE NEW EXTRUDED ALUMINUM TRIM PIECES BY WINDOW MANUFACTURER AS REQUIRED TO ENCLOSE & FINISH VOIDS BETWEEN NEW WINDOW & EXISTING WORK TO REMAIN.
5. WINDOW FRAMES, CURTAIN WALL, & TRIM TO HAVE DARK BRONZE ANODIZED FINISH.
6. GLAZING TO BE LOW-E, INSULATED UNITS (I.U.N.O.)
7. PROMPTLY REPORT ANY DAMAGED OR ROTTED EXISTING CONDITIONS PRIOR TO REMOVAL/REPAIR/REPLACEMENT.
8. SEE SHEET A0409 FOR ENLARGED WINDOW REPLACEMENT TYPES
9. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION.
10. HORIZONTAL MULLIONS OF WINDOWS AND ADJACENT CURTAIN WALL TO ALIGN

12. ALL WORK ON THIS SHEET IS UNDER ALTERNATE BID. SEE PLANS FOR ALTERNATE NUMBERS.

WINDOW REPLACEMENT KEY NOTES

1. ALUMINUM WINDOW SYSTEM WITH 1" INSULATED LOW-E GLAZING. SEE ELEVATIONS FOR OPERABLE UNITS
2. EXISTING CONSTRUCTION TO REMAIN
3. ALUMINUM CURTAIN WALL WITH 1" INSULATED LOW-E GLAZING (2 1/2 X 7 1/2")
4. ALUMINUM SUBFRAME AT HEAD & JAMB SET IN BED OF SEALANT
5. ALUMINUM SUBSILL SET IN A BED OF SEALANT WITH SILL EXTENSION AS SHOWN
6. BACKER ROD AND SEALANT
7. ALUMINUM ENTRY DOOR (PROVIDE DOOR FRAME ADAPTOR AT CURTAIN WALL)
8. TREATED WOOD BLOCKING/SHIM AS REQUIRED
9. EXISTING STEEL STRUCTURE TO REMAIN
10. .125 ALUMINUM CLOSURE BY CURTAIN WALL MANUFACTURER
11. .063 ALUMINUM CLOSURE BY WINDOW MANUFACTURER
12. SPRAY FOAM INSULATION
13. PATCH EXISTING PLASTER CEILING / EXTERIOR SOFFIT TO MATCH EXISTING AFTER WINDOW / CURTAIN WALL INSTALLATION
14. PATCH EXISTING WOOD FILLER BOARD / SOFFIT TO MATCH EXISTING AFTER WINDOW INSTALLATION
15. TOUCH UP PAINT ON WOOD SOFFIT TRIM OR REPLACE AS REQUIRED AFTER INSTALLATION OF NEW BLOCKING FOR SUBFRAME ATTACHMENT
16. DEFLECTION CHANNEL AT HEAD - SET IN A BED OF SEALANT



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT


CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184.005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
-----	-------------	------




Drawing Title:

ENLARGED WINDOW  
TYPES


Project No.: 004645.08 Checked by: Checker

A0409







1 ELEVATION - FRONT ENTRY  
1/4" = 1'-0"




7 CURTAIN WALL REPLACEMENT DETAIL  
3" = 1'-0"




2 WINDOW REPLACEMENT DETAIL  
3" = 1'-0"




3 WINDOW REPLACEMENT - ENTRY GLASS  
3" = 1'-0"




4 WINDOW REPLACEMENT TYPE J SILL  
3" = 1'-0"




5 PLAN DETAIL  
3" = 1'-0"




6 PLAN DETAIL  
3" = 1'-0"



8 WINDOW REPLACEMENT PLAN DETAIL  
3" = 1'-0"



9 WINDOW REPLACEMENT PLAN DETAIL  
3" = 1'-0"



10 WINDOW REPLACEMENT PLAN DETAIL  
3" = 1'-0"

## GENERAL WINDOW REPLACEMENT NOTES

1. PROTECT EXISTING CONTRUCTION TO REMAIN
2. EXISTING WINDOW REMOVED BY OTHERS. CONTRACTOR TO REMOVE TEMPORARY FLYWOOD ENCLOSURE AND RETURN TO ABATEMENT CONTRACTOR.
3. PATCH/REPAIR EXISTING CONTRUCTION DAMAGED BY WINDOW INSTALLATION TO MATCH EXISTING.
4. PROVIDE NEW EXTRUDED ALUMINUM TRIM PIECES BY WINDOW MANUFACTURER AS REQUIRED TO ENCLOSE & FINISH VOIDS BETWEEN NEW WINDOW & EXISTING WORK TO REMAIN.
5. WINDOW FRAMES, CURTAIN WALL, & TRIM TO HAVE DARK BRONZE ANODIZED FINISH.
6. GLAZING TO BE LOW-E, INSULATED UNITS (U.N.O.)
7. PROMPTLY REPORT ANY DAMAGED OR ROTTED EXISTING CONDITIONS PRIOR TO REMOVAL/REPAIR/REPLACEMENT.
8. SEE SHEET A0409 FOR ENLARGED WINDOW REPLACEMENT TYPES
9. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION.
10. HORIZONTAL MULLIONS OF WINDOWS AND ADJACENT CURTAIN WALL TO ALIGN

12. ALL WORK ON THIS SHEET IS UNDER ALTERNATE BID. SEE PLANS FOR ALTERNATE NUMBERS.

## WINDOW REPLACEMENT KEY NOTES

1. ALUMINUM WINDOW SYSTEM WITH 1" INSULATED LOW-E GLAZING. SEE ELEVATIONS FOR OPERABLE UNITS
2. EXISTING CONSTRUCTION TO REMAIN
3. ALUMINUM CURTAIN WALL, WITH 1" INSULATED LOW-E GLAZING (2 1/2 X 7 1/2")
4. ALUMINUM SUBFRAME AT HEAD & JAMB SET IN BED OF SEALANT
5. ALUMINUM SUBSILL SET IN A BED OF SEALANT WITH SILL EXTENSION AS SHOWN
6. BACKER ROD AND SEALANT
7. ALUMINUM ENTRY DOOR (PROVIDE DOOR FRAME ADAPTOR AT CURTAIN WALL)
8. TREATED WOOD BLOCKING/SHIM AS REQUIRED
9. EXISTING STEEL STRUCTURE TO REMAIN
10. .125 ALUMINUM CLOSURE BY CURTAIN WALL MANUFACTURER
11. .063 ALUMINUM CLOSURE BY WINDOW MANUFACTURER
12. SPRAY FOAM INSULATION
13. PATCH EXISTING PLASTER CEILING / EXTERIOR SOFFIT TO MATCH EXISTING AFTER WINDOW / CURTAIN WALL INSTALLATION
14. PATCH EXISTING WOOD FILLER BOARD / SOFFIT TO MATCH EXISTING AFTER WINDOW INSTALLATION
15. TOUCH UP PAINT ON WOOD SOFFIT TRIM OR REPLACE AS REQUIRED AFTER INSTALLATION OF NEW BLOCKING FOR SUBFRAME ATTACHMENT
16. DEFLECTION CHANNEL AT HEAD - SET IN A BED OF SEALANT

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL ELEMENTARY  
SCHOOL - ADDITION &  
RENOVATION

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601


PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184-005663

S2O CONSULTANTS, INC.  
Kitchen Consultants  
13 Winding Branch Rd  
Hawthorn Woods IL 60047  
224-717-1999

ARC DESIGN RESOURCES INC.  
Civil Consultants  
5221 Zenith Parkway  
Loves Park IL 61111  
(815) 484-4300

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
-----	-------------	------




Drawing Title:

WINDOW REPLACEMENT  
DETAILS

Project No.: 004645.05 Checked by: Checker

A0410



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9900  
F: 312.332.9901

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184-005663


#### RCP KEYNOTES

- 1 NOT USED
- 2 NOT USED
- 3 NOT USED
- 4 NOT USED
- 5 NOT USED
- 6 EXISTING CEILING TO REMAIN
- 7 NOT USED
- 8 NOT USED
- 9 NOT USED
- 10 NOT USED
- 11 NOT USED
- 12 NOT USED

#### RCP GENERAL NOTES

1. NOT USED
2. NOT USED
3. NOT USED
4. IN ALL PAINTED CMU WALLS, LINTEL TO BE PAINTED TO MATCH ADJACENT WALL.
5. NOT USED
6. NOT USED
7. FOR FINISH LEGEND, SEE SHEET A1200.
8. NOT USED
9. NOT USED
10. NOT USED
11. NOT USED

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



#### 1 LEVEL 01 REFLECTED CEILING PLAN - AREA E

1/8" = 1'-0"

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
1	RE-ISSUED FOR BID	02/24/2017

Drawing Title:



LEVEL 01 REFLECTED  
CEILING PLAN - AREA E

Project No.: 004645.08 Checked by: Checker

A0701.E

© Cannon Design 2014





16 MULTIPLE LEAF KEY

**NOTE:**  
WHEN MULTIPLE LEAVES OCCUPY A SINGLE DOOR  
OPENING, EACH LEAF IS LISTED IN THE SCHEDULE  
UNDER THE HEADING 'DOOR TYPE'. EXAMPLE: N,F (UN).  
THE WIDTH OF THE FIRST LEAF IS SCHEDULED UNDER  
THE HEADING 'LEAF WIDTH'. THE WIDTH OF THE  
SECOND LEAF EQUALS THE DOOR OPENING WIDTH  
MINUS THE WIDTH OF THE SCHEDULED DOOR LEAF  
(AND CENTER MULLION IF APPLICABLE). FOR UNEQUAL  
PAIRS, THE SYMBOL (UN) APPEARS AFTER THE DOOR  
TYPE.

BORROWED_LIGHT_SCHEDULE												
OPENING NUMBER	BORROWED LIGHT				FRAME					FIRE RATING (MIN.)	REMARKS	
	OPENING WIDTH	OPENING HEIGHT	MATL	GLASS	TYPE	MATL	DETAILS					GLASS
							HEAD	JAMB	SILL			
162	3'-4"	4'-0"	HM	G1	B1	HM	6/A1003	6/A1003	6/A1003	G1	-	
183-B	3'-4"	4'-0"	HM	G1	B1	HM	6/A1003	6/A1003	6/A1003	G1	-	
183-C	3'-4"	1'-4"	HM	G1	B1	HM	6/A1003	6/A1003	6/A1003	G2	20	
Grand total: 3												

## GENERAL NOTES - OPENING

1. SAFETY GLAZING MUST COMPLY WITH LABELING AS PER IBC 2003, 2406.2 (TYPICAL).
2. STYLES & RAIL SIZES ON WOOD DOORS MIGHT VARY TO THE STANDARD OF EACH MANUFACTURER.
3. FRAME EXTENSIONS ADJUSTING TO WALL DEPTH ARE TYPICAL - REFER TO DOOR DETAILS.
4. FOR HARDWARE GROUP SPECIFICATIONS REFER TO THE PROJECT MANUAL UNDER DOOR HARDWARE SPECS.
5. DIMENSION ARE NOMINAL - MANUFACTURER PROVING THE DOORS TO DETERMINE THE ROUGH OPENINGS  
EXCEPT THE OPENING IN CONCRETE WALLS THAT HAVE BEEN ALREADY SPECIFIED.
6. THICKNESS OF GLAZING WITHIN DOORS BY DOOR MANUFACTURER STANDARDS.
7. GLAZING AS NOTED ON DOOR ELEVATIONS.
8. DOORS TO OPERATE AS SHOWN ON THE EXTERIOR BUILDING ELEVATIONS, ENLARGED UNIT PLANS & OVERALL PLANS.
9. TEMPERED GLAZING WHERE REQUIRED BY CODE (TYPICAL).
10. GENERAL CONTRACTOR TO COORDINATE ALL TRADES INVOLVED.
11. ELECTRICAL DEVICES SUCH AS MAG LOCKS, CARD READERS, AND ALARM SYSTEMS BEING PART OF THE DOOR FUNCTION ARE INCLUDED AS PART OF THE ELECTRICAL PLANS AND THE HARDWARE GROUPS

## GLAZING

- |    |  |
|----|--|
| G1 | 1/4" CLEAR TEMPERED GLASS (SAFETY RATED)             |
| G2 | FIRE RESISTIVE GLAZING (SAFETY RATED)                |
| G3 | 1" INSULATED GLASS UNIT (SAFETY RATED)               |
| G4 | 1" INSULATED LAMINATED GLASS UNIT (SECURITY GLAZING) |

## REMARKS


1. NEW OPENING IN EXISTING MASONRY PARTITION
2. NOT USED
3. PROVIDE 4'-0" H STAINLESS STEEL KICKPLATE ON KITCHEN SIDE. PER SPEC
4. DOOR AND FRAME TO BE PAINTED TO MATCH ADJACENT WALL. REFER TO FINISH PLANS
5. NEW DOOR AND FRAME IN EXISTING MASONRY OPENING - VERIFY SIZE OF EXISTING OPENING
6. ACOUSTICAL SOUND SEALS
7. EXTERIOR DOOR
8. ACCESSIBLE ENTRY WITH PUSH PLATE AND DOOR OPERATOR
9. SECURITY ACCESS DOOR
10. CARD READER - REFER TO DETAILS: 1 & 2 ON E0741 FOR PROVISIONS
11. COILING COUNTER SHUTTER
12. SECURITY GLAZING
13. DOOR AND FRAME TO BE PREPARED FOR FUTURE CARD READER LOCATED ON FRAME - REFER TO ELECTRICAL FOR PROVISIONS
14. MAGNETIC HOLD OPENS
15. PROVIDE 3/4" DOOR UNDERCUT
16. MECHANICALLY SECURE DOOR PANE TO MAKE INACTIVE. SEE SHEET A0101.E FOR LOCATION.

**ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT**

**CANNONDESIGN**


225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184.005683




## 7 FLOOR TRANSITION - CARPET/TILE

6\"/>




## 6 FLOOR TRANSITION - CARPET/CONCRETE

6\"/>




## 5 FLOOR TRANSITION - CARPET/RESILIENT

6\"/>




## 4 FLOOR TRANSITION - RESILIENT / TILE

6\"/>




## 3 FLOOR TRANSITION - RESILIENT/CONCRETE

6\"/>



## 2 FLOOR TRANSITION - WOOD GYM FLOOR

6\"/>



## 1 FLOOR TRANSITION - WOOD GYM FLOOR/WALL

6\"/>

# FINISH SCHEDULE

		TYPE	CODE	MATERIAL	MANUFACTURER	DESCRIPTION	COMMENTS / LOCATION
CEILING FINISH	LAY IN CEILING SYSTEMS		ACT-1	ACOUSTIC CEILING TILE AND GRID	USG	TILE: RADAR CLIMA PLUS HIGH-CAC, HIGH-NRC SIZE: 2' x 2' EDGE: REGULAR FINISH: WHITE	PROD.#: 22523 GRID: DXL 15/16\"
			ACT-2	ACOUSTIC CEILING TILE AND GRID	ARMSTRONG	TILE: HEALTH-ZONE OPTIMA SIZE: 2' x 2' x 3/4\"	PROD.#: NRC: .85 GRID: 15/16\" MATERIAL: FIBERGLASS
BASE FINISH	TILE BASE	ETR	E	EXISTING TO REMAIN			
		P	P	PATCH RUBBER BASE		AS NEEDED TO MATCH EXISTING ADJACENT FINISH IN PROFILE, COLOR, SIZE AND HEIGHT. EXISTING CONDITION TO BE V.I.F.	
		CTB-1		CERAMIC MOSAIC TILE BASE	DALTILE	STYLE: TO MATCH CMT-1 COLOR: TO MATCH CMT-1 OVERALL BASE CONSISTING OF: 2\"	TOILET ROOMS
		QT-1		QUARRY TILE BASE	DALTILE	STYLE: COVE BASE, ROUND TOP COLOR: COLOR TO MATCH QUARRY FLOOR TILE COLOR SIZE: 6\"	KITCHEN / SERVING
		VB-1		VINYL COVE BASE	JOHNSONITE	COLOR: PEBBLE 32 SIZE: COVE, 4\"	
FLOOR FINISH	CARPET	CPT-1		CARPET TILE	BY OWNER	PATTERN: TO BE DETERMINED COLOR: TO BE DETERMINED SIZE: 24\"	OWNER FURNISHED CONTRACTOR INSTALLED (INCLUDING ADHESIVE)
		CPT-2		CARPET TILE - WALK OFF	BY OWNER	COLLECTION: TO BE DETERMINED PATTERN: TO BE DETERMINED COLOR: TO BE DETERMINED	VESTIBULE / CORRIDOR OWNER FURNISHED CONTRACTOR INSTALLED (INCLUDING ADHESIVE)
	PATCH	ETR	E	EXISTING TO REMAIN			
		P	P	PATCH FLOOR FINISH	VARIES	AS NEEDED TO MATCH EXISTING ADJACENT FINISH IN PATTERN, COLOR, SIZE AND HEIGHT. EXISTING CONDITION TO BE V.I.F.	
	TILE	CMT-1		CERAMIC MOSAIC FLOOR TILE	DALTILE	STYLE: KEYSTONES COLOR: MARBLE 0325 SIZE: 2\"	TOILET ROOMS: FLOOR PATTERN PER FINISH PLANS
		CMT-2		CERAMIC MOSAIC FLOOR TILE	DALTILE	STYLE: KEYSTONES MULTIPLE COLOR CONSISTING OF: 70% ELEMENTAL TAN D166 30% MARBLE 0325 SIZE: 2\"	TOILET ROOMS: FLOOR PATTERN PER FINISH PLANS
		QT-1		QUARRY FLOOR TILE	DALTILE	STYLE: QUARRY TILE COLOR: TO BE SELECTED BY ARCHITECT SIZE: 6\"	KITCHEN / SERVING
		RFT-1		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
	RESILIENT TILE	RFT-2		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
		RFT-3		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
		RFT-4		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
		RFT-5		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
		RFT-6		RESILIENT FLOOR TILE	UPOFLOOR	PRODUCT: QUARTZ MOSAIC COLLECTION SIZE: 24\"	REFER TO FINISH PLANS
		RFT-7		RESILIENT FLOOR TILE	UPOFLOOR	NOT USED	REFER TO FINISH PLANS
		RFT-8		RESILIENT FLOOR TILE	UPOFLOOR	NOT USED	REFER TO FINISH PLANS
		RB-1		RESILIENT FLOOR: RUBBER TREADS WITH INTEGRATED RISER	JOHNSONITE	PRODUCT: HAMMERED WITH VISUAL IMPAIRED INSERT (VHTR) COLOR: TBD	STAIR TREADS & RISERS & INTERMEDIATE LANDINGS
	SEALER	SC		SEALED CONCRETE	PER SPEC	COLOR: CLEAR NON-SLIP FINISH	
	WOOD	WD-1		WOOD ATHLETIC FLOOR	AACER FLOOR COMPANY	PRODUCT: SCISSOR-LOC II, WITH AIR FLOW SYSTEM SIZE: SEE SPEC COLOR: SEE SPEC BASE: VINYL VENTED BASE BY WOOD FLOOR MANUFACTURER	GYM
WALL FINISH	PATCH	ETR	E	EXISTING TO REMAIN			
		P	P	PATCH WALL FINISH		AS NEEDED TO MATCH EXISTING ADJACENT FINISH IN PATTERN, COLOR, SIZE AND HEIGHT. EXISTING CONDITION TO BE V.I.F.	
	PAINT	PT-1		PAINT	SHERWIN WILLIAMS	COLOR: NATURAL CHOICE NO: SW 7011	GENERAL
		PT-2		PAINT	SHERWIN WILLIAMS	COLOR: REPOSE GRAY NO: SW 7015	GENERAL
		PT-3		PAINT	SHERWIN WILLIAMS	COLOR: CANDID BLUE NO: SW 6953	ACCENT
		PT-4		PAINT	BENJAMIN MOORE	COLOR: DANUBE NO: SW 6893	ACCENT
		PT-5		PAINT	SHERWIN WILLIAMS	COLOR: EROS PINK NO: SW 6889	ACCENT
		PT-6		PAINT	SHERWIN WILLIAMS	COLOR: BLUE SKY NO: SW 0063	ACCENT
		PT-7		PAINT	SHERWIN WILLIAMS	COLOR: SURFER NO: SW 6946	ACCENT
		PT-8		PAINT	SHERWIN WILLIAMS	COLOR: DOVETAIL NO: SW 7018	HM DOORS / FRAMES
		PT-9		PAINT	SHERWIN WILLIAMS	COLOR: HIGH REFLECTIVE WHITE NO: SW 7737	CEILING
		PT-10		PAINT	SHERWIN WILLIAMS	COLOR: CLASSICAL YELLOW NO: SW 2865	ACCENT
MISCELLANEOUS	WALL PANEL	WALL PANEL	AWP-1	ACOUSTICAL WALL PANEL	CONWED DESIGNSCAPE	DESCRIPTION: REBOUND, 2\"	GYM
			AWP-2	ACOUSTICAL WALL PANEL	CONWED DESIGNSCAPE	DESCRIPTION: REBOUND, 2\"	MUSIC
	SOLID SURFACE	PLAM	PL-1	PLASTIC LAMINATE	WILSONART	NOT USED	
			SSM	SOLID SURFACE MATERIAL	CORIAN	NOT USED	
	WINDOW COVERING	WC-1	WC-1	SINGLE (NON-MOTORIZED) MANUAL WINDOW COVERING	DRAPER	DESCRIPTION: FLEXSHADE, E SCREEN WITH 1% OPENNESS COLOR: #3001 CHARCOAL/ GREY REFER TO FINISH PLANS FOR LOCATION & QUANTITIES. REFER TO EXTERIOR ELEVATIONS FOR SIZES.	ALTERNATE 2A
			WC-2	SINGLE (NON-MOTORIZED) MANUAL WINDOW COVERING	DRAPER	DESCRIPTION: FLEXSHADE, E SCREEN WITH 1% OPENNESS COLOR: #3001 CHARCOAL/ GREY REFER TO FINISH PLANS FOR LOCATION & QUANTITIES. REFER TO EXTERIOR ELEVATIONS FOR SIZES.	ALTERNATE 2B: LEVEL 00
WALL MATS	AWM	AWM	AWM	ATHLETIC WALL MATS	PER SPEC	COLOR: TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S FULL LINE SIZE: PER INTERIOR ELEVATIONS	GYM

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER: 184.005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date

Drawing Title:


FINISH LEGEND, NOTES  
AND DETAILS

Project No.: 004645.08 Checked by: Checker

A1200



NOTE: WORK IDENTIFIED AS ALTERNATE  
2A SHALL BE BID AS BASE BID



1 LEVEL 00 FLOOR FINISH PLAN - AREA D & E  
1/8" = 1'-0"

#### GENERAL FINISH NOTES

##### WALLS

1. ALL WALLS TO RECEIVE PAINT FINISH TO FINISHED CEILING UNLESS NOTED OTHERWISE.
2. PROVIDE BULLNOSE CERAMIC TILE TRIM AT CERAMIC TILE ADJACENT WALL TRANSITION AND OUTSIDE CORNERS.
3. WALL TILE TO CONTINUE BEHIND ACCESSORIES.
4. PROVIDE EPOXY PAINT FOR TOILET ROOMS WITH GYP. BD. WALLS. SEE SPECIFICATION.
5. CERAMIC WALL TILE AT TOILET ROOMS TO BE 48" HIGH. A.F.F.

##### FLOOR

1. FOR FLOOR TRANSITION DETAILS SEE SHEET A1200.
2. ALL FLOORING MATERIAL CHANGES TO OCCUR AT CENTER OF DOOR STOP SIDE. REFER TO SHEET A1200 FOR TYPICAL FLOOR TRANSITION LOCATION.
3. FLOORING TO CONTINUE UNDER CABINETRY.
4. FLOOR PATCHING: REFER TO SHEETS A0101.A, A0101.B, AND A0101.C. KEYNOTE #12, FOR ALL LOCATIONS. MATCHING EXISTING MATERIAL, FINISH, COLOR, AND PATTERN. U.N.O.


##### BASE

1. COVE PROFILE BASE TO BE USED AT CARPET FLOOR FINISH.
2. CERAMIC WALL TILE TO HAVE COVE CERAMIC BASE COURSE.
3. NO WALL BASE AT SEALED CONCRETE FLOORS, UNLESS NOTED OTHERWISE.

##### MISCELLANEOUS

1. INTERIOR HOLLOW METAL DOOR AND FRAME TO BE PT-8 UNLESS NOTED OTHERWISE.
2. GMB CEILING/SOFFITS PT-9 UNLESS NOTED OTHERWISE.
3. PROVIDE WINDOW COVERINGS AT ALL NEW EXTERIOR WINDOWS, INCLUDING REPLACEMENT WINDOWS. (WC-1) PER FINISH SCHEDULE. REFER TO SPECIFICATION.

#### FINISH SYMBOL KEY



GENERAL ROOM FINISHES SHOWN IN SYMBOL. EXCEPTIONS AS NOTED.

SEE SHEET A1200 FOR FINISH LEGEND

(#) WITH NUMBER INDICATES KEY NOTE

(1) REINSTALL EXISTING WINDOW COVERINGS AFTER CONSTRUCTION COMPLETION.

#### FLOOR HATCH LEGEND

- QUARTZ TILE: RFT-1
- QUARTZ TILE: RFT-2
- QUARTZ TILE: RFT-3



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663

1 RE-ISSUED FOR BID 02/24/2017

No.	Description	Date
A		
B		
C		
D		
E		
F		

Drawing Title:

LEVEL 00 FLOOR FINISH  
PLAN - AREA D&E

Project No.: 004645.08 Checked by: Checker

A1200.DE

1 LEVEL 01 FLOOR FINISH PLAN.D  
1/8" = 1'-0"

NOTE: WORK IDENTIFIED AS ALTERNATE 2A SHALL BE BID AS BASE BID

GENERAL FINISH NOTES

WALLS

1. ALL WALLS TO RECEIVE PAINT FINISH TO FINISHED CEILING UNLESS NOTED OTHERWISE.
2. PROVIDE BULLNOSE CERAMIC TILE TRIM AT CERAMIC TILE ADJACENT WALL TRANSITION AND OUTSIDE CORNERS.
3. WALL TILE TO CONTINUE BEHIND ACCESSORIES.
4. PROVIDE EPOXY PAINT FOR TOILET ROOMS WITH GYP. BD. WALLS. SEE SPECIFICATION.
5. CERAMIC WALL TILE AT TOILET ROOMS TO BE 48" HIGH, A.F.F.

FLOOR

1. FOR FLOOR TRANSITION DETAILS SEE SHEET A1200.
2. ALL FLOORING MATERIAL CHANGES TO OCCUR AT CENTER OF DOOR STOP SIDE. REFER TO SHEET A1200 FOR TYPICAL FLOOR TRANSITION LOCATION.
3. FLOORING TO CONTINUE UNDER CABINETS.
4. FLOOR PATCHING. REFER TO SHEETS A0101.A, A0101.B, AND A0101.C, KEYNOTE #12, FOR ALL LOCATIONS. MATCHING EXISTING MATERIAL, FINISH, COLOR, AND PATTERN, U.N.O.


BASE

1. COVE PROFILE BASE TO BE USED AT CARPET FLOOR FINISH.
2. CERAMIC WALL TILE TO HAVE COVE CERAMIC BASE COURSE.
3. NO WALL BASE AT SEALED CONCRETE FLOORS, UNLESS NOTED OTHERWISE.

MISCELLANEOUS

1. INTERIOR HOLLOW METAL DOOR AND FRAME TO BE PT-8 UNLESS NOTED OTHERWISE.
2. GWB CEILINGS/SOFFITS PT-9 UNLESS NOTED OTHERWISE.
3. PROVIDE WINDOW COVERINGS AT ALL NEW EXTERIOR WINDOWS, INCLUDING REPLACEMENT WINDOWS. (WC-1) PER FINISH SCHEDULE. REFER TO SPECIFICATION.

FINISH SYMBOL KEY



GENERAL ROOM FINISHES SHOWN IN SYMBOL, EXCEPTIONS AS NOTED.

SEE SHEET A1200 FOR FINISH LEGEND

(#) WITH NUMBER INDICATES KEY NOTE

(1) REINSTALL EXISTING WINDOW COVERINGS AFTER CONSTRUCTION COMPLETION.

FLOOR HATCH LEGEND

- |  |                    |
|--|--------------------|
|  | QUARTZ TILE: RFT-1 |
|  | QUARTZ TILE: RFT-2 |
|  | QUARTZ TILE: RFT-3 |



ROCKFORD  
PUBLIC SCHOOLS

ROCKFORD PUBLIC SCHOOLS  
RIVERDAHL  
ELEMENTARY SCHOOL -  
WINDOW REPLACEMENT

CANNONDESIGN

225 North Michigan Avenue, Suite 1100  
Chicago, Illinois 60601  
T: 312.332.9600  
F: 312.332.9601

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184-005663

1 RE-ISSUED FOR BID 02/24/2017


No.	Description	Date

Drawing Title:

LEVEL 01 FLOOR FINISH  
PLAN - AREA D

Project No.: 004645.08 Checked by: Checker

A1201.D



2. GWB CEILINGS/SOFFITS PT-9 UNLESS NOTED OTHERWISE.

3. PROVIDE WINDOW COVERINGS AT ALL NEW EXTERIOR WINDOWS, INCLUDING REPLACEMENT WINDOWS. (WC-1) PER FINISH SCHEDULE. REFER TO SPECIFICATION.

 QUARTZ TILE: RFT-3

1/8" = 1'-0"

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184.005683

# A1201.E

© Cannon Design 2014



QUARTZ TILE: RFT-3

PROFESSIONAL DESIGN FIRM  
LICENSE NUMBER 184.005683

# A1201.F